

KIC 004055004

Q1-17 DR25 TCE Parameters

TCE	Run Type	KOI?	Period (Days)	Epoch (BKJD)	Depth (ppm)	Duration (Hours)	MES	SNR	R_{\star} (R_{\odot})	T_{\star} (K)	R_p (R_{\oplus})	S_p (S_{\oplus})
004055004-01	OBS	No	2.090811	133.099787	19.7	6.779	7.6	7.6	3.07	8218	1.59	21974.58

Robovetter Results

TCE	Run Type	Disp	Score	N	S	C	E	Comments
004055004-01	OBS	FP	0.00	1	0	0	0	SWEET_NTL—LPP_DV

Notes: OBS = Observed. INJ = Injected. INV = Inverted. SCR = Scrambled.

N = Not Transit-Like. S = Stellar Eclipse. C = Centroid Offset. E = Ephemeris Match.








See http://exoplanetarchive.ipac.caltech.edu/docs/API_kepcandidate_columns.html#proj_disp_col for comment definitions.

Ephemeris Match Information For 004055004-01

No Significant Match Found

DV One-Page Summary

KIC: 4055004 Candidate: 1 of 1 Period: 2.091 d



DV Fit Results:

Period = 2.09081 [0.00003] d
Epoch = 133.0998 [0.0083] BKJD
Rp/R* = 0.0047 [0.0017]
a/R* = 1.40 [1.51]
b = 0.90 [0.45]
Seff = 21974.58 [13293.44]
Teff = 3105 [470] K
Rp = 1.59 [0.86] Re
a = 0.0418 [0.0156] AU
Ag = 4.19 [3.98] [0.80σ]
Teffp = 6866 [1338] K [2.65σ]


DV Diagnostic Results:

ShortPeriod-sig: N/A
LongPeriod-sig: N/A
ModelChiSquare2-sig: N/A
ModelChiSquareGo-sig: N/A
Bootstrap-pfa: 1.42e-12
RollingBand-fgt: 1.00 [617/618]
GhostDiagnostic-chr: 1.209
Centroid-sig: 0.1%
Centroid-so: 4.170 arcsec [2.24σ]
OotOffset-rm: 0.037 arcsec [0.54σ]
KicOffset-rm: 0.148 arcsec [2.02σ]
OotOffset-st: 4/4/4/5 [17]
KicOffset-st: 4/4/4/5 [17]
DiffImageQuality-fgm: 1.00 [17/17]
DiffImageOverlap-fno: 1.00 [17/17]


Software Revision: svn+ssh://murzim/repo/soc/tags/release/9.3.42@60958 -- Date Generated: 31-Jan-2016 00:48:17 Z

This Data Validation Report Summary was produced in the Kepler Science Operations Center Pipeline at NASA Ames Research Center

TCE 004055004-01, PDC Light Curves




TCE 004055004-01




DV Odd/Even

TCE 004055004-01





ALT Odd/Even

TCE 004055004-01




Non-Whitened Vs. Whitened Light Curve




PDC Quarter-Phased Transit Curves

TCE 004055004-01 P= 2.090811 Days $T_0=133.099787$ (BKJD)




DV Quarter-Phased Transit Curves

TCE 004055004-01 P= 2.090811 Days $T_0=133.099787$ (BKJD)



Alt. Detrend Quarter-Phased Transit Curves


TCE 004055004-01 P= 2.090635 Days $T_0=133.138918$ (BKJD)



DV Model-Shift Uniqueness Test

004055004-01, P = 2.090811 Days, E = 131.008976 Days


Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
7.16	3.83	3.26	0	4.49	1.46	1.96	3.90	7.16	0.57	3.83	1.44	0.99	0.24	0.67



Alt Model-Shift Uniqueness Test

004055004-01, P = 2.090635 Days, E = 131.048283 Days

Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
22.8	1.22	0.63	0	4.54	1.58	0.65	22.2	22.8	0.59	1.22	3.76	0.91	0.06	0.22



Stellar Parameters For KIC 004055004

	$T_{\text{eff}}(K)$	$\log(g)$	$[\text{Fe}/\text{H}]$	$R (R_{\odot})$	$M(M_{\odot})$	$\rho_{\star} (\text{g}\cdot\text{cm}^{-3})$
	8218^{+225}_{-387}	$3.813^{+0.329}_{-0.141}$	$0.070^{+0.300}_{-0.400}$	$3.066^{+0.947}_{-1.263}$	$2.232^{+0.316}_{-0.632}$	$0.109^{+0.301}_{-0.048}$
	+3%/-5%	+9%/-4%	+429%/-571%	+31%/-41%	+14%/-28%	+276%/-44%
Source	KIC0	KIC0	KIC0	DSEP		

KIC = Kepler Input Catalog; PHO = Photometry; SPE = Spectroscopy; AST = Asteroseismology
 TRA = Transits; DESP = Dartmouth Models; MULT = Multiple Models

Secondary Eclipse Parameters for KIC 004055004-01 / KOI

Detrend	Depth (ppm)	$R_p (R_{\oplus})$	$T_{\text{max}} (K)$	$T_{\text{obs}} (K)$	A_{obs}
DV	-7 ± 2	$1.43^{+0.68}_{-0.57}$	4182^{+376}_{-434}	5800^{+1755}_{-997}	$3.217^{+5.529}_{-1.774}$
Alt.	-2 ± 2	$2.17^{+0.66}_{-0.66}$	4209^{+359}_{-453}	3038^{+1188}_{-6737}	$0.372^{+0.622}_{-0.356}$

T_{max} = Theoretical Maximum Planetary Temperature

T_{obs} = Observed Planetary Temperature (Assuming $A=0.3$)

A_{obs} = Observed Albedo (Assuming $T=0$)

If a secondary eclipse is present, the system is likely an EB if $T_{\text{obs}} \gg T_{\text{max}}$ AND $A_{\text{obs}} \gg 1.0$


DV Centroid Data

Supplemental centroid analysis for 004055004-01. Kepler magnitude: 13.70. Transit SNR 7.64

There are 17 quarters with good PRF difference image offsets


The direct PRF centroid is offset from the target star catalog position by about 0.06 arcsec

	Distance in arcsec	Distance / σ	Δ RA	Δ Dec
PRF-fit source offset from OOT	0.037 ± 0.069	0.54	0.035 ± 0.068	-0.014 ± 0.072
PRF-fit source offset from KIC position	0.148 ± 0.073	2.02	-0.135 ± 0.071	0.060 ± 0.086
photometric centroid source offset	4.17 ± 1.86	2.24	3.07 ± 1.74	-2.82 ± 2.00




Centroid source offsets from the target star reconstructed from PRF and photometric centroids. **Sky blue crosses: good quarterly centroid offsets; Vermillion crosses: bad quarterly centroid offsets**; magenta cross: average over quarters. Length of the crosses: one- σ uncertainty. Blue circle: three- σ . Red *: target star. Blue *: Other stars. Text next to a star gives its KIC ID and kepmag. KIC IDs > 15,000,000 are from the UKIRT catalog.


white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.




white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.




white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



UKIRT Image

Declination

