

KIC 004569942

Q1-17 DR25 TCE Parameters

TCE	Run Type	KOI?	Period (Days)	Epoch (BKJD)	Depth (ppm)	Duration (Hours)	MES	SNR	R_{\star} (R_{\odot})	T_{\star} (K)	R_p (R_{\oplus})	S_p (S_{\oplus})
004569942-01	OBS	8248.01	267.912658	160.222216	621.2	4.163	7.8	7.6	0.93	5291	2.54	1.03

Robovetter Results

TCE	Run Type	Disp	Score	N	S	C	E	Comments
004569942-01	OBS	FP	0.16	1	0	0	0	INDIV_TRANS_CHASES—CENT_FEW_DIFFS

Notes: OBS = Observed. INJ = Injected. INV = Inverted. SCR = Scrambled.

N = Not Transit-Like. S = Stellar Eclipse. C = Centroid Offset. E = Ephemeris Match.


See http://exoplanetarchive.ipac.caltech.edu/docs/API_kepcandidate_columns.html#proj_disp_col for comment definitions.

Ephemeris Match Information For 004569942-01

No Significant Match Found

DV One-Page Summary


KIC: 4569942 Candidate: 1 of 1 Period: 267.913 d




Software Revision: svn+ssh://murzim/repo/soc/tags/release/9.3.42@60958 -- Date Generated: 31-Jan-2016 02:10:43 Z

This Data Validation Report Summary was produced in the Kepler Science Operations Center Pipeline at NASA Ames Research Center

TCE 004569942-01, PDC Light Curves




TCE 004569942-01




DV Odd/Even

TCE 004569942-01




ALT Odd/Even

TCE 004569942-01




Non-Whitened Vs. Whitened Light Curve

Planet 1 : Phased Unwhitened Flux Time Series (Fit Epoch/Period)




Planet 1 : Phased Whitened Flux Time Series (Fit Epoch/Period)




PDC Quarter-Phased Transit Curves

TCE 004569942-01 P=267.912658 Days $T_0=160.222216$ (BKJD)




DV Quarter-Phased Transit Curves

TCE 004569942-01 P=267.912658 Days $T_0=160.222216$ (BKJD)



Alt. Detrend Quarter-Phased Transit Curves


TCE 004569942-01 P=267.908779 Days $T_0=160.241535$ (BKJD)



DV Model-Shift Uniqueness Test

004569942-01, P = 267.912658 Days, E = 160.222216 Days


Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
9.41	4.76	4.24	4.35	5.51	3.38	1.16	5.18	5.06	0.52	0.41	0.62	1.02	0.32	0.13



Alt Model-Shift Uniqueness Test

004569942-01, P = 267.908779 Days, E = 160.241535 Days

Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
8.45	3.81	3.81	3.79	5.55	3.45	1.03	4.64	4.65	0.00	0.01	0.62	1.06	0.31	0.24



Stellar Parameters For KIC 004569942

	$T_{\text{eff}}(K)$	$\log(g)$	[Fe/H]	$R (R_{\odot})$	$M(M_{\odot})$	$p_{\star} (\text{g}\cdot\text{cm}^{-3})$
	5291^{+185}_{-185}	$4.423^{+0.136}_{-0.221}$	$0.060^{+0.250}_{-0.300}$	$0.926^{+0.234}_{-0.144}$	$0.828^{+0.107}_{-0.066}$	$1.467^{+0.895}_{-0.755}$
	+3%/-3%	+3%/-5%	+417%/-500%	+25%/-16%	+13%/-8%	+61%/-51%
Source	KIC0	KIC0	KIC0	DSEP		

KIC = Kepler Input Catalog; PHO = Photometry; SPE = Spectroscopy; AST = Asteroseismology
 TRA = Transits; DESP = Dartmouth Models; MULT = Multiple Models

Secondary Eclipse Parameters for KIC 004569942-01 / KOI 8248.01

Detrend	Depth (ppm)	$R_p (R_{\oplus})$	$T_{max} (K)$	$T_{obs} (K)$	A_{obs}
DV	-315 ± 66	$3.66^{+2.99}_{-2.45}$	362^{+29}_{-24}	4061^{+2358}_{-777}	7919^{+61864}_{-5735}
Alt.	-284 ± 75	$3.53^{+2.97}_{-2.11}$	362^{+26}_{-22}	3986^{+1954}_{-733}	7164^{+41297}_{-5115}

T_{max} = Theoretical Maximum Planetary Temperature

T_{obs} = Observed Planetary Temperature (Assuming A=0.3)

A_{obs} = Observed Albedo (Assuming T=0)

If a secondary eclipse is present, the system is likely an EB if $T_{obs} \gg T_{max}$ AND $A_{obs} \gg 1.0$

DV Centroid Data


Supplemental centroid analysis for 004569942-01. Kepler magnitude: 15.20. Transit SNR 7.58

There are 0 quarters with good PRF difference image offsets


The direct PRF centroid is offset from the target star catalog position by about 0.11 arcsec

	Distance in arcsec	Distance / σ	Δ RA	Δ Dec
PRF-fit source offset from OOT	3.073 ± 1.341	2.29	2.300 ± 1.685	-2.039 ± 0.688
PRF-fit source offset from KIC position	3.126 ± 1.320	2.37	2.320 ± 1.654	-2.096 ± 0.724
photometric centroid source offset	1.10 ± 1.92	0.57	0.22 ± 2.09	-1.07 ± 1.91


offset from difference PRF-fit to OOT PRF-fit



offset from difference PRF-fit to KIC position




offset from photometric centroids




Centroid source offsets from the target star reconstructed from PRF and photometric centroids. Sky blue crosses: good quarterly centroid offsets; Vermillion crosses: bad quarterly centroid offsets; magenta cross: average over quarters. Length of the crosses: one- σ uncertainty. Blue circle: three- σ . Red *: target star. Blue *: Other stars. Text next to a star gives its KIC ID and kepmag. KIC IDs > 15,000,000 are from the UKIRT catalog.

white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.


Q1 no difference image




Q1 no OOT image




Q2 no difference image




Q2 no OOT image




Q3 no difference image





Q3 no OOT image



Q4 difference image. Poor Quality



Q4 OOT image



white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.

Q5 no difference image



Q5 no OOT image




Q6 no difference image




Q6 no OOT image



Q7 difference image. Poor Quality



Q7 OOT image



Q8 no difference image




Q8 no OOT image




white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



UKIRT Image

Declination

