

KIC 004763776

Q1-17 DR25 TCE Parameters

TCE	Run Type	KOI?	Period (Days)	Epoch (BKJD)	Depth (ppm)	Duration (Hours)	MES	SNR	R_{\star} (R_{\odot})	T_{\star} (K)	R_p (R_{\oplus})	S_p (S_{\oplus})
004763776-01	OBS	No	1.580710	132.046194	72.1	7.811	8.7	9.9	1.22	6520	1.40	2878.28

Robovetter Results

TCE	Run Type	Disp	Score	N	S	C	E	Comments
004763776-01	OBS	FP	0.00	1	0	0	0	SWEET_NTL—LPP_DV—LPP_ALT—MOD_NONUNIQ_DV

Notes: OBS = Observed. INJ = Injected. INV = Inverted. SCR = Scrambled.

N = Not Transit-Like. S = Stellar Eclipse. C = Centroid Offset. E = Ephemeris Match.








See http://exoplanetarchive.ipac.caltech.edu/docs/API_kepcandidate_columns.html#proj_disp_col for comment definitions.

Ephemeris Match Information For 004763776-01

No Significant Match Found

DV One-Page Summary

KIC: 4763776 Candidate: 1 of 1 Period: 1.581 d



DV Fit Results:

Period = 1.58071 [0.00003] d
Epoch = 132.0462 [0.0134] BKJD
Rp/R* = 0.0106 [0.0009]
a/R* = 1.05 [0.03]
b = 0.99 [0.01]
Seff = 2878.28 [1087.63]
Teq = 1868 [176] K
Rp = 1.40 [0.44] Re
a = 0.0288 [0.0071] AU
Ag = 10.54 [4.51] [2.12σ]
Teffp = 5203 [366] K [8.22σ]


DV Diagnostic Results:

ShortPeriod-sig: N/A
LongPeriod-sig: N/A
ModelChiSquare2-sig: N/A
ModelChiSquareGof-sig: N/A
Bootstrap-pfa: 1.31e-11
RollingBand-fgt: 0.99 [649/654]
GhostDiagnostic-chr: 1.805
Centroid-sig: 0.2%
Centroid-so: 2.423 arcsec [2.36σ]
OotOffset-rm: 0.303 arcsec [0.54σ]
KicOffset-rm: 0.345 arcsec [0.61σ]
OotOffset-st: 1/4/4/4 [13]
KicOffset-st: 1/4/4/4 [13]
DiffImageQuality-fgm: 0.85 [11/13]
DiffImageOverlap-fno: 1.00 [14/14]


Software Revision: svn+ssh://murzim/repo/soc/tags/release/9.3.42@60958 -- Date Generated: 30-Jan-2016 00:48:17 Z

This Data Validation Report Summary was produced in the Kepler Science Operations Center Pipeline at NASA Ames Research Center

TCE 004763776-01, PDC Light Curves




TCE 004763776-01




DV Odd/Even

TCE 004763776-01





ALT Odd/Even

TCE 004763776-01




Non-Whitened Vs. Whitened Light Curve




PDC Quarter-Phased Transit Curves

TCE 004763776-01 P= 1.580710 Days $T_0=132.046194$ (BKJD)




DV Quarter-Phased Transit Curves

TCE 004763776-01 P= 1.580710 Days $T_0=132.046194$ (BKJD)



Alt. Detrend Quarter-Phased Transit Curves


TCE 004763776-01 P= 1.580723 Days $T_0=132.248127$ (BKJD)



DV Model-Shift Uniqueness Test

004763776-01, P = 1.580710 Days, E = 130.465484 Days


Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
13.0	10.4	0	0	4.40	1.23	4.01	13.0	13.0	10.4	10.4	1.72	1.19	0.39	2.86



Alt Model-Shift Uniqueness Test

004763776-01, P = 1.580723 Days, E = 130.667404 Days

Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
30.7	16.9	0	0	4.28	0.90	3.91	30.7	30.7	16.9	16.9	1.21	1.04	0.18	0.23



Stellar Parameters For KIC 004763776

	$T_{\text{eff}}(K)$	$\log(g)$	[Fe/H]	$R (R_{\odot})$	$M(M_{\odot})$	$p_{\star} (\text{g}\cdot\text{cm}^{-3})$
	6520^{+182}_{-227}	$4.375^{+0.062}_{-0.188}$	$0.070^{+0.200}_{-0.400}$	$1.215^{+0.365}_{-0.156}$	$1.279^{+0.162}_{-0.198}$	$1.005^{+0.330}_{-0.483}$
	+3%/-3%	+1%/-4%	+286%/-571%	+30%/-13%	+13%/-15%	+33%/-48%
Source	PHO1	KIC0	KIC0	DSEP		

KIC = Kepler Input Catalog; PHO = Photometry; SPE = Spectroscopy; AST = Asteroseismology
 TRA = Transits; DESP = Dartmouth Models; MULT = Multiple Models

Secondary Eclipse Parameters for KIC 004763776-01 / KOI

Detrend	Depth (ppm)	$R_p (R_{\oplus})$	$T_{max} (K)$	$T_{obs} (K)$	A_{obs}
DV	-50 ± 5	$1.46^{+0.25}_{-0.19}$	2655^{+193}_{-133}	5288^{+311}_{-262}	10^{+3}_{-3}
Alt.	-63 ± 4	$1.42^{+0.23}_{-0.19}$	2663^{+167}_{-148}	5644^{+331}_{-268}	14^{+4}_{-3}

T_{max} = Theoretical Maximum Planetary Temperature

T_{obs} = Observed Planetary Temperature (Assuming A=0.3)

A_{obs} = Observed Albedo (Assuming T=0)

If a secondary eclipse is present, the system is likely an EB if $T_{obs} \gg T_{max}$ AND $A_{obs} \gg 1.0$


DV Centroid Data

Supplemental centroid analysis for 004763776-01. Kepler magnitude: 15.27. Transit SNR 9.91

There are 11 quarters with good PRF difference image offsets





The direct PRF centroid is offset from the target star catalog position by about 0.07 arcsec

	Distance in arcsec	Distance / σ	Δ RA	Δ Dec
PRF-fit source offset from OOT	0.303 ± 0.558	0.54	-0.092 ± 0.249	-0.289 ± 0.605
PRF-fit source offset from KIC position	0.345 ± 0.564	0.61	-0.110 ± 0.255	-0.327 ± 0.614
photometric centroid source offset	2.42 ± 1.03	2.36	-2.28 ± 1.03	-0.83 ± 0.99







Centroid source offsets from the target star reconstructed from PRF and photometric centroids. Sky blue crosses: good quarterly centroid offsets; Vermillion crosses: bad quarterly centroid offsets; magenta cross: average over quarters. Length of the crosses: one- σ uncertainty. Blue circle: three- σ . Red *: target star. Blue *: Other stars. Text next to a star gives its KIC ID and kepmag. KIC IDs > 15,000,000 are from the UKIRT catalog.




white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.






white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



UKIRT Image

Declination

