

KIC 005620711

Q1-17 DR25 TCE Parameters

TCE	Run Type	KOI?	Period (Days)	Epoch (BKJD)	Depth (ppm)	Duration (Hours)	MES	SNR	R_{\star} (R_{\odot})	T_{\star} (K)	R_p (R_{\oplus})	S_p (S_{\oplus})
005620711-01	OBS	No	2.666768	132.113693	20.8	20.733	9.1	5.1	1.66	6489	0.80	2554.75

Robovetter Results

TCE	Run Type	Disp	Score	N	S	C	E	Comments
005620711-01	OBS	FP	0.00	1	0	0	0	SWEET_NTL—LPP_DV

Notes: OBS = Observed. INJ = Injected. INV = Inverted. SCR = Scrambled.

N = Not Transit-Like. S = Stellar Eclipse. C = Centroid Offset. E = Ephemeris Match.








See http://exoplanetarchive.ipac.caltech.edu/docs/API_kepcandidate_columns.html#proj_disp_col for comment definitions.

Ephemeris Match Information For 005620711-01

No Significant Match Found

DV One-Page Summary

KIC: 5620711 Candidate: 1 of 1 Period: 2.667 d




DV Fit Results:

Period = 2.66677 [0.00004] d
Epoch = 132.1137 [0.0092] BKJD
Rp/R* = 0.0044 [0.0025]
a/R* = 1.12 [0.68]
b = 0.63 [3.02]
Seff = 2554.75 [735.06]
Teff = 1813 [130] K
Rp = 0.80 [0.47] Re
a = 0.0413 [0.0076] AU
Ag = 65.04 [75.22] [0.85σ]
Teffp = 7960 [2233] K [2.75σ]


DV Diagnostic Results:

ShortPeriod-sig: N/A
LongPeriod-sig: N/A
ModelChiSquare2-sig: N/A
ModelChiSquareGof-sig: N/A
Bootstrap-pfa: N/A
RollingBand-fgt: 1.00 [494/494]
GhostDiagnostic-chr: 1.215
Centroid-sig: 0.0%
Centroid-so: 4.260 arcsec [5.53σ]
OotOffset-rm: 0.282 arcsec [3.74σ]
KicOffset-rm: 0.200 arcsec [2.58σ]
OotOffset-st: 4/4/4/5 [17]
KicOffset-st: 4/4/4/5 [17]
DiffImageQuality-fgm: 1.00 [17/17]
DiffImageOverlap-fno: 1.00 [17/17]

TCE 005620711-01, PDC Light Curves




TCE 005620711-01




DV Odd/Even

TCE 005620711-01





ALT Odd/Even

TCE 005620711-01




Non-Whitened Vs. Whitened Light Curve




PDC Quarter-Phased Transit Curves

TCE 005620711-01 P= 2.666768 Days $T_0=132.113693$ (BKJD)




DV Quarter-Phased Transit Curves

TCE 005620711-01 P= 2.666768 Days $T_0=132.113693$ (BKJD)



Alt. Detrend Quarter-Phased Transit Curves


TCE 005620711-01 P= 2.667341 Days $T_0=132.072388$ (BKJD)



DV Model-Shift Uniqueness Test

005620711-01, P = 2.666768 Days, E = 129.446925 Days


Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
0.66	-0.34	0	0	4.31	0.97	0.10	0.66	0.66	-0.34	-0.34	0.53	2.20	0.70	0.58



Alt Model-Shift Uniqueness Test

005620711-01, P = 2.667341 Days, E = 129.405047 Days

Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
400.1	4.64	0	0	4.46	1.40	2.15	400.1	400.1	4.64	4.64	19.3	1.03	0.03	0



Stellar Parameters For KIC 005620711

	$T_{\text{eff}}(K)$	$\log(g)$	[Fe/H]	R (R_{\odot})	$M(M_{\odot})$	p_{\star} ($\text{g}\cdot\text{cm}^{-3}$)
	6489^{+77}_{-77}	$4.121^{+0.162}_{-0.108}$	$0.000^{+0.150}_{-0.200}$	$1.658^{+0.309}_{-0.340}$	$1.327^{+0.109}_{-0.133}$	$0.410^{+0.331}_{-0.147}$
	+1%/-1%	+4%/-3%	+inf%/-inf%	+19%/-21%	+8%/-10%	+81%/-36%
Source	SPE68	SPE68	SPE68	DSEP		

KIC = Kepler Input Catalog; PHO = Photometry; SPE = Spectroscopy; AST = Asteroseismology
 TRA = Transits; DESP = Dartmouth Models; MULT = Multiple Models

Secondary Eclipse Parameters for KIC 005620711-01 / KOI

Detrend	Depth (ppm)	R_p (R_{\oplus})	T_{max} (K)	T_{obs} (K)	A_{obs}
DV	1 ± 2	$0.81^{+0.44}_{-0.40}$	2525^{+117}_{-137}	-3283^{+6798}_{-1067}	$-0.588^{+2.222}_{-4.212}$
Alt.	-6 ± 1	$4.72^{+0.75}_{-0.66}$	2526^{+121}_{-132}	-2266^{+4456}_{-288}	$0.246^{+0.097}_{-0.076}$

T_{max} = Theoretical Maximum Planetary Temperature

T_{obs} = Observed Planetary Temperature (Assuming $A=0.3$)

A_{obs} = Observed Albedo (Assuming $T=0$)

If a secondary eclipse is present, the system is likely an EB if $T_{obs} \gg T_{max}$ AND $A_{obs} \gg 1.0$

DV Centroid Data


Supplemental centroid analysis for 005620711-01. Kepler magnitude: 13.10. Transit SNR 5.14

There are 17 quarters with good PRF difference image offsets


The direct PRF centroid is offset from the target star catalog position by about 0.16 arcsec

	Distance in arcsec	Distance / σ	Δ RA	Δ Dec
PRF-fit source offset from OOT	0.282 ± 0.075	3.74	0.202 ± 0.069	0.196 ± 0.082
PRF-fit source offset from KIC position	0.200 ± 0.078	2.58	0.177 ± 0.076	0.093 ± 0.084
photometric centroid source offset	4.26 ± 0.77	5.53	1.96 ± 0.72	3.78 ± 0.78


offset from difference PRF-fit to OOT PRF-fit



offset from difference PRF-fit to KIC position







offset from photometric centroids







Centroid source offsets from the target star reconstructed from PRF and photometric centroids. **Sky blue crosses: good quarterly centroid offsets**; **Vermillion crosses: bad quarterly centroid offsets**; magenta cross: average over quarters. Length of the crosses: one- σ uncertainty. Blue circle: three- σ . Red *: target star. Blue *: Other stars. Text next to a star gives its KIC ID and kepmag. KIC IDs > 15,000,000 are from the UKIRT catalog.





white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.





white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



UKIRT Image

Declination

