

KIC 005806877

Q1-17 DR25 TCE Parameters

TCE	Run Type	KOI?	Period (Days)	Epoch (BKJD)	Depth (ppm)	Duration (Hours)	MES	SNR	R_{\star} (R_{\odot})	T_{\star} (K)	R_p (R_{\oplus})	S_p (S_{\oplus})
005806877-01	OBS	No	0.760486	131.601358	15.0	3.973	9.3	7.1	3.10	7739	1.28	70353.57

Robovetter Results

TCE	Run Type	Disp	Score	N	S	C	E	Comments
005806877-01	OBS	FP	0.00	1	0	0	0	LPP_DV—LPP_ALT

Notes: OBS = Observed. INJ = Injected. INV = Inverted. SCR = Scrambled.

N = Not Transit-Like. S = Stellar Eclipse. C = Centroid Offset. E = Ephemeris Match.








See http://exoplanetarchive.ipac.caltech.edu/docs/API_kepcandidate_columns.html#proj_disp_col for comment definitions.

Ephemeris Match Information For 005806877-01

No Significant Match Found

DV One-Page Summary

KIC: 5806877 Candidate: 1 of 1 Period: 0.760 d




DV Fit Results:

Period = 0.76049 [0.00002] d
Epoch = 131.6014 [0.0064] BKJD
Rp/R* = 0.0038 [0.0015]
a/R* = 1.35 [1.36]
b = 0.69 [1.76]
Seff = 70353.57 [27574.18]
Teq = 4153 [407] K
Rp = 1.28 [0.61] Re
a = 0.0209 [0.0052] AU
Ag = 3.21 [2.82] [0.78 σ]
Teffp = 8597 [1693] K [2.55 σ]


DV Diagnostic Results:

ShortPeriod-sig: N/A
LongPeriod-sig: N/A
ModelChiSquare2-sig: N/A
ModelChiSquareGof-sig: N/A
Bootstrap-pfa: 1.13e-12
RollingBand-fgt: 0.99 [1664/1682]
GhostDiagnostic-chr: 1.747
Centroid-sig: 12.7%
Centroid-so: 2.100 arcsec [1.50 σ]
OotOffset-rm: 1.193 arcsec [1.40 σ]
KicOffset-rm: 1.190 arcsec [1.49 σ]
OotOffset-st: 4/2/4/5 [15]
KicOffset-st: 4/2/4/5 [15]
DiffImageQuality-fgm: 0.73 [11/15]
DiffImageOverlap-fno: 1.00 [17/17]

TCE 005806877-01, PDC Light Curves




TCE 005806877-01




DV Odd/Even

TCE 005806877-01





ALT Odd/Even

TCE 005806877-01




Non-Whitened Vs. Whitened Light Curve




PDC Quarter-Phased Transit Curves

TCE 005806877-01 P= 0.760486 Days $T_0=131.601358$ (BKJD)




DV Quarter-Phased Transit Curves

TCE 005806877-01 P= 0.760486 Days $T_0=131.601358$ (BKJD)



Alt. Detrend Quarter-Phased Transit Curves


TCE 005806877-01 P= 0.760558 Days $T_0=131.547137$ (BKJD)



DV Model-Shift Uniqueness Test

005806877-01, $P = 0.760486$ Days, $E = 130.840872$ Days


Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
10.6	9.83	0	0	4.37	1.17	0.28	10.6	10.6	9.83	9.83	0.22	0.89	0.04	0.83



Alt Model-Shift Uniqueness Test

005806877-01, P = 0.760558 Days, E = 130.786579 Days

Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
3.55	3.36	0	0	4.39	1.22	0.12	3.55	3.55	3.36	3.36	0.13	0.92	0.07	0.32



Stellar Parameters For KIC 005806877

	$T_{\text{eff}}(K)$	$\log(g)$	[Fe/H]	$R (R_{\odot})$	$M(M_{\odot})$	$p_{\star} (\text{g}\cdot\text{cm}^{-3})$
	7739^{+77}_{-77}	$3.781^{+0.225}_{-0.075}$	$0.070^{+0.150}_{-0.200}$	$3.095^{+0.388}_{-0.840}$	$2.109^{+0.188}_{-0.322}$	$0.100^{+0.131}_{-0.024}$
	+1%/-1%	+6%/-2%	+214%/-286%	+13%/-27%	+9%/-15%	+131%/-24%
Source	SPE68	SPE68	SPE68	DSEP		

KIC = Kepler Input Catalog; PHO = Photometry; SPE = Spectroscopy; AST = Asteroseismology
 TRA = Transits; DESP = Dartmouth Models; MULT = Multiple Models

Secondary Eclipse Parameters for KIC 005806877-01 / KOI

Detrend	Depth (ppm)	$R_p (R_{\oplus})$	$T_{max} (K)$	$T_{obs} (K)$	A_{obs}
DV	-17 ± 2	$1.19^{+0.51}_{-0.46}$	5733^{+218}_{-389}	7889^{+3302}_{-1661}	$2.780^{+4.672}_{-1.428}$
Alt.	-29 ± 8	$1.79^{+0.53}_{-0.50}$	5735^{+228}_{-381}	7185^{+1795}_{-1287}	$2.110^{+1.980}_{-0.977}$

T_{max} = Theoretical Maximum Planetary Temperature

T_{obs} = Observed Planetary Temperature (Assuming $A=0.3$)

A_{obs} = Observed Albedo (Assuming $T=0$)

If a secondary eclipse is present, the system is likely an EB if $T_{obs} \gg T_{max}$ AND $A_{obs} \gg 1.0$


DV Centroid Data

Supplemental centroid analysis for 005806877-01. Kepler magnitude: 13.80. Transit SNR 7.05

There are 11 quarters with good PRF difference image offsets





The direct PRF centroid is offset from the target star catalog position by about 0.02 arcsec

	Distance in arcsec	Distance / σ	Δ RA	Δ Dec
PRF-fit source offset from OOT	1.193 ± 0.850	1.40	1.081 ± 0.916	0.506 ± 0.271
PRF-fit source offset from KIC position	1.190 ± 0.798	1.49	1.075 ± 0.853	0.510 ± 0.283
photometric centroid source offset	2.10 ± 1.40	1.50	2.06 ± 1.41	0.40 ± 1.32







Centroid source offsets from the target star reconstructed from PRF and photometric centroids. **Sky blue crosses: good quarterly centroid offsets; Vermillion crosses: bad quarterly centroid offsets**; magenta cross: average over quarters. Length of the crosses: one- σ uncertainty. Blue circle: three- σ . Red *: target star. Blue *: Other stars. Text next to a star gives its KIC ID and kepmag. KIC IDs > 15,000,000 are from the UKIRT catalog.





white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.







white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.





white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



UKIRT Image

Declination

