

KIC 006032497

Q1-17 DR25 TCE Parameters

TCE	Run Type	KOI?	Period (Days)	Epoch (BKJD)	Depth (ppm)	Duration (Hours)	MES	SNR	R_{\star} (R_{\odot})	T_{\star} (K)	R_p (R_{\oplus})	S_p (S_{\oplus})
006032497-01	OBS	0845.01	16.329755	144.635824	1180.0	6.215	63.2	69.0	0.99	5878	3.74	66.18

Robovetter Results

TCE	Run Type	Disp	Score	N	S	C	E	Comments
006032497-01	OBS	PC	1.00	0	0	0	0	NO_COMMENT

Notes: OBS = Observed. INJ = Injected. INV = Inverted. SCR = Scrambled.

N = Not Transit-Like. S = Stellar Eclipse. C = Centroid Offset. E = Ephemeris Match.








See http://exoplanetarchive.ipac.caltech.edu/docs/API_kepcandidate_columns.html#proj_disp_col for comment definitions.

Ephemeris Match Information For 006032497-01

No Significant Match Found

DV One-Page Summary

KIC: 6032497 Candidate: 1 of 1 Period: 16.330 d
KOI: K00845.01 Corr: 0.987




DV Fit Results:

Period = 16.32976 [0.00004] d
Epoch = 144.6358 [0.0018] BKJD
Rp/R* = 0.0347 [0.0014]
a/R* = 13.47 [2.41]
b = 0.79 [0.09]
Seff = 66.18 [25.32]
Teq = 727 [70] K
Rp = 3.74 [1.11] Re
a = 0.1255 [0.0311] AU
Ag = 27.90 [14.55] [1.85 σ]
Teff = 2584 [258] K [6.94 σ]


DV Diagnostic Results:

ShortPeriod-sig: N/A
LongPeriod-sig: N/A
ModelChiSquare2-sig: 65.4%
ModelChiSquareGof-sig: 100.0%
Bootstrap-pfa: 0.00e+00
RollingBand-fgt: 1.00 [81/81]
GhostDiagnostic-chr: 7.554
Centroid-sig: 0.0%
Centroid-so: 0.383 arcsec [1.84 σ]
OotOffset-rm: 0.118 arcsec [1.25 σ]
KicOffset-rm: 0.214 arcsec [2.24 σ]
OotOffset-st: 4/4/4/5 [17]
KicOffset-st: 4/4/4/5 [17]
DiffImageQuality-fgm: 1.00 [17/17]
DiffImageOverlap-fno: 1.00 [17/17]

TCE 006032497-01, PDC Light Curves




TCE 006032497-01




DV Odd/Even

TCE 006032497-01




ALT Odd/Even

TCE 006032497-01




Non-Whitened Vs. Whitened Light Curve

Planet 1 : Phased Unwhitened Flux Time Series (Fit Epoch/Period)




Planet 1 : Phased Whitened Flux Time Series (Fit Epoch/Period)




PDC Quarter-Phased Transit Curves

TCE 006032497-01 P= 16.329755 Days $T_0=144.635825$ (BKJD)




DV Quarter-Phased Transit Curves

TCE 006032497-01 P= 16.329755 Days $T_0=144.635825$ (BKJD)



Alt. Detrend Quarter-Phased Transit Curves


TCE 006032497-01 P= 16.329589 Days $T_0=144.642563$ (BKJD)



DV Model-Shift Uniqueness Test

006032497-01, P = 16.329755 Days, E = 128.306070 Days


Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
90.4	3.10	3.00	2.59	4.92	2.39	1.09	87.4	87.8	0.11	0.51	2.21	0.99	0.04	0.92



Alt Model-Shift Uniqueness Test

006032497-01, P = 16.329589 Days, E = 128.312974 Days

Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
81.6	2.83	2.48	3.71	4.94	2.42	0.96	79.1	77.9	0.34	-0.88	1.66	1.01	0.04	0.54



Stellar Parameters For KIC 006032497

	$T_{\text{eff}}(K)$	$\log(g)$	[Fe/H]	$R (R_{\odot})$	$M(M_{\odot})$	$p_{\star} (\text{g}\cdot\text{cm}^{-3})$
	5878^{+158}_{-193}	$4.444^{+0.084}_{-0.196}$	$-0.060^{+0.300}_{-0.300}$	$0.987^{+0.291}_{-0.125}$	$0.989^{+0.127}_{-0.115}$	$1.448^{+0.519}_{-0.742}$
	+3%/-3%	+2%/-4%	+500%/-500%	+29%/-13%	+13%/-12%	+36%/-51%
Source	PHO1	KIC0	KIC0	DSEP		

KIC = Kepler Input Catalog; PHO = Photometry; SPE = Spectroscopy; AST = Asteroseismology
 TRA = Transits; DESP = Dartmouth Models; MULT = Multiple Models

Secondary Eclipse Parameters for KIC 006032497-01 / KOI 0845.01

Detrend	Depth (ppm)	$R_p (R_{\oplus})$	$T_{max} (K)$	$T_{obs} (K)$	A_{obs}
DV	-40 ± 13	$3.82^{+0.62}_{-0.39}$	1027^{+75}_{-54}	3098^{+168}_{-165}	22^{+10}_{-8}
Alt.	-38 ± 13	$3.66^{+0.58}_{-0.34}$	1030^{+69}_{-55}	3134^{+162}_{-198}	24^{+11}_{-9}

T_{max} = Theoretical Maximum Planetary Temperature
 T_{obs} = Observed Planetary Temperature (Assuming A=0.3)
 A_{obs} = Observed Albedo (Assuming T=0)

If a secondary eclipse is present, the system is likely an EB if $T_{obs} \gg T_{max}$ AND $A_{obs} \gg 1.0$


DV Centroid Data

Supplemental centroid analysis for 006032497-01. Kepler magnitude: 15.45. Transit SNR 69.00

There are 17 quarters with good PRF difference image offsets


The direct PRF centroid is offset from the target star catalog position by about 0.12 arcsec

	Distance in arcsec	Distance / σ	Δ RA	Δ Dec
PRF-fit source offset from OOT	0.118 ± 0.094	1.25	-0.005 ± 0.087	-0.118 ± 0.094
PRF-fit source offset from KIC position	0.214 ± 0.096	2.24	0.164 ± 0.100	-0.138 ± 0.090
photometric centroid source offset	0.38 ± 0.21	1.84	0.38 ± 0.21	-0.07 ± 0.17




Centroid source offsets from the target star reconstructed from PRF and photometric centroids. **Sky blue crosses: good quarterly centroid offsets**; **Vermillion crosses: bad quarterly centroid offsets**; magenta cross: average over quarters. Length of the crosses: one- σ uncertainty. Blue circle: three- σ . Red *: target star. Blue *: Other stars. Text next to a star gives its KIC ID and kepmag. KIC IDs > 15,000,000 are from the UKIRT catalog.


white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.




white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.




white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.




white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



fluxWeightedCentroids, Planet 1 of 1



UKIRT Image

