

KIC 006139591

Q1-17 DR25 TCE Parameters

TCE	Run Type	KOI?	Period (Days)	Epoch (BKJD)	Depth (ppm)	Duration (Hours)	MES	SNR	R_{\star} (R_{\odot})	T_{\star} (K)	R_p (R_{\oplus})	S_p (S_{\oplus})
006139591-01	OBS	No	0.802338	132.219367	28.9	4.822	10.2	7.3	2.70	8079	1.49	59793.01

Robovetter Results

TCE	Run Type	Disp	Score	N	S	C	E	Comments
006139591-01	OBS	FP	0.00	1	0	0	0	LPP_DV—LPP_ALT

Notes: OBS = Observed. INJ = Injected. INV = Inverted. SCR = Scrambled.

N = Not Transit-Like. S = Stellar Eclipse. C = Centroid Offset. E = Ephemeris Match.








See http://exoplanetarchive.ipac.caltech.edu/docs/API_kepcandidate_columns.html#proj_disp_col for comment definitions.

Ephemeris Match Information For 006139591-01

No Significant Match Found

DV One-Page Summary

KIC: 6139591 Candidate: 1 of 1 Period: 0.802 d




DV Fit Results:

Period = 0.80234 [0.00002] d
Epoch = 132.2194 [0.0068] BKJD
Rp/R* = 0.0050 [0.0057]
a/R* = 1.37 [4.27]
b = 0.35 [16.45]
Seff = 59793.01 [31766.50]
Teq = 3987 [530] K
Rp = 1.49 [1.79] Re
a = 0.0216 [0.0072] AU
Ag = 3.14 [7.36] [0.29 σ]
Teffp = 8208 [4714] K [0.89 σ]


DV Diagnostic Results:

ShortPeriod-sig: N/A
LongPeriod-sig: N/A
ModelChiSquare2-sig: N/A
ModelChiSquareGof-sig: N/A
Bootstrap-pfa: 4.78e-15
RollingBand-fgt: 1.00 [1602/1602]
GhostDiagnostic-chr: 1.42
Centroid-sig: 44.0%
Centroid-so: 0.564 arcsec [0.76 σ]
OotOffset-rm: 0.683 arcsec [2.27 σ]
OotOffset-st: 4/4/2/4 [14]
KicOffset-rm: 0.741 arcsec [2.38 σ]
KicOffset-st: 4/4/2/4 [14]
DiffImageQuality-fgm: 0.79 [11/14]
DiffImageOverlap-fno: 1.00 [17/17]

TCE 006139591-01, PDC Light Curves




TCE 006139591-01




DV Odd/Even

TCE 006139591-01




ALT Odd/Even

TCE 006139591-01




Non-Whitened Vs. Whitened Light Curve

Planet 1 : Phased Unwhitened Flux Time Series (Fit Epoch/Period)




Planet 1 : Phased Whitened Flux Time Series (Fit Epoch/Period)




PDC Quarter-Phased Transit Curves

TCE 006139591-01 P= 0.802338 Days $T_0=132.219367$ (BKJD)




DV Quarter-Phased Transit Curves

TCE 006139591-01 P= 0.802338 Days $T_0=132.219367$ (BKJD)



Alt. Detrend Quarter-Phased Transit Curves


TCE 006139591-01 P= 0.802388 Days $T_0=132.188570$ (BKJD)



DV Model-Shift Uniqueness Test

006139591-01, P = 0.802338 Days, E = 131.417029 Days


Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
8.08	7.43	0	0	4.35	1.09	0.26	8.08	8.08	7.43	7.43	0.98	0.82	0.05	1.15



Alt Model-Shift Uniqueness Test

006139591-01, P = 0.802388 Days, E = 131.386182 Days

Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
2.73	2.52	0	0	4.37	1.16	0.12	2.73	2.73	2.52	2.52	0.03	1.14	0.02	0.09



Stellar Parameters For KIC 006139591

	$T_{\text{eff}}(K)$	$\log(g)$	[Fe/H]	R (R_{\odot})	M (M_{\odot})	p_{\star} ($\text{g}\cdot\text{cm}^{-3}$)
	8079^{+196}_{-365}	$3.893^{+0.280}_{-0.120}$	$0.070^{+0.200}_{-0.450}$	$2.699^{+0.442}_{-1.031}$	$2.077^{+0.292}_{-0.500}$	$0.149^{+0.304}_{-0.045}$
	+2%/-5%	+7%/-3%	+286%/-643%	+16%/-38%	+14%/-24%	+205%/-30%
Source	KIC0	KIC0	KIC0	DSEP		

KIC = Kepler Input Catalog; PHO = Photometry; SPE = Spectroscopy; AST = Asteroseismology
 TRA = Transits; DESP = Dartmouth Models; MULT = Multiple Models

Secondary Eclipse Parameters for KIC 006139591-01 / KOI

Detrend	Depth (ppm)	R_p (R_{\oplus})	T_{max} (K)	T_{obs} (K)	A_{obs}
DV	-30 ± 4	$1.67^{+1.59}_{-1.05}$	5497^{+344}_{-511}	7284^{+8722}_{-2394}	$2.648^{+16.200}_{-1.930}$
Alt.	-40 ± 16	$2.14^{+1.67}_{-1.21}$	5472^{+368}_{-496}	6716^{+6184}_{-2158}	$2.089^{+10.309}_{-1.496}$

T_{max} = Theoretical Maximum Planetary Temperature
 T_{obs} = Observed Planetary Temperature (Assuming $A=0.3$)
 A_{obs} = Observed Albedo (Assuming $T=0$)

If a secondary eclipse is present, the system is likely an EB if $T_{obs} \gg T_{max}$ AND $A_{obs} \gg 1.0$


DV Centroid Data

Supplemental centroid analysis for 006139591-01. Kepler magnitude: 13.87. Transit SNR 7.31

There are 11 quarters with good PRF difference image offsets





The direct PRF centroid is offset from the target star catalog position by about 0.11 arcsec

	Distance in arcsec	Distance / σ	Δ RA	Δ Dec
PRF-fit source offset from OOT	0.683 ± 0.301	2.27	0.312 ± 0.370	0.607 ± 0.279
PRF-fit source offset from KIC position	0.741 ± 0.311	2.38	0.252 ± 0.354	0.697 ± 0.297
photometric centroid source offset	0.56 ± 0.74	0.76	-0.17 ± 0.75	0.54 ± 0.74







Centroid source offsets from the target star reconstructed from PRF and photometric centroids. **Sky blue crosses: good quarterly centroid offsets; Vermillion crosses: bad quarterly centroid offsets**; magenta cross: average over quarters. Length of the crosses: one- σ uncertainty. Blue circle: three- σ . Red *: target star. Blue *: Other stars. Text next to a star gives its KIC ID and kepmag. KIC IDs > 15,000,000 are from the UKIRT catalog.





white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.







white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



UKIRT Image

Declination

