

# KIC 006368222

## Q1-17 DR25 TCE Parameters

TCE	Run Type	KOI?	Period (Days)	Epoch (BKJD)	Depth (ppm)	Duration (Hours)	MES	SNR	$R_{\star}$ ( $R_{\odot}$ )	$T_{\star}$ (K)	$R_p$ ( $R_{\oplus}$ )	$S_p$ ( $S_{\oplus}$ )
006368222-01	OBS	No	1.706922	131.516495	47.2	6.061	9.9	9.8	1.69	7409	1.35	7607.60

## Robovetter Results

TCE	Run Type	Disp	Score	N	S	C	E	Comments
006368222-01	OBS	FP	0.00	1	0	0	0	LPP_DV—LPP_ALT—MOD_NONUNIQ_DV—MOD_NONUNIQ_ALT

**Notes:** OBS = Observed. INJ = Injected. INV = Inverted. SCR = Scrambled.

N = Not Transit-Like. S = Stellar Eclipse. C = Centroid Offset. E = Ephemeris Match.


See [http://exoplanetarchive.ipac.caltech.edu/docs/API\\_kepcandidate\\_columns.html#proj\\_disp\\_col](http://exoplanetarchive.ipac.caltech.edu/docs/API_kepcandidate_columns.html#proj_disp_col) for comment definitions.

## Ephemeris Match Information For 006368222-01


No Significant Match Found

This Data Validation Report Summary was produced in the Kepler Science Operations Center Pipeline at NASA Ames Research Center

# TCE 006368222-01, PDC Light Curves




TCE 006368222-01






# DV Odd/Even

TCE 006368222-01





# ALT Odd/Even

TCE 006368222-01




# Non-Whitened Vs. Whitened Light Curve



# PDC Quarter-Phased Transit Curves


TCE 006368222-01   P= 1.706922 Days    $T_0=131.516495$  (BKJD)






# DV Quarter-Phased Transit Curves

TCE 006368222-01 P= 1.706922 Days  $T_0=131.516495$  (BKJD)



# Alt. Detrend Quarter-Phased Transit Curves

TCE 006368222-01 P= 1.706920 Days  $T_0=131.518063$  (BKJD)






# DV Model-Shift Uniqueness Test

006368222-01, P = 1.706922 Days, E = 129.809573 Days


Pri	Sec	Ter	Pos	FA <sub>1</sub>	FA <sub>2</sub>	F <sub>Red</sub>	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
11.9	10.8	10.6	0	4.47	1.41	6.72	1.32	11.9	0.19	10.8	0.96	1.19	0.43	0.24



# Alt Model-Shift Uniqueness Test

006368222-01, P = 1.706920 Days, E = 129.811143 Days

Pri	Sec	Ter	Pos	FA <sub>1</sub>	FA <sub>2</sub>	F <sub>Red</sub>	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
8.81	8.49	7.71	0	4.49	1.47	3.74	1.09	8.81	0.77	8.49	0.47	1.05	0.26	0.07





### Stellar Parameters For KIC 006368222

	$T_{\text{eff}}(K)$	$\log(g)$	[Fe/H]	$R (R_{\odot})$	$M(M_{\odot})$	$p_{\star} (\text{g}\cdot\text{cm}^{-3})$
	$7409^{+232}_{-310}$	$4.152^{+0.128}_{-0.192}$	$-0.180^{+0.250}_{-0.350}$	$1.692^{+0.536}_{-0.357}$	$1.479^{+0.230}_{-0.230}$	$0.430^{+0.315}_{-0.208}$
	+3%/-4%	+3%/-5%	+139%/-194%	+32%/-21%	+16%/-16%	+73%/-48%
Source	KIC0	KIC0	KIC0	DSEP		

KIC = Kepler Input Catalog; PHO = Photometry; SPE = Spectroscopy; AST = Asteroseismology  
 TRA = Transits; DESP = Dartmouth Models; MULT = Multiple Models

### Secondary Eclipse Parameters for KIC 006368222-01 / KOI

Detrend	Depth (ppm)	$R_p (R_{\oplus})$	$T_{max} (K)$	$T_{obs} (K)$	$A_{obs}$
DV	$-28 \pm 3$	$1.37^{+0.43}_{-0.38}$	$3354^{+269}_{-223}$	$6152^{+1121}_{-702}$	$8.379^{+6.970}_{-3.488}$
Alt.	$-47 \pm 6$	$1.33^{+0.39}_{-0.39}$	$3344^{+268}_{-225}$	$7231^{+1696}_{-915}$	$15^{+15}_{-6}$

$T_{max}$  = Theoretical Maximum Planetary Temperature

$T_{obs}$  = Observed Planetary Temperature (Assuming A=0.3)

$A_{obs}$  = Observed Albedo (Assuming T=0)

If a secondary eclipse is present, the system is likely an EB if  $T_{obs} \gg T_{max}$  AND  $A_{obs} \gg 1.0$


## DV Centroid Data

Supplemental centroid analysis for 006368222-01. Kepler magnitude: 13.68. Transit SNR 9.81

There are 14 quarters with good PRF difference image offsets





The direct PRF centroid is offset from the target star catalog position by about 0.15 arcsec

	Distance in arcsec	Distance / $\sigma$	$\Delta$ RA	$\Delta$ Dec
PRF-fit source offset from OOT	$0.338 \pm 0.174$	1.95	$0.259 \pm 0.138$	$0.217 \pm 0.167$
PRF-fit source offset from KIC position	$0.350 \pm 0.189$	1.85	$0.170 \pm 0.137$	$0.306 \pm 0.174$
photometric centroid source offset	$0.78 \pm 0.43$	1.80	$-0.11 \pm 0.50$	$0.77 \pm 0.43$




Centroid source offsets from the target star reconstructed from PRF and photometric centroids. **Sky blue crosses:** good quarterly centroid offsets; **Vermillion crosses:** bad quarterly centroid offsets; magenta cross: average over quarters. Length of the crosses: one- $\sigma$  uncertainty. Blue circle: three- $\sigma$ . Red \*: target star. Blue \*: Other stars. Text next to a star gives its KIC ID and kepmag. KIC IDs > 15,000,000 are from the UKIRT catalog.

white  $\times$ : KIC target position; +: OOT centroid;  $\triangle$ : difference centroid. red  $\times$ : large negative pixel value.







white  $\times$ : KIC target position; +: OOT centroid;  $\triangle$ : difference centroid. red  $\times$ : large negative pixel value.







white  $\times$ : KIC target position;  $+$ : OOT centroid;  $\triangle$ : difference centroid. red  $\times$ : large negative pixel value.





white  $\times$ : KIC target position;  $+$ : OOT centroid;  $\triangle$ : difference centroid. red  $\times$ : large negative pixel value.



# UKIRT Image

Declination

