

KIC 006790279

Q1-17 DR25 TCE Parameters

TCE	Run Type	KOI?	Period (Days)	Epoch (BKJD)	Depth (ppm)	Duration (Hours)	MES	SNR	R_{\star} (R_{\odot})	T_{\star} (K)	R_p (R_{\oplus})	S_p (S_{\oplus})
006790279-01	OBS	No	376.032993	181.840235	580.0	31.381	8.6	7.4	0.90	5841	4.25	0.81

Robovetter Results

TCE	Run Type	Disp	Score	N	S	C	E	Comments
006790279-01	OBS	FP	0.00	1	0	0	0	INDIV_TRANS_MARSHALL—LPP_DV—ALL_TRANS_CHASES—CENT_FEW_DIFFS

Notes: OBS = Observed. INJ = Injected. INV = Inverted. SCR = Scrambled.

N = Not Transit-Like. S = Stellar Eclipse. C = Centroid Offset. E = Ephemeris Match.


See http://exoplanetarchive.ipac.caltech.edu/docs/API_kepcandidate_columns.html#proj_disp_col for comment definitions.

Ephemeris Match Information For 006790279-01

No Significant Match Found

DV One-Page Summary

KIC: 6790279 Candidate: 1 of 1 Period: 376.033 d



DV Fit Results:

Period = 376.03299 [0.04549] d
Epoch = 181.8402 [0.0939] BKJD
Rp/R* = 0.0436 [0.1552]
a/R* = 27.33 [23.94]
b = 1.00 [2.47]
Seff = 0.81 [0.32]
Teq = 242 [24] K
Rp = 4.26 [15.20] Re
a = 1.0141 [0.2502] AU
Ag = 22246.51 [158689.97] [0.14 σ]
Teffp = 4571 [8142] K [0.53 σ]


DV Diagnostic Results:

ShortPeriod-sig: N/A
LongPeriod-sig: N/A
ModelChiSquare2-sig: 11.3%
ModelChiSquareGof-sig: 100.0%
Bootstrap-pfa: 5.55e-10
RollingBand-fgt: 1.00 [4/4]
GhostDiagnostic-chr: -1.003
Centroid-sig: 5.4%
Centroid-so: 3.121 arcsec [1.52 σ]
OotOffset-rm: 1.080 arcsec [1.79 σ]
OotOffset-st: 2/0/0 [2]
KicOffset-rm: 0.690 arcsec [0.62 σ]
KicOffset-st: 2/0/0 [2]
DiffImageQuality-fgm: 1.00 [2/2]
DiffImageOverlap-fno: 1.00 [3/3]


Software Revision: svn+ssh://murzim/repo/soc/tags/release/9.3.42@60958 -- Date Generated: 30-Jan-2016 14:21:37 Z

This Data Validation Report Summary was produced in the Kepler Science Operations Center Pipeline at NASA Ames Research Center

TCE 006790279-01, PDC Light Curves




TCE 006790279-01




DV Odd/Even

TCE 006790279-01




ALT Odd/Even

TCE 006790279-01




Non-Whitened Vs. Whitened Light Curve

Planet 1 : Phased Unwhitened Flux Time Series (Fit Epoch/Period)




Planet 1 : Phased Whitened Flux Time Series (Fit Epoch/Period)




PDC Quarter-Phased Transit Curves

TCE 006790279-01 P=376.032993 Days $T_0=181.840235$ (BKJD)




DV Quarter-Phased Transit Curves

TCE 006790279-01 P=376.032993 Days $T_0=181.840235$ (BKJD)



Alt. Detrend Quarter-Phased Transit Curves


TCE 006790279-01 P=375.963882 Days $T_0=181.958370$ (BKJD)



DV Model-Shift Uniqueness Test

006790279-01, P = 376.032993 Days, E = 181.840235 Days


Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
12.4	13.5	10.2	12.7	5.22	2.92	1.61	2.23	-0.27	3.25	0.75	17.1	1.34	0.52	2.77



Alt Model-Shift Uniqueness Test

006790279-01, P = 375.963882 Days, E = 181.958370 Days

Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
32.4	4.73	4.32	9.75	5.25	2.96	1.05	28.1	22.7	0.41	-5.02	6.71	0.71	0.23	1.35



Stellar Parameters For KIC 006790279

	$T_{\text{eff}}(K)$	$\log(g)$	[Fe/H]	$R (R_{\odot})$	$M(M_{\odot})$	$\rho_{\star} (\text{g}\cdot\text{cm}^{-3})$
	5841^{+146}_{-190}	$4.527^{+0.036}_{-0.204}$	$-0.100^{+0.300}_{-0.300}$	$0.895^{+0.256}_{-0.092}$	$0.984^{+0.116}_{-0.127}$	$1.932^{+0.395}_{-1.018}$
	+2%/-3%	+1%/-5%	+300%/-300%	+29%/-10%	+12%/-13%	+20%/-53%
Source	PHO1	KIC0	KIC0	DSEP		

KIC = Kepler Input Catalog; PHO = Photometry; SPE = Spectroscopy; AST = Asteroseismology
 TRA = Transits; DESP = Dartmouth Models; MULT = Multiple Models

Secondary Eclipse Parameters for KIC 006790279-01 / KOI

Detrend	Depth (ppm)	$R_p (R_{\oplus})$	$T_{max} (K)$	$T_{obs} (K)$	A_{obs}
DV	-333 ± 25	$13.09^{+13.26}_{-9.40}$	346^{+24}_{-17}	2926^{+1441}_{-497}	1073^{+12032}_{-805}
Alt.	-118 ± 25	$11.49^{+14.10}_{-8.04}$	347^{+23}_{-15}	2615^{+1104}_{-433}	479^{+4861}_{-377}

T_{max} = Theoretical Maximum Planetary Temperature

T_{obs} = Observed Planetary Temperature (Assuming $A=0.3$)

A_{obs} = Observed Albedo (Assuming $T=0$)

If a secondary eclipse is present, the system is likely an EB if $T_{obs} \gg T_{max}$ AND $A_{obs} \gg 1.0$


DV Centroid Data

Supplemental centroid analysis for 006790279-01. Kepler magnitude: 15.09. Transit SNR 7.43

There are 2 quarters with good PRF difference image offsets

The direct PRF centroid is offset from the target star catalog position by about 0.47 arcsec

	Distance in arcsec	Distance / σ	Δ RA	Δ Dec
PRF-fit source offset from OOT	1.080 ± 0.602	1.79	1.037 ± 0.166	-0.300 ± 2.090
PRF-fit source offset from KIC position	0.690 ± 1.115	0.62	0.586 ± 0.155	-0.364 ± 2.100
photometric centroid source offset	3.12 ± 2.05	1.52	2.70 ± 2.14	-1.56 ± 1.75



Centroid source offsets from the target star reconstructed from PRF and photometric centroids. Sky blue crosses: good quarterly centroid offsets; Vermillion crosses: bad quarterly centroid offsets; magenta cross: average over quarters. Length of the crosses: one- σ uncertainty. Blue circle: three- σ . Red *: target star. Blue *: Other stars. Text next to a star gives its KIC ID and kepmag. KIC IDs > 15,000,000 are from the UKIRT catalog.

white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.


Q5 no difference image





Q5 no OOT image




Q6 difference image. Poor Quality




Q6 OOT image




Q7 no difference image




Q7 no OOT image



Q8 no difference image



Q8 no OOT image



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.


Q9 no difference image




Q9 no OOT image



Q10 difference image



Q10 OOT image



Q11 no difference image



Q11 no OOT image



Q12 no difference image



Q12 no OOT image



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.


Q13 no difference image





Q13 no OOT image



Q14 difference image



Q14 OOT image




Q15 no difference image



Q15 no OOT image




Q16 no difference image



Q16 no OOT image



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



UKIRT Image

