

KIC 007281484

Q1-17 DR25 TCE Parameters

TCE	Run Type	KOI?	Period (Days)	Epoch (BKJD)	Depth (ppm)	Duration (Hours)	MES	SNR	R_{\star} (R_{\odot})	T_{\star} (K)	R_p (R_{\oplus})	S_p (S_{\oplus})
007281484-01	OBS	4536.01	0.566802	131.836109	10.8	4.659	11.0	10.9	1.35	6476	0.45	14204.02

Robovetter Results

TCE	Run Type	Disp	Score	N	S	C	E	Comments
007281484-01	OBS	FP	0.00	1	0	0	1	LPP_DV—MOD_NONUNIQ_ALT—CENT_FEW_MEAS—EPHEM_MATCH

Notes: OBS = Observed. INJ = Injected. INV = Inverted. SCR = Scrambled.

N = Not Transit-Like. S = Stellar Eclipse. C = Centroid Offset. E = Ephemeris Match.

See http://exoplanetarchive.ipac.caltech.edu/docs/API_kepcandidate_columns.html#proj_disp_col for comment definitions.


Ephemeris Match Information For 007281484-01

TCE (1)	KIC	Parent (2)	Parent KIC	$P_1:P_2$	Dist ($''$)	Δ Row	Δ Col	m_2	m_1	D_2/D_1	Mechanism	Flag	σ_P	σ_T
007281484-01	7281484	RR-Lyr-pri	7198959	1:1	650.9	67	149	7.86	12.32	56663.00	Direct-PRF	0	0.91	18.13


Notes: $P_1:P_2$ is the period ratio. Dist is the distance in arcseconds. Δ Row and Δ Col are the number of pixels apart in row and column. m_2 and m_1 are the magnitudes of the parent and child. D_2/D_1 is the parent's transit depth divided by the child's. σ_P and σ_T are the significance of the match in period and epoch. For a match to be considered significant $\sigma_P < 5.0$ and $\sigma_T < 5.0$. Matches which have σ_P and σ_T very close to this cutoff should receive extra scrutiny, especially if the period ratio is very large.

This Data Validation Report Summary was produced in the Kepler Science Operations Center Pipeline at NASA Ames Research Center

TCE 007281484-01, PDC Light Curves




TCE 007281484-01




DV Odd/Even

TCE 007281484-01




ALT Odd/Even

TCE 007281484-01




Non-Whitened Vs. Whitened Light Curve

Planet 1 : Phased Unwhitened Flux Time Series (Fit Epoch/Period)




Planet 1 : Phased Whitened Flux Time Series (Fit Epoch/Period)




PDC Quarter-Phased Transit Curves

TCE 007281484-01 P= 0.566802 Days $T_0=131.836109$ (BKJD)




DV Quarter-Phased Transit Curves

TCE 007281484-01 P= 0.566802 Days $T_0=131.836109$ (BKJD)



Alt. Detrend Quarter-Phased Transit Curves


TCE 007281484-01 P= 0.566795 Days $T_0=131.817041$ (BKJD)



DV Model-Shift Uniqueness Test

007281484-01, P = 0.566802 Days, E = 131.269307 Days


Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
13.2	3.59	0	0	4.28	0.89	0.79	13.2	13.2	3.59	3.59	0.13	0.86	0.03	6.14



Alt Model-Shift Uniqueness Test

007281484-01, P = 0.566795 Days, E = 131.250246 Days

Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
18.8	2.67	0	0	4.39	1.21	2.71	18.8	18.8	2.67	2.67	2.82	1.07	0.07	2.69



Stellar Parameters For KIC 007281484

	$T_{\text{eff}}(K)$	$\log(g)$	[Fe/H]	$R (R_{\odot})$	$M(M_{\odot})$	$p_{\star} (\text{g}\cdot\text{cm}^{-3})$
	6476^{+144}_{-176}	$4.255^{+0.117}_{-0.143}$	$-0.100^{+0.250}_{-0.300}$	$1.353^{+0.285}_{-0.233}$	$1.202^{+0.141}_{-0.157}$	$0.684^{+0.369}_{-0.283}$
	+2%/-3%	+3%/-3%	+250%/-300%	+21%/-17%	+12%/-13%	+54%/-41%
Source	PHO1	FLK73	KIC0	DSEP		

KIC = Kepler Input Catalog; PHO = Photometry; SPE = Spectroscopy; AST = Asteroseismology
 TRA = Transits; DESP = Dartmouth Models; MULT = Multiple Models

Secondary Eclipse Parameters for KIC 007281484-01 / KOI 4536.01

Detrend	Depth (ppm)	$R_p (R_{\oplus})$	$T_{max} (K)$	$T_{obs} (K)$	A_{obs}
DV	-2 ± 1	$0.45^{+0.31}_{-0.25}$	3908^{+226}_{-201}	4245^{+2131}_{-1582}	$1.001^{+4.153}_{-0.663}$
Alt.	-2 ± 1	$0.55^{+0.31}_{-0.27}$	3896^{+233}_{-200}	3708^{+1572}_{-6641}	$0.652^{+1.829}_{-0.424}$

T_{max} = Theoretical Maximum Planetary Temperature

T_{obs} = Observed Planetary Temperature (Assuming A=0.3)

A_{obs} = Observed Albedo (Assuming T=0)

If a secondary eclipse is present, the system is likely an EB if $T_{obs} \gg T_{max}$ AND $A_{obs} \gg 1.0$

DV Centroid Data


Supplemental centroid analysis for 007281484-01. Kepler magnitude: 12.32. Transit SNR 10.91

There are 4 quarters with good PRF difference image offsets


The direct PRF centroid is offset from the target star catalog position by about 0.15 arcsec

	Distance in arcsec	Distance / σ	Δ RA	Δ Dec
PRF-fit source offset from OOT	2.010 ± 1.424	1.41	0.808 ± 0.986	-1.841 ± 1.150
PRF-fit source offset from KIC position	1.972 ± 1.564	1.26	0.885 ± 1.157	-1.762 ± 1.203
photometric centroid source offset	4.06 ± 0.61	6.71	2.21 ± 0.67	-3.41 ± 0.58


offset from difference PRF-fit to OOT PRF-fit



offset from difference PRF-fit to KIC position







offset from photometric centroids







Centroid source offsets from the target star reconstructed from PRF and photometric centroids. **Sky blue crosses: good quarterly centroid offsets; Vermillion crosses: bad quarterly centroid offsets**; magenta cross: average over quarters. Length of the crosses: one- σ uncertainty. Blue circle: three- σ . Red *: target star. Blue *: Other stars. Text next to a star gives its KIC ID and kepmag. KIC IDs > 15,000,000 are from the UKIRT catalog.



white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



UKIRT Image

Declination

