

KIC 007530366

Q1-17 DR25 TCE Parameters

TCE	Run Type	KOI?	Period (Days)	Epoch (BKJD)	Depth (ppm)	Duration (Hours)	MES	SNR	R_{\star} (R_{\odot})	T_{\star} (K)	R_p (R_{\oplus})	S_p (S_{\oplus})
007530366-01	OBS	No	0.525562	131.873235	0.2	1.647	15.4	0.9	4.37	9725	0.37	0.00

Robovetter Results

TCE	Run Type	Disp	Score	N	S	C	E	Comments
007530366-01	OBS	FP	0.00	1	0	0	1	LPP_DV—CENT_SATURATED—EPHEM_MATCH

Notes: OBS = Observed. INJ = Injected. INV = Inverted. SCR = Scrambled.

N = Not Transit-Like. S = Stellar Eclipse. C = Centroid Offset. E = Ephemeris Match.

See http://exoplanetarchive.ipac.caltech.edu/docs/API_kepcandidate_columns.html#proj_disp_col for comment definitions.








Ephemeris Match Information For 007530366-01

TCE (1)	KIC	Parent (2)	Parent KIC	$P_1:P_2$	Dist ($''$)	Δ Row	Δ Col	m_2	m_1	D_2/D_1	Mechanism	Flag	σ_P	σ_T
007530366-01	7530366	V2680-Cyg-pri	7530335	1:1	40.9	10	-1	14.70	8.37	455500.00	Direct-PRF	0	2.67	1.52

Notes: $P_1:P_2$ is the period ratio. Dist is the distance in arcseconds. Δ Row and Δ Col are the number of pixels apart in row and column. m_2 and m_1 are the magnitudes of the parent and child. D_2/D_1 is the parent's transit depth divided by the child's. σ_P and σ_T are the significance of the match in period and epoch. For a match to be considered significant $\sigma_P < 5.0$ and $\sigma_T < 5.0$. Matches which have σ_P and σ_T very close to this cutoff should receive extra scrutiny, especially if the period ratio is very large.

DV One-Page Summary

KIC: 7530366 Candidate: 1 of 1 Period: 0.526 d



DV Fit Results:

Period = 0.52556 [0.00010] d
Epoch = 131.8732 [0.0182] BKJD
Rp/R* = 0.0008 [0.0122]
a/R* = 1.01 [0.07]
b = 1.00 [0.03]
Seff = N/A
Teq = N/A
Rp = 0.37 [5.83] Re
a = N/A
Ag = N/A
Teffp = N/A


DV Diagnostic Results:

ShortPeriod-sig: N/A
LongPeriod-sig: N/A
ModelChiSquare2-sig: N/A
ModelChiSquareGof-sig: N/A
Bootstrap-pfa: 2.54e-34
RollingBand-figt: 0.64 [1553/2427]
GhostDiagnostic-chr: N/A
Centroid-sig: N/A
Centroid-so: N/A
OotOffset-rm: 36.926 arcsec [76.68 σ]
KicOffset-rm: 40.881 arcsec [604.77 σ]
OotOffset-st: 4/4/4/5 [17]
KicOffset-st: 4/4/4/5 [17]
DiffImageQuality-fgm: 1.00 [17/17]
DiffImageOverlap-fno: 1.00 [17/17]


Software Revision: svn-ssh://murzim/repo/soc/tags/release/9.3.42@60958 -- Date Generated: 01-Feb-2016 05:46:13 Z

This Data Validation Report Summary was produced in the Kepler Science Operations Center Pipeline at NASA Ames Research Center

TCE 007530366-01, PDC Light Curves




TCE 007530366-01




DV Odd/Even

TCE 007530366-01




ALT Odd/Even

TCE 007530366-01




Non-Whitened Vs. Whitened Light Curve

Planet 1 : Phased Unwhitened Flux Time Series (Fit Epoch/Period)




Planet 1 : Phased Whitened Flux Time Series (Fit Epoch/Period)




PDC Quarter-Phased Transit Curves

TCE 007530366-01 P= 0.525562 Days $T_0=131.873235$ (BKJD)




DV Quarter-Phased Transit Curves

TCE 007530366-01 P= 0.525562 Days $T_0=131.873235$ (BKJD)



Alt. Detrend Quarter-Phased Transit Curves


TCE 007530366-01 P= 0.525568 Days $T_0=131.883303$ (BKJD)



DV Model-Shift Uniqueness Test

007530366-01, P = 0.525562 Days, E = 131.347673 Days


Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
12.5	7.30	0	0	4.46	1.39	3.61	12.5	12.5	7.30	7.30	1.27	1.25	0.28	12.8



Alt Model-Shift Uniqueness Test

007530366-01, P = 0.525568 Days, E = 131.357735 Days

Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
147.6	80.7	0	0	4.41	1.26	5.27	147.6	147.6	80.7	80.7	0.35	1.11	0.06	1.22



Stellar Parameters For KIC 007530366

	$T_{\text{eff}}(K)$	$\log(g)$	[Fe/H]	$R (R_{\odot})$	$M(M_{\odot})$	$p_{\star} (\text{g}\cdot\text{cm}^{-3})$
	9725^{+310}_{-466}	$3.567^{+0.585}_{-0.065}$	$-0.500^{+0.600}_{-0.250}$	$4.371^{+0.643}_{-2.573}$	$2.574^{+0.460}_{-0.854}$	$0.043^{+0.350}_{-0.009}$
	+3%/-5%	+16%/-2%	+120%/-50%	+15%/-59%	+18%/-33%	+806%/-21%
Source	KIC0	KIC0	KIC0	DSEP		

KIC = Kepler Input Catalog; PHO = Photometry; SPE = Spectroscopy; AST = Asteroseismology
 TRA = Transits; DESP = Dartmouth Models; MULT = Multiple Models

Secondary Eclipse Parameters for KIC 007530366-01 / KOI

Detrend	Depth (ppm)	$R_p (R_{\oplus})$	$T_{max} (K)$	$T_{obs} (K)$	A_{obs}
DV	-1 ± 0	$3.42^{+4.25}_{-2.39}$	8996^{+728}_{-1214}	-6497^{+1615}_{-810}	$0.015^{+0.149}_{-0.012}$
Alt.	-23 ± 0	$4.54^{+4.74}_{-2.98}$	8984^{+695}_{-1337}	-5055^{+15547}_{-1705}	$0.189^{+1.483}_{-0.141}$

T_{max} = Theoretical Maximum Planetary Temperature
 T_{obs} = Observed Planetary Temperature (Assuming A=0.3)
 A_{obs} = Observed Albedo (Assuming T=0)

If a secondary eclipse is present, the system is likely an EB if $T_{obs} \gg T_{max}$ AND $A_{obs} \gg 1.0$


DV Centroid Data

Supplemental centroid analysis for 007530366-01. **Kepler magnitude: 8.37.** Transit SNR 0.94

There are 17 quarters with good PRF difference image offsets


The OOT PRF centroid is offset from the target star catalog position by about 4.08 arcsec so the offset from difference PRF-fit to OOT-fit may be invalid.

	Distance in arcsec	Distance / σ	Δ RA	Δ Dec
PRF-fit source offset from OOT	36.926 ± 0.482	76.68	-24.548 ± 0.171	27.585 ± 0.527
PRF-fit source offset from KIC position	40.881 ± 0.068	604.77	-26.409 ± 0.068	31.206 ± 0.067
photometric centroid source offset	—	—	—	—















Centroid source offsets from the target star reconstructed from PRF and photometric centroids. **Sky blue crosses: good quarterly centroid offsets; Vermillion crosses: bad quarterly centroid offsets;** magenta cross: average over quarters. Length of the crosses: one- σ uncertainty. Blue circle: three- σ . Red *: target star. Blue *: Other stars. Text next to a star gives its KIC ID and kepmag. KIC IDs > 15,000,000 are from the UKIRT catalog.


white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.




white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.




white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



folded centroid time series figure for this object.

UKIRT Image

