

KIC 007698701

Q1-17 DR25 TCE Parameters

TCE	Run Type	KOI?	Period (Days)	Epoch (BKJD)	Depth (ppm)	Duration (Hours)	MES	SNR	R_{\star} (R_{\odot})	T_{\star} (K)	R_p (R_{\oplus})	S_p (S_{\oplus})
007698701-01	OBS	No	277.340257	330.520654	349.0	19.561	13.1	9.5	0.85	5840	1.77	1.13

Robovetter Results

TCE	Run Type	Disp	Score	N	S	C	E	Comments
007698701-01	OBS	FP	0.00	1	0	0	0	INDIV_TRANS_MARSHALL—LPP_DV—ALL_TRANS_CHASES—INCONSISTENT_TRANS—CENT_FEW_DIFFS

Notes: OBS = Observed. INJ = Injected. INV = Inverted. SCR = Scrambled.

N = Not Transit-Like. S = Stellar Eclipse. C = Centroid Offset. E = Ephemeris Match.

See http://exoplanetarchive.ipac.caltech.edu/docs/API_kepcandidate_columns.html#proj_disp_col for comment definitions.

Ephemeris Match Information For 007698701-01








No Significant Match Found

DV One-Page Summary

KIC: 7698701 Candidate: 1 of 1 Period: 277.340 d

KOI: K04322 Corr: No Ephemeris Match

Kp: 14.83 R*: 0.85 Rs Teff: 5840.0 K Logg: 4.55 Fe/H: -0.240



DV Fit Results:

Period = 277.34026 [0.01103] d
Epoch = 330.5207 [0.0258] BKJD
Rp/R* = 0.0191 [0.0038]
a/R* = 66.14 [59.24]
b = 0.82 [0.37]
Seff = 1.13 [0.40]
Teq = 263 [23] K
Rp = 1.77 [0.58] Re
a = 0.8153 [0.1829] AU
Ag = 17395.25 [10608.13] [1.64σ]
Teffp = 4668 [613] K [7.18σ]


DV Diagnostic Results:

ShortPeriod-sig: N/A
LongPeriod-sig: N/A
ModelChiSquare2-sig: 0.0%
ModelChiSquareGof-sig: 43.8%
Bootstrap-pfa: 3.17e-24
RollingBand-fgt: 1.00 [4/4]
GhostDiagnostic-chr: 1.959
Centroid-sig: 43.2%
Centroid-so: 1.224 arcsec [1.05σ]
OotOffset-rm: 1.613 arcsec [10.50σ]
KicOffset-rm: 1.605 arcsec [12.21σ]
OotOffset-st: 0/1/0/1 [2]
KicOffset-st: 0/1/0/1 [2]
DiffImageQuality-fgm: 1.00 [2/2]
DiffImageOverlap-fno: 1.00 [4/4]


Software Revision: svn+ssh://murzim/repo/soc/tags/release/9.3.42@60958 -- Date Generated: 30-Jan-2016 19:32:48 Z

This Data Validation Report Summary was produced in the Kepler Science Operations Center Pipeline at NASA Ames Research Center

TCE 007698701-01, PDC Light Curves




TCE 007698701-01




DV Odd/Even

TCE 007698701-01




ALT Odd/Even

TCE 007698701-01




Non-Whitened Vs. Whitened Light Curve

Planet 1 : Phased Unwhitened Flux Time Series (Fit Epoch/Period)




Planet 1 : Phased Whitened Flux Time Series (Fit Epoch/Period)



PDC Quarter-Phased Transit Curves

TCE 007698701-01 P=277.340257 Days $T_0=330.520654$ (BKJD)




DV Quarter-Phased Transit Curves

TCE 007698701-01 P=277.340257 Days $T_0=330.520654$ (BKJD)



Alt. Detrend Quarter-Phased Transit Curves


TCE 007698701-01 $P=277.324276$ Days $T_0=330.543915$ (BKJD)



DV Model-Shift Uniqueness Test

007698701-01, $P = 277.340257$ Days, $E = 53.180397$ Days


Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
15.8	4.41	4.33	6.91	5.25	2.97	1.43	11.4	8.84	0.08	-2.50	5.45	1.20	0.39	2.60



Alt Model-Shift Uniqueness Test

007698701-01, $P = 277.324276$ Days, $E = 53.219639$ Days

Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
13.3	3.53	3.29	3.55	5.27	3.00	0.90	9.96	9.71	0.24	-0.01	7.02	1.60	0.28	2.53



Stellar Parameters For KIC 007698701

	$T_{\text{eff}}(K)$	$\log(g)$	[Fe/H]	R (R_{\odot})	M (M_{\odot})	p_{\star} ($\text{g}\cdot\text{cm}^{-3}$)
	5840^{+145}_{-174}	$4.553^{+0.034}_{-0.184}$	$-0.240^{+0.300}_{-0.300}$	$0.849^{+0.222}_{-0.079}$	$0.942^{+0.099}_{-0.110}$	$2.164^{+0.405}_{-1.078}$
	+2%/-3%	+1%/-4%	+125%/-125%	+26%/-9%	+11%/-12%	+19%/-50%
Source	PHO1	KIC0	KIC0	DSEP		

KIC = Kepler Input Catalog; PHO = Photometry; SPE = Spectroscopy; AST = Asteroseismology
 TRA = Transits; DESP = Dartmouth Models; MULT = Multiple Models

Secondary Eclipse Parameters for KIC 007698701-01 / KOI

Detrend	Depth (ppm)	R_p (R_{\oplus})	T_{max} (K)	T_{obs} (K)	A_{obs}
DV	-104 ± 24	$1.84^{+0.45}_{-0.38}$	376^{+22}_{-17}	4447^{+472}_{-344}	10784^{+6788}_{-4064}
Alt.	-87 ± 24	$1.83^{+0.44}_{-0.41}$	376^{+23}_{-16}	4318^{+467}_{-375}	9158^{+6639}_{-3722}

T_{max} = Theoretical Maximum Planetary Temperature

T_{obs} = Observed Planetary Temperature (Assuming $A=0.3$)

A_{obs} = Observed Albedo (Assuming $T=0$)

If a secondary eclipse is present, the system is likely an EB if $T_{\text{obs}} \gg T_{\text{max}}$ AND $A_{\text{obs}} \gg 1.0$


DV Centroid Data

Supplemental centroid analysis for 007698701-01. Kepler magnitude: 14.83. Transit SNR 9.50

There are 2 quarters with good PRF difference image offsets

The direct PRF centroid is offset from the target star catalog position by about 0.10 arcsec

	Distance in arcsec	Distance / σ	Δ RA	Δ Dec
PRF-fit source offset from OOT	1.613 ± 0.154	10.50	1.574 ± 0.156	0.355 ± 0.101
PRF-fit source offset from KIC position	1.605 ± 0.131	12.21	1.583 ± 0.131	0.260 ± 0.137
photometric centroid source offset	1.22 ± 1.17	1.05	1.20 ± 1.17	-0.23 ± 1.17



Centroid source offsets from the target star reconstructed from PRF and photometric centroids. Sky blue crosses: good quarterly centroid offsets; Vermillion crosses: bad quarterly centroid offsets; magenta cross: average over quarters. Length of the crosses: one- σ uncertainty. Blue circle: three- σ . Red *: target star. Blue *: Other stars. Text next to a star gives its KIC ID and kepmag. KIC IDs > 15,000,000 are from the UKIRT catalog.

white ×: KIC target position; +: OOT centroid; △: difference centroid. red ×: large negative pixel value.

Q1 no difference image



Q1 no OOT image




Q2 no difference image




Q2 no OOT image




Q3 difference image. Poor Quality




Q3 OOT image



Q4 no difference image



Q4 no OOT image



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.


Q5 no difference image




Q5 no OOT image



Q6 difference image. Poor Quality



Q6 OOT image




Q7 no difference image




Q7 no OOT image






Q8 no difference image



Q8 no OOT image



white ×: KIC target position; +: OOT centroid; △: difference centroid. red ✕: large negative pixel value.




white ×: KIC target position; +: OOT centroid; △: difference centroid. red ✕: large negative pixel value.

Q13 no difference image




Q13 no OOT image




Q14 no difference image





Q14 no OOT image



Q15 difference image




Q15 OOT image




Q16 no difference image



Q16 no OOT image



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



UKIRT Image

Declination

