

KIC 007835113

Q1-17 DR25 TCE Parameters

TCE	Run Type	KOI?	Period (Days)	Epoch (BKJD)	Depth (ppm)	Duration (Hours)	MES	SNR	R_{\star} (R_{\odot})	T_{\star} (K)	R_p (R_{\oplus})	S_p (S_{\oplus})
007835113-01	OBS	No	367.225067	173.199507	2922.9	12.819	10.4	12.9	0.87	5333	7.54	0.55

Robovetter Results

TCE	Run Type	Disp	Score	N	S	C	E	Comments
007835113-01	OBS	FP	0.00	1	0	0	1	INDIV_TRANS_CHASES_MARSHALL_SKYE—INCONSISTENT_TRANS—CENT_FEW_DIFFS—EPHEM_MATCH

Notes: OBS = Observed. INJ = Injected. INV = Inverted. SCR = Scrambled.

N = Not Transit-Like. S = Stellar Eclipse. C = Centroid Offset. E = Ephemeris Match.

See http://exoplanetarchive.ipac.caltech.edu/docs/API_kepcandidate_columns.html#proj_disp_col for comment definitions.








Ephemeris Match Information For 007835113-01

TCE (1)	KIC	Parent (2)	Parent KIC	$P_1:P_2$	Dist ($''$)	Δ Row	Δ Col	m_2	m_1	D_2/D_1	Mechanism	Flag	σ_P	σ_T
007835113-01	7835113	007835169-01	7835169	1:1	39.3	-10	-1	15.24	15.73	1.17	Direct-PRF	1	2.94	0.38

Notes: $P_1:P_2$ is the period ratio. Dist is the distance in arcseconds. Δ Row and Δ Col are the number of pixels apart in row and column. m_2 and m_1 are the magnitudes of the parent and child. D_2/D_1 is the parent's transit depth divided by the child's. σ_P and σ_T are the significance of the match in period and epoch. For a match to be considered significant $\sigma_P < 5.0$ and $\sigma_T < 5.0$. Matches which have σ_P and σ_T very close to this cutoff should receive extra scrutiny, especially if the period ratio is very large.

DV One-Page Summary

KIC: 7835113 Candidate: 1 of 1 Period: 367.225 d



DV Fit Results:

Period = 367.22507 [0.01167] d
Epoch = 173.1995 [0.0190] BKJD
Rp/R* = 0.0795 [0.0892]
a/R* = 101.61 [32.55]
b = 0.97 [0.15]
Seff = 0.55 [0.16]
Teq = 220 [16] K
Rp = 7.54 [8.59] Re
a = 0.9939 [0.1722] AU
Ag = 9156.17 [20770.63] [0.44σ]
Teffp = 3327 [1878] K [1.65σ]


DV Diagnostic Results:

ShortPeriod-sig: N/A
LongPeriod-sig: N/A
ModelChiSquare2-sig: 0.0%
ModelChiSquareGof-sig: 13.9%
Bootstrap-pfa: 5.00e-11
RollingBand-fgt: 1.00 [4/4]
GhostDiagnostic-chr: 0.4803
Centroid-sig: N/A
Centroid-so: 2.053 arcsec [1.69σ]
OotOffset-rm: N/A
KicOffset-rm: N/A
OotOffset-st: 0/0/0/0 [0]
KicOffset-st: 0/0/0/0 [0]
DiffImageQuality-fgm: N/A
DiffImageOverlap-fno: 1.00 [1/1]


Software Revision: svn+ssh://murzim/repo/soc/tags/release/9.3.42@60958 -- Date Generated: 29-Jan-2016 03:17:59 Z

This Data Validation Report Summary was produced in the Kepler Science Operations Center Pipeline at NASA Ames Research Center

TCE 007835113-01, PDC Light Curves




TCE 007835113-01




DV Odd/Even

TCE 007835113-01




ALT Odd/Even

TCE 007835113-01




Non-Whitened Vs. Whitened Light Curve

Planet 1 : Phased Unwhitened Flux Time Series (Fit Epoch/Period)




Planet 1 : Phased Whitened Flux Time Series (Fit Epoch/Period)




PDC Quarter-Phased Transit Curves

TCE 007835113-01 P=367.225067 Days $T_0=173.199507$ (BKJD)




DV Quarter-Phased Transit Curves

TCE 007835113-01 P=367.225067 Days $T_0=173.199507$ (BKJD)



Alt. Detrend Quarter-Phased Transit Curves


TCE 007835113-01 P=367.218318 Days $T_0=173.232262$ (BKJD)



DV Model-Shift Uniqueness Test

007835113-01, P = 367.225067 Days, E = 173.199507 Days


Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
55.4	18.9	18.4	24.3	5.38	3.18	3.41	37.0	31.1	0.52	-5.38	19.7	1.05	0.30	7.94



Alt Model-Shift Uniqueness Test

007835113-01, P = 367.218318 Days, E = 173.232262 Days

Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
36.4	7.89	4.20	6.74	5.46	3.31	0.95	32.2	29.7	3.68	1.15	2.95	1.06	0.16	0.72



Stellar Parameters For KIC 007835113

	$T_{\text{eff}}(K)$	$\log(g)$	[Fe/H]	R (R_{\odot})	$M(M_{\odot})$	p_{\star} ($\text{g}\cdot\text{cm}^{-3}$)
	5333^{+186}_{-167}	$4.547^{+0.034}_{-0.144}$	$0.320^{+0.100}_{-0.300}$	$0.869^{+0.174}_{-0.062}$	$0.971^{+0.055}_{-0.102}$	$2.081^{+0.366}_{-0.844}$
	+3%/-3%	+1%/-3%	+31%/-94%	+20%/-7%	+6%/-11%	+18%/-41%
Source	PHO1	KIC0	KIC0	DSEP		

KIC = Kepler Input Catalog; PHO = Photometry; SPE = Spectroscopy; AST = Asteroseismology
 TRA = Transits; DESP = Dartmouth Models; MULT = Multiple Models

Secondary Eclipse Parameters for KIC 007835113-01 / KOI

Detrend	Depth (ppm)	R_p (R_{\oplus})	T_{max} (K)	T_{obs} (K)	A_{obs}
DV	-1273 ± 67	$10.29^{+7.42}_{-6.61}$	312^{+16}_{-13}	3558^{+1677}_{-538}	6358^{+40777}_{-4159}
Alt.	-555 ± 70	$7.67^{+7.63}_{-4.95}$	313^{+16}_{-13}	3410^{+1547}_{-632}	4945^{+36026}_{-3742}

T_{max} = Theoretical Maximum Planetary Temperature

T_{obs} = Observed Planetary Temperature (Assuming $A=0.3$)

A_{obs} = Observed Albedo (Assuming $T=0$)

If a secondary eclipse is present, the system is likely an EB if $T_{obs} \gg T_{max}$ AND $A_{obs} \gg 1.0$

DV Centroid Data


Supplemental centroid analysis for 007835113-01. Kepler magnitude: 15.73. Transit SNR 12.85

There are 0 quarters with good PRF difference image offsets



The direct PRF centroid is offset from the target star catalog position by about NaN arcsec

	Distance in arcsec	Distance / σ	Δ RA	Δ Dec
PRF-fit source offset from OOT	—	—	—	—
PRF-fit source offset from KIC position	—	—	—	—
photometric centroid source offset	2.05 ± 1.22	1.69	0.62 ± 0.94	1.96 ± 1.24

There is no PRF-fit offset from OOT-fit



There is no PRF-fit offset from KIC



Centroid source offsets from the target star reconstructed from PRF and photometric centroids. Sky blue crosses: good quarterly centroid offsets; Vermillion crosses: bad quarterly centroid offsets; magenta cross: average over quarters. Length of the crosses: one- σ uncertainty. Blue circle: three- σ . Red *: target star. Blue *: Other stars. Text next to a star gives its KIC ID and kepmag. KIC IDs > 15,000,000 are from the UKIRT catalog.

white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.


Q1 no difference image





Q1 no OOT image




Q2 difference image. Poor Quality




Q2 OOT image



Q3 no difference image




Q3 no OOT image



Q4 no difference image



Q4 no OOT image




white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.




white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.

Q17 no difference image

Q17 no OOT image



fluxWeightedCentroids, Planet 1 of 1



UKIRT Image

Declination

