

KIC 008243016

Q1-17 DR25 TCE Parameters

TCE	Run Type	KOI?	Period (Days)	Epoch (BKJD)	Depth (ppm)	Duration (Hours)	MES	SNR	R_{\star} (R_{\odot})	T_{\star} (K)	R_p (R_{\oplus})	S_p (S_{\oplus})
008243016-01	OBS	No	369.192213	234.679870	911.3	20.066	8.6	9.3	1.09	6318	6.27	1.54

Robovetter Results

TCE	Run Type	Disp	Score	N	S	C	E	Comments
008243016-01	OBS	FP	0.00	1	0	0	0	INDIV_TRANS_CHASES_MARSHALL_SKYE—ALL_TRANS_CHASES—INCONSISTENT_TRANS—CENT_FEW_DIFFS

Notes: OBS = Observed. INJ = Injected. INV = Inverted. SCR = Scrambled.

N = Not Transit-Like. S = Stellar Eclipse. C = Centroid Offset. E = Ephemeris Match.


See http://exoplanetarchive.ipac.caltech.edu/docs/API_kepcandidate_columns.html#proj_disp_col for comment definitions.

Ephemeris Match Information For 008243016-01

No Significant Match Found

DV One-Page Summary


KIC: 8243016 Candidate: 1 of 1 Period: 369.192 d




Software Revision: svn+ssh://murzim/repo/soc/tags/release/9.3.42@60958 -- Date Generated: 29-Jan-2016 01:03:05 Z

This Data Validation Report Summary was produced in the Kepler Science Operations Center Pipeline at NASA Ames Research Center

TCE 008243016-01, PDC Light Curves




TCE 008243016-01




DV Odd/Even

TCE 008243016-01




ALT Odd/Even

TCE 008243016-01




Non-Whitened Vs. Whitened Light Curve

Planet 1 : Phased Unwhitened Flux Time Series (Fit Epoch/Period)




Planet 1 : Phased Whitened Flux Time Series (Fit Epoch/Period)




PDC Quarter-Phased Transit Curves

TCE 008243016-01 P=369.192213 Days $T_0=234.679870$ (BKJD)




DV Quarter-Phased Transit Curves

TCE 008243016-01 P=369.192213 Days $T_0=234.679870$ (BKJD)



Alt. Detrend Quarter-Phased Transit Curves


TCE 008243016-01 P=369.220807 Days $T_0=234.642850$ (BKJD)



DV Model-Shift Uniqueness Test

008243016-01, P = 369.192213 Days, E = 234.679870 Days


Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
42.9	21.1	16.9	20.9	5.30	3.05	3.48	26.0	22.1	4.21	0.29	3.31	1.09	0.33	3.36



Alt Model-Shift Uniqueness Test

008243016-01, P = 369.220807 Days, E = 234.642850 Days

Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
20.1	7.05	4.53	6.42	5.37	3.16	1.15	15.6	13.7	2.52	0.63	12.0	1.18	0.36	1.35



Stellar Parameters For KIC 008243016

	$T_{\text{eff}}(K)$	$\log(g)$	[Fe/H]	$R (R_{\odot})$	$M(M_{\odot})$	$p_{\star} (\text{g}\cdot\text{cm}^{-3})$
	6318^{+174}_{-240}	$4.415^{+0.058}_{-0.217}$	$-0.100^{+0.250}_{-0.300}$	$1.090^{+0.379}_{-0.126}$	$1.127^{+0.171}_{-0.140}$	$1.226^{+0.381}_{-0.689}$
	+3%/-4%	+1%/-5%	+250%/-300%	+35%/-12%	+15%/-12%	+31%/-56%
Source	PHO1	KIC0	KIC0	DSEP		

KIC = Kepler Input Catalog; PHO = Photometry; SPE = Spectroscopy; AST = Asteroseismology
 TRA = Transits; DESP = Dartmouth Models; MULT = Multiple Models

Secondary Eclipse Parameters for KIC 008243016-01 / KOI

Detrend	Depth (ppm)	$R_p (R_{\oplus})$	$T_{max} (K)$	$T_{obs} (K)$	A_{obs}
DV	-648 ± 31	$15.03^{+13.82}_{-9.87}$	404^{+32}_{-20}	3416^{+1662}_{-579}	1768^{+12929}_{-1302}
Alt.	-232 ± 33	$12.64^{+13.99}_{-9.19}$	404^{+32}_{-19}	3084^{+1660}_{-555}	857^{+10348}_{-658}

T_{max} = Theoretical Maximum Planetary Temperature

T_{obs} = Observed Planetary Temperature (Assuming A=0.3)

A_{obs} = Observed Albedo (Assuming T=0)

If a secondary eclipse is present, the system is likely an EB if $T_{obs} \gg T_{max}$ AND $A_{obs} \gg 1.0$

DV Centroid Data


Supplemental centroid analysis for 008243016-01. Kepler magnitude: 15.05. Transit SNR 9.35

There are 1 quarters with good PRF difference image offsets


The direct PRF centroid is offset from the target star catalog position by about 0.21 arcsec

	Distance in arcsec	Distance / σ	Δ RA	Δ Dec
PRF-fit source offset from OOT	5.516 ± 1.635	3.37	-2.969 ± 0.603	4.649 ± 1.901
PRF-fit source offset from KIC position	5.346 ± 1.628	3.28	-2.903 ± 0.594	4.489 ± 1.901
photometric centroid source offset	2.89 ± 2.09	1.38	1.21 ± 1.81	2.63 ± 2.14


offset from difference PRF-fit to OOT PRF-fit



offset from difference PRF-fit to KIC position




offset from photometric centroids







Centroid source offsets from the target star reconstructed from PRF and photometric centroids. Sky blue crosses: good quarterly centroid offsets; Vermillion crosses: bad quarterly centroid offsets; magenta cross: average over quarters. Length of the crosses: one- σ uncertainty. Blue circle: three- σ . Red *: target star. Blue *: Other stars. Text next to a star gives its KIC ID and kepmag. KIC IDs > 15,000,000 are from the UKIRT catalog.

white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.




white ×: KIC target position; +: OOT centroid; △: difference centroid. red ✕: large negative pixel value.




white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.


Q9 no difference image




Q9 no OOT image




Q10 difference image




Q10 OOT image




Q11 no difference image




Q11 no OOT image







Q12 no difference image




Q12 no OOT image



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



UKIRT Image

Declination

