

KIC 008244123

Q1-17 DR25 TCE Parameters

TCE	Run Type	KOI?	Period (Days)	Epoch (BKJD)	Depth (ppm)	Duration (Hours)	MES	SNR	R_{\star} (R_{\odot})	T_{\star} (K)	R_p (R_{\oplus})	S_p (S_{\oplus})
008244123-01	OBS	No	368.922812	232.848764	490.3	10.863	7.7	8.5	1.00	5889	2.79	0.99

Robovetter Results

TCE	Run Type	Disp	Score	N	S	C	E	Comments
008244123-01	OBS	FP	0.00	1	0	0	1	INDIV_TRANS_CHASES_SKYE—ALL_TRANS_CHASES—CENT_FEW_DIFFS—EPHEM_MATCH

Notes: OBS = Observed. INJ = Injected. INV = Inverted. SCR = Scrambled.

N = Not Transit-Like. S = Stellar Eclipse. C = Centroid Offset. E = Ephemeris Match.

See http://exoplanetarchive.ipac.caltech.edu/docs/API_kepcandidate_columns.html#proj_disp_col for comment definitions.








Ephemeris Match Information For 008244123-01

TCE (1)	KIC	Parent (2)	Parent KIC	$P_1:P_2$	Dist ($''$)	Δ Row	Δ Col	m_2	m_1	D_2/D_1	Mechanism	Flag	σ_P	σ_T
008244123-01	8244123	008107143-01	8107143	1:1	1216.9	305	0	15.86	14.60	3.59	Col-Anomaly	1	0.87	1.48

Notes: $P_1:P_2$ is the period ratio. Dist is the distance in arcseconds. Δ Row and Δ Col are the number of pixels apart in row and column. m_2 and m_1 are the magnitudes of the parent and child. D_2/D_1 is the parent's transit depth divided by the child's. σ_P and σ_T are the significance of the match in period and epoch. For a match to be considered significant $\sigma_P < 5.0$ and $\sigma_T < 5.0$. Matches which have σ_P and σ_T very close to this cutoff should receive extra scrutiny, especially if the period ratio is very large.

DV One-Page Summary

KIC: 8244123 Candidate: 1 of 1 Period: 368.923 d



DV Fit Results:

Period = 368.92281 [0.01316] d
Epoch = 232.8488 [0.0242] BKJD
Rp/R* = 0.0257 [0.0031]
a/R* = 102.09 [36.90]
b = 0.95 [0.04]
Seff = 0.99 [0.43]
Teq = 254 [28] K
Rp = 2.79 [0.97] Re
a = 1.0402 [0.2913] AU
Ag = 32226.38 [16987.19] [1.90σ]
Teffp = 5269 [467] K [10.72σ]


DV Diagnostic Results:

ShortPeriod-sig: N/A
LongPeriod-sig: N/A
ModelChiSquare2-sig: 80.8%
ModelChiSquareGof-sig: 88.0%
Bootstrap-pfa: 6.32e-10
RollingBand-fgt: 0.75 [3/4]
GhostDiagnostic-chr: 0.7867
Centroid-sig: 1.3%
Centroid-so: 4.570 arcsec [2.09σ]
OotOffset-rm: 4.929 arcsec [10.57σ]
OotOffset-st: 1/0/0/0 [1]
KicOffset-rm: 4.879 arcsec [10.47σ]
KicOffset-st: 1/0/0/0 [1]
DiffImageQuality-fgm: 0.00 [0/1]
DiffImageOverlap-fno: 1.00 [2/2]


Software Revision: svn+ssh://murzim/repo/soc/tags/release/9.3.42@60958 -- Date Generated: 29-Jan-2016 03:23:05 Z

This Data Validation Report Summary was produced in the Kepler Science Operations Center Pipeline at NASA Ames Research Center

TCE 008244123-01, PDC Light Curves




TCE 008244123-01




DV Odd/Even

TCE 008244123-01




ALT Odd/Even

TCE 008244123-01




Non-Whitened Vs. Whitened Light Curve

Planet 1 : Phased Unwhitened Flux Time Series (Fit Epoch/Period)




Planet 1 : Phased Whitened Flux Time Series (Fit Epoch/Period)




PDC Quarter-Phased Transit Curves

TCE 008244123-01 P=368.922812 Days $T_0=232.848764$ (BKJD)




DV Quarter-Phased Transit Curves

TCE 008244123-01 P=368.922812 Days $T_0=232.848764$ (BKJD)



Alt. Detrend Quarter-Phased Transit Curves


TCE 008244123-01 P=368.927926 Days $T_0=232.842420$ (BKJD)



DV Model-Shift Uniqueness Test

008244123-01, P = 368.922812 Days, E = 232.848764 Days


Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
14.8	15.0	11.2	12.6	5.41	3.23	1.89	3.60	2.18	3.79	2.37	1.82	0.95	0.54	0.77



Alt Model-Shift Uniqueness Test

008244123-01, P = 368.927926 Days, E = 232.842420 Days

Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
13.0	10.2	7.31	10.0	5.48	3.34	1.19	5.67	2.96	2.93	0.21	2.67	1.10	0.44	0.58



Stellar Parameters For KIC 008244123

	$T_{\text{eff}}(K)$	$\log(g)$	[Fe/H]	R (R_{\odot})	M (M_{\odot})	p_{\star} ($\text{g}\cdot\text{cm}^{-3}$)
	5889^{+162}_{-203}	$4.483^{+0.040}_{-0.229}$	$0.210^{+0.200}_{-0.300}$	$0.997^{+0.326}_{-0.102}$	$1.101^{+0.112}_{-0.137}$	$1.566^{+0.349}_{-0.872}$
	+3%/-3%	+1%/-5%	+95%/-143%	+33%/-10%	+10%/-12%	+22%/-56%
Source	PHO1	KIC0	KIC0	DSEP		

KIC = Kepler Input Catalog; PHO = Photometry; SPE = Spectroscopy; AST = Asteroseismology
 TRA = Transits; DESP = Dartmouth Models; MULT = Multiple Models

Secondary Eclipse Parameters for KIC 008244123-01 / KOI

Detrend	Depth (ppm)	R_p (R_{\oplus})	T_{max} (K)	T_{obs} (K)	A_{obs}
DV	-433 ± 29	$2.96^{+0.54}_{-0.45}$	364^{+28}_{-18}	5316^{+352}_{-286}	28700^{+10630}_{-7800}
Alt.	-344 ± 34	$2.67^{+0.53}_{-0.43}$	364^{+27}_{-18}	5288^{+400}_{-337}	28157^{+11765}_{-8749}

T_{max} = Theoretical Maximum Planetary Temperature

T_{obs} = Observed Planetary Temperature (Assuming $A=0.3$)

A_{obs} = Observed Albedo (Assuming $T=0$)

If a secondary eclipse is present, the system is likely an EB if $T_{\text{obs}} \gg T_{\text{max}}$ AND $A_{\text{obs}} \gg 1.0$

DV Centroid Data


Supplemental centroid analysis for 008244123-01. Kepler magnitude: 14.60. Transit SNR 8.48

There are 0 quarters with good PRF difference image offsets


The direct PRF centroid is offset from the target star catalog position by about 0.06 arcsec

	Distance in arcsec	Distance / σ	Δ RA	Δ Dec
PRF-fit source offset from OOT	4.929 ± 0.466	10.57	2.606 ± 0.497	-4.184 ± 0.454
PRF-fit source offset from KIC position	4.879 ± 0.466	10.47	2.554 ± 0.497	-4.157 ± 0.454
photometric centroid source offset	4.57 ± 2.19	2.09	-0.77 ± 2.18	4.50 ± 2.19


offset from difference PRF-fit to OOT PRF-fit



offset from difference PRF-fit to KIC position



offset from photometric centroids



Centroid source offsets from the target star reconstructed from PRF and photometric centroids. Sky blue crosses: good quarterly centroid offsets; Vermillion crosses: bad quarterly centroid offsets; magenta cross: average over quarters. Length of the crosses: one- σ uncertainty. Blue circle: three- σ . Red *: target star. Blue *: Other stars. Text next to a star gives its KIC ID and kepmag. KIC IDs > 15,000,000 are from the UKIRT catalog.

white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white ×: KIC target position; +: OOT centroid; △: difference centroid. red ✕: large negative pixel value.


Q5 no difference image




Q5 no OOT image



Q6 difference image. Poor Quality



Q6 OOT image



Q7 no difference image



Q7 no OOT image



Q8 no difference image







Q8 no OOT image




white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white ×: KIC target position; +: OOT centroid; △: difference centroid. red ✕: large negative pixel value.



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



UKIRT Image

Declination

