

KIC 008311864

Q1-17 DR25 TCE Parameters

TCE	Run Type	KOI?	Period (Days)	Epoch (BKJD)	Depth (ppm)	Duration (Hours)	MES	SNR	R_{\star} (R_{\odot})	T_{\star} (K)	R_p (R_{\oplus})	S_p (S_{\oplus})
008311864-01	OBS	7016.01	384.846495	314.970551	175.6	10.393	7.6	8.7	0.80	5579	1.20	0.56

Robovetter Results

TCE	Run Type	Disp	Score	N	S	C	E	Comments
008311864-01	OBS	PC	0.77	0	0	0	0	CENT_FEW_DIFFS

Notes: OBS = Observed. INJ = Injected. INV = Inverted. SCR = Scrambled.



N = Not Transit-Like. S = Stellar Eclipse. C = Centroid Offset. E = Ephemeris Match.

See http://exoplanetarchive.ipac.caltech.edu/docs/API_kepcandidate_columns.html#proj_disp_col for comment definitions.

Ephemeris Match Information For 008311864-01

No Significant Match Found


Kp: 13.43 R*: 0.80 Rs Teff: 5579.0 K Logg: 4.58 Fe/H: -0.220




Centroid-sig: 0.4%
Centroid-so: 2.761 arcsec [2.20σ]
OotOffset-rm: 1.691 arcsec [2.60σ]
KicOffset-rm: 1.687 arcsec [3.19σ]
OotOffset-st: 0/4/0/0 [4]
KicOffset-st: 0/4/0/0 [4]
DiffImageQuality-fgm: 0.75 [3/4]
DiffImageOverlap-fno: 1.00 [4/4]

This Data Validation Report Summary was produced in the Kepler Science Operations Center Pipeline at NASA Ames Research Center

TCE 008311864-01, PDC Light Curves




TCE 008311864-01




DV Odd/Even

TCE 008311864-01




ALT Odd/Even

TCE 008311864-01




Non-Whitened Vs. Whitened Light Curve

Planet 1 : Phased Unwhitened Flux Time Series (Fit Epoch/Period)




Planet 1 : Phased Whitened Flux Time Series (Fit Epoch/Period)




PDC Quarter-Phased Transit Curves

TCE 008311864-01 P=384.846495 Days $T_0=314.970551$ (BKJD)




DV Quarter-Phased Transit Curves

TCE 008311864-01 P=384.846495 Days $T_0=314.970551$ (BKJD)



Alt. Detrend Quarter-Phased Transit Curves


TCE 008311864-01 P=384.845669 Days $T_0=314.970650$ (BKJD)



DV Model-Shift Uniqueness Test

008311864-01, $P = 384.846495$ Days, $E = 314.970551$ Days


Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
13.2	4.66	4.42	5.26	5.42	3.25	1.28	8.75	7.91	0.24	-0.60	0.28	1.02	0.29	0.08



Alt Model-Shift Uniqueness Test

008311864-01, P = 384.845669 Days, E = 314.970650 Days

Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
11.7	3.62	3.36	3.32	5.44	3.27	0.85	8.38	8.41	0.26	0.29	0.64	0.97	0.22	0.16



Stellar Parameters For KIC 008311864

	$T_{\text{eff}} (K)$	$\log(g)$	$[\text{Fe}/\text{H}]$	$R (R_{\odot})$	$M (M_{\odot})$	$p_{\star} (\text{g}\cdot\text{cm}^{-3})$
	5579^{+150}_{-150}	$4.580^{+0.034}_{-0.127}$	$-0.220^{+0.300}_{-0.300}$	$0.798^{+0.150}_{-0.075}$	$0.892^{+0.082}_{-0.109}$	$2.477^{+0.438}_{-0.959}$
	+3%/-3%	+1%/-3%	+136%/-136%	+19%/-9%	+9%/-12%	+18%/-39%
Source	PHO1	KIC0	KIC0	DSEP		

KIC = Kepler Input Catalog; PHO = Photometry; SPE = Spectroscopy; AST = Asteroseismology
 TRA = Transits; DESP = Dartmouth Models; MULT = Multiple Models

Secondary Eclipse Parameters for KIC 008311864-01 / KOI 7016.01

Detrend	Depth (ppm)	$R_p (R_{\oplus})$	$T_{\text{max}} (K)$	$T_{\text{obs}} (K)$	A_{obs}
DV	-64 ± 14	$1.24^{+0.41}_{-0.39}$	314^{+15}_{-12}	4415^{+782}_{-477}	21648^{+25594}_{-9965}
Alt.	-51 ± 14	$1.14^{+0.39}_{-0.37}$	314^{+13}_{-14}	4365^{+800}_{-515}	20674^{+26554}_{-10258}

T_{max} = Theoretical Maximum Planetary Temperature

T_{obs} = Observed Planetary Temperature (Assuming $A=0.3$)

A_{obs} = Observed Albedo (Assuming $T=0$)

If a secondary eclipse is present, the system is likely an EB if $T_{\text{obs}} \gg T_{\text{max}}$ AND $A_{\text{obs}} \gg 1.0$


DV Centroid Data

Supplemental centroid analysis for 008311864-01. Kepler magnitude: 13.43. Transit SNR 8.67

There are 3 quarters with good PRF difference image offsets


The direct PRF centroid is offset from the target star catalog position by about 0.23 arcsec

	Distance in arcsec	Distance / σ	Δ RA	Δ Dec
PRF-fit source offset from OOT	1.691 ± 0.650	2.60	-1.141 ± 0.294	1.248 ± 0.658
PRF-fit source offset from KIC position	1.687 ± 0.529	3.19	-0.996 ± 0.207	1.361 ± 0.524
photometric centroid source offset	2.76 ± 1.26	2.20	2.05 ± 1.12	1.85 ± 1.40




Centroid source offsets from the target star reconstructed from PRF and photometric centroids. Sky blue crosses: good quarterly centroid offsets; Vermillion crosses: bad quarterly centroid offsets; magenta cross: average over quarters. Length of the crosses: one- σ uncertainty. Blue circle: three- σ . Red *: target star. Blue *: Other stars. Text next to a star gives its KIC ID and kepmag. KIC IDs > 15,000,000 are from the UKIRT catalog.





white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.




white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.


Q13 no difference image




Q13 no OOT image




Q14 no difference image




Q14 no OOT image




Q15 difference image



Q15 OOT image




Q16 no difference image



Q16 no OOT image



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



UKIRT Image

Declination

