

KIC 008524346

Q1-17 DR25 TCE Parameters

TCE	Run Type	KOI?	Period (Days)	Epoch (BKJD)	Depth (ppm)	Duration (Hours)	MES	SNR	R_{\star} (R_{\odot})	T_{\star} (K)	R_p (R_{\oplus})	S_p (S_{\oplus})
008524346-01	OBS	4083.01	4.469731	133.009789	193.0	4.531	27.2	27.5	1.12	6102	1.99	574.35

Robovetter Results

TCE	Run Type	Disp	Score	N	S	C	E	Comments
008524346-01	OBS	FP	0.00	0	0	0	1	EPHEM_MATCH

Notes: OBS = Observed. INJ = Injected. INV = Inverted. SCR = Scrambled.

N = Not Transit-Like. S = Stellar Eclipse. C = Centroid Offset. E = Ephemeris Match.

See http://exoplanetarchive.ipac.caltech.edu/docs/API_kepcandidate_columns.html#proj_disp_col for comment definitions.








Ephemeris Match Information For 008524346-01

TCE (1)	KIC	Parent (2)	Parent KIC	$P_1:P_2$	Dist ($''$)	Δ Row	Δ Col	m_2	m_1	D_2/D_1	Mechanism	Flag	σ_P	σ_T
008524346-01	8524346	3518.01	8589754	1:2	487.5	123	0	14.00	13.72	1933.50	Col-Anomaly	0	0.01	0.18

Notes: $P_1:P_2$ is the period ratio. Dist is the distance in arcseconds. Δ Row and Δ Col are the number of pixels apart in row and column. m_2 and m_1 are the magnitudes of the parent and child. D_2/D_1 is the parent's transit depth divided by the child's. σ_P and σ_T are the significance of the match in period and epoch. For a match to be considered significant $\sigma_P < 5.0$ and $\sigma_T < 5.0$. Matches which have σ_P and σ_T very close to this cutoff should receive extra scrutiny, especially if the period ratio is very large.

DV One-Page Summary

KIC: 8524346 Candidate: 1 of 1 Period: 4.470 d
KOI: K04083.01 Corr: 0.886



DV Fit Results:

Period = 4.46973 [0.00001] d
Epoch = 133.0098 [0.0024] BKJD
Rp/R* = 0.0162 [0.0005]
a/R* = 2.67 [0.31]
b = 0.96 [0.01]
Seff = 574.35 [214.86]
Teq = 1248 [117] K
Rp = 1.99 [0.58] Re
a = 0.0523 [0.0128] AU
Ag = 8.12 [3.98] [1.79σ]
Teffp = 3258 [293] K [6.37σ]


DV Diagnostic Results:

ShortPeriod-sig: N/A
LongPeriod-sig: N/A
ModelChiSquare2-sig: N/A
ModelChiSquareGof-sig: N/A
Bootstrap-pfa: 2.46e-155
RollingBand-fgt: 1.00 [289/289]
GhostDiagnostic-chr: 6.927
Centroid-sig: 0.0%
Centroid-so: 2.502 arcsec [7.30σ]
OotOffset-rm: 0.477 arcsec [1.76σ]
KicOffset-rm: 0.544 arcsec [1.32σ]
OotOffset-st: 3/4/4/5 [16]
KicOffset-st: 3/4/4/5 [16]
DiffImageQuality-fgm: 0.81 [13/16]
DiffImageOverlap-fno: 1.00 [17/17]


Software Revision: svn+ssh://murzim/repo/soc/tags/release/9.3.42@60958 -- Date Generated: 30-Jan-2016 03:35:52 Z

This Data Validation Report Summary was produced in the Kepler Science Operations Center Pipeline at NASA Ames Research Center

TCE 008524346-01, PDC Light Curves




TCE 008524346-01




DV Odd/Even

TCE 008524346-01




ALT Odd/Even

TCE 008524346-01




Non-Whitened Vs. Whitened Light Curve

Planet 1 : Phased Unwhitened Flux Time Series (Fit Epoch/Period)




Planet 1 : Phased Whitened Flux Time Series (Fit Epoch/Period)




PDC Quarter-Phased Transit Curves

TCE 008524346-01 P= 4.469731 Days $T_0=133.009789$ (BKJD)




DV Quarter-Phased Transit Curves

TCE 008524346-01 P= 4.469731 Days $T_0=133.009789$ (BKJD)



Alt. Detrend Quarter-Phased Transit Curves


TCE 008524346-01 P= 4.469761 Days $T_0=133.005736$ (BKJD)



DV Model-Shift Uniqueness Test

008524346-01, P = 4.469731 Days, E = 128.540058 Days


Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
49.6	4.35	3.97	3.48	4.72	1.99	1.51	45.6	46.1	0.38	0.87	4.08	1.24	0.07	1.16



Alt Model-Shift Uniqueness Test

008524346-01, P = 4.469761 Days, E = 128.535975 Days

Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
45.6	4.25	3.19	2.24	4.76	2.07	1.07	42.4	43.3	1.06	2.00	2.38	1.35	0.06	0.72



Stellar Parameters For KIC 008524346

	$T_{\text{eff}} (K)$	$\log(g)$	$[\text{Fe}/\text{H}]$	$R (R_{\odot})$	$M (M_{\odot})$	$p_{\star} (\text{g}\cdot\text{cm}^{-3})$
	6102^{+183}_{-183}	$4.316^{+0.175}_{-0.193}$	$-0.320^{+0.300}_{-0.300}$	$1.125^{+0.328}_{-0.219}$	$0.955^{+0.141}_{-0.102}$	$0.945^{+0.716}_{-0.473}$
	+3%/-3%	+4%/-4%	+94%/-94%	+29%/-19%	+15%/-11%	+76%/-50%
Source	PHO1	KIC0	KIC0	DSEP		

KIC = Kepler Input Catalog; PHO = Photometry; SPE = Spectroscopy; AST = Asteroseismology
 TRA = Transits; DESP = Dartmouth Models; MULT = Multiple Models

Secondary Eclipse Parameters for KIC 008524346-01 / KOI 4083.01

Detrend	Depth (ppm)	$R_p (R_{\oplus})$	$T_{\text{max}} (K)$	$T_{\text{obs}} (K)$	A_{obs}
DV	-17 ± 4	$1.98^{+0.33}_{-0.24}$	1746^{+135}_{-124}	3513^{+156}_{-175}	$6.351^{+2.723}_{-2.020}$
Alt.	-18 ± 4	$1.88^{+0.30}_{-0.23}$	1754^{+127}_{-113}	3632^{+179}_{-180}	$7.556^{+3.211}_{-2.381}$

T_{max} = Theoretical Maximum Planetary Temperature

T_{obs} = Observed Planetary Temperature (Assuming $A=0.3$)

A_{obs} = Observed Albedo (Assuming $T=0$)

If a secondary eclipse is present, the system is likely an EB if $T_{\text{obs}} \gg T_{\text{max}}$ AND $A_{\text{obs}} \gg 1.0$


DV Centroid Data

Supplemental centroid analysis for 008524346-01. Kepler magnitude: 13.73. Transit SNR 27.49

There are 13 quarters with good PRF difference image offsets





The direct PRF centroid is offset from the target star catalog position by about 0.19 arcsec

	Distance in arcsec	Distance / σ	Δ RA	Δ Dec
PRF-fit source offset from OOT	0.477 ± 0.271	1.76	0.444 ± 0.309	-0.175 ± 0.685
PRF-fit source offset from KIC position	0.544 ± 0.414	1.32	0.403 ± 0.287	-0.366 ± 0.701
photometric centroid source offset	2.50 ± 0.34	7.30	2.50 ± 0.34	-0.08 ± 0.37







Centroid source offsets from the target star reconstructed from PRF and photometric centroids. **Sky blue crosses: good quarterly centroid offsets; Vermillion crosses: bad quarterly centroid offsets**; magenta cross: average over quarters. Length of the crosses: one- σ uncertainty. Blue circle: three- σ . Red *: target star. Blue *: Other stars. Text next to a star gives its KIC ID and kepmag. KIC IDs > 15,000,000 are from the UKIRT catalog.





white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.







white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.





white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



UKIRT Image

Declination

