

KIC 008689793

Q1-17 DR25 TCE Parameters

TCE	Run Type	KOI?	Period (Days)	Epoch (BKJD)	Depth (ppm)	Duration (Hours)	MES	SNR	R_{\star} (R_{\odot})	T_{\star} (K)	R_p (R_{\oplus})	S_p (S_{\oplus})
008689793-01	OBS	1893.01	3.554840	131.806639	227.4	2.159	36.4	40.2	0.83	6068	1.34	425.00

Robovetter Results

TCE	Run Type	Disp	Score	N	S	C	E	Comments
008689793-01	OBS	PC	1.00	0	0	0	0	NO_COMMENT

Notes: OBS = Observed. INJ = Injected. INV = Inverted. SCR = Scrambled.

N = Not Transit-Like. S = Stellar Eclipse. C = Centroid Offset. E = Ephemeris Match.








See http://exoplanetarchive.ipac.caltech.edu/docs/API_kepcandidate_columns.html#proj_disp_col for comment definitions.

Ephemeris Match Information For 008689793-01

No Significant Match Found

DV One-Page Summary

KIC: 8689793 Candidate: 1 of 1 Period: 3.555 d
KOI: K01893.01 Corr: 0.977




DV Fit Results:

Period = 3.55484 [0.00001] d
Epoch = 131.8066 [0.0010] BKJD
Rp/R* = 0.0148 [0.0039]
a/R* = 9.36 [12.59]
b = 0.69 [1.03]
Seff = 425.00 [164.25]
Teq = 1158 [112] K
Rp = 1.34 [0.52] Re
a = 0.0444 [0.0110] AU
Ag = 4.12 [6.88] [0.45σ]
Teffp = 2551 [1041] K [1.33σ]


DV Diagnostic Results:

ShortPeriod-sig: N/A
LongPeriod-sig: N/A
ModelChiSquare2-sig: N/A
ModelChiSquareGoF-sig: N/A
Bootstrap-pfa: 2.92e-280
RollingBand-fgt: 1.00 [359/360]
GhostDiagnostic-chr: 4.624
Centroid-sig: 0.6%
Centroid-so: 0.847 arcsec [2.37σ]
OotOffset-rm: 0.390 arcsec [1.87σ]
KicOffset-rm: 0.453 arcsec [2.16σ]
OotOffset-st: 4/4/4/5 [17]
KicOffset-st: 4/4/4/5 [17]
DiffImageQuality-fgm: 0.94 [16/17]
DiffImageOverlap-fno: 1.00 [17/17]

TCE 008689793-01, PDC Light Curves




TCE 008689793-01




DV Odd/Even

TCE 008689793-01





ALT Odd/Even

TCE 008689793-01




Non-Whitened Vs. Whitened Light Curve




PDC Quarter-Phased Transit Curves

TCE 008689793-01 P= 3.554840 Days $T_0=131.806639$ (BKJD)




DV Quarter-Phased Transit Curves

TCE 008689793-01 P= 3.554840 Days $T_0=131.806639$ (BKJD)



Alt. Detrend Quarter-Phased Transit Curves


TCE 008689793-01 P= 3.554846 Days $T_0=131.805740$ (BKJD)



DV Model-Shift Uniqueness Test

008689793-01, P = 3.554840 Days, E = 128.251799 Days


Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
50.3	2.54	2.44	2.45	4.81	2.16	0.98	47.9	47.8	0.10	0.09	1.15	0.99	0.05	2.04



Alt Model-Shift Uniqueness Test

008689793-01, P = 3.554846 Days, E = 128.250894 Days

Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
48.7	2.69	2.40	2.44	4.82	2.19	0.99	46.3	46.2	0.29	0.25	2.15	1.03	0.05	1.43



Stellar Parameters For KIC 008689793

	$T_{\text{eff}}(K)$	$\log(g)$	[Fe/H]	$R (R_{\odot})$	$M(M_{\odot})$	$p_{\star} (\text{g}\cdot\text{cm}^{-3})$
	6068^{+163}_{-181}	$4.565^{+0.036}_{-0.204}$	$-0.500^{+0.300}_{-0.300}$	$0.831^{+0.240}_{-0.060}$	$0.931^{+0.089}_{-0.119}$	$2.285^{+0.335}_{-1.189}$
	+3%/-3%	+1%/-4%	+60%/-60%	+29%/-7%	+10%/-13%	+15%/-52%
Source	PHO1	KIC0	KIC0	DSEP		

KIC = Kepler Input Catalog; PHO = Photometry; SPE = Spectroscopy; AST = Asteroseismology
 TRA = Transits; DESP = Dartmouth Models; MULT = Multiple Models

Secondary Eclipse Parameters for KIC 008689793-01 / KOI 1893.01

Detrend	Depth (ppm)	$R_p (R_{\oplus})$	$T_{max} (K)$	$T_{obs} (K)$	A_{obs}
DV	-11 ± 4	$1.40^{+0.39}_{-0.40}$	1656^{+109}_{-69}	3349^{+447}_{-348}	$5.605^{+6.595}_{-2.801}$
Alt.	-12 ± 5	$1.40^{+0.42}_{-0.36}$	1662^{+109}_{-73}	3402^{+434}_{-336}	$6.073^{+6.480}_{-2.862}$

T_{max} = Theoretical Maximum Planetary Temperature

T_{obs} = Observed Planetary Temperature (Assuming $A=0.3$)

A_{obs} = Observed Albedo (Assuming $T=0$)

If a secondary eclipse is present, the system is likely an EB if $T_{obs} \gg T_{max}$ AND $A_{obs} \gg 1.0$


DV Centroid Data

Supplemental centroid analysis for 008689793-01. Kepler magnitude: 14.05. Transit SNR 40.18

There are 16 quarters with good PRF difference image offsets





The direct PRF centroid is offset from the target star catalog position by about 0.10 arcsec

	Distance in arcsec	Distance / σ	Δ RA	Δ Dec
PRF-fit source offset from OOT	0.390 ± 0.209	1.87	-0.386 ± 0.188	0.055 ± 0.275
PRF-fit source offset from KIC position	0.453 ± 0.210	2.16	-0.433 ± 0.174	0.132 ± 0.248
photometric centroid source offset	0.85 ± 0.36	2.37	0.81 ± 0.36	-0.25 ± 0.35







Centroid source offsets from the target star reconstructed from PRF and photometric centroids. **Sky blue crosses:** good quarterly centroid offsets; **Vermillion crosses:** bad quarterly centroid offsets; magenta cross: average over quarters. Length of the crosses: one- σ uncertainty. Blue circle: three- σ . Red *: target star. Blue *: Other stars. Text next to a star gives its KIC ID and kepmag. KIC IDs > 15,000,000 are from the UKIRT catalog.





white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.




white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.




white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



fluxWeightedCentroids, Planet 1 of 1



UKIRT Image

Declination

