

# KIC 008757213

## Q1-17 DR25 TCE Parameters

TCE	Run Type	KOI?	Period (Days)	Epoch (BKJD)	Depth (ppm)	Duration (Hours)	MES	SNR	$R_{\star}$ ( $R_{\odot}$ )	$T_{\star}$ (K)	$R_p$ ( $R_{\oplus}$ )	$S_p$ ( $S_{\oplus}$ )
008757213-01	OBS	7911.01	328.051401	301.500678	467.7	13.631	7.2	6.7	1.10	6268	2.46	1.72

## Robovetter Results

TCE	Run Type	Disp	Score	N	S	C	E	Comments
008757213-01	OBS	FP	0.08	1	0	0	0	MOD_NONUNIQ_ALT—CENT_FEW_DIFFS

**Notes:** OBS = Observed. INJ = Injected. INV = Inverted. SCR = Scrambled.

N = Not Transit-Like. S = Stellar Eclipse. C = Centroid Offset. E = Ephemeris Match.


See [http://exoplanetarchive.ipac.caltech.edu/docs/API\\_kepcandidate\\_columns.html#proj\\_disp\\_col](http://exoplanetarchive.ipac.caltech.edu/docs/API_kepcandidate_columns.html#proj_disp_col) for comment definitions.

## Ephemeris Match Information For 008757213-01

No Significant Match Found

# DV One-Page Summary


KIC: 8757213 Candidate: 1 of 1 Period: 328.051 d




Software Revision: svn+ssh://murzim/repo/soc/tags/release/9.3.42@60958 -- Date Generated: 31-Jan-2016 13:23:05 Z

This Data Validation Report Summary was produced in the Kepler Science Operations Center Pipeline at NASA Ames Research Center

# TCE 008757213-01, PDC Light Curves




TCE 008757213-01




# DV Odd/Even

TCE 008757213-01



# ALT Odd/Even


TCE 008757213-01






# Non-Whitened Vs. Whitened Light Curve

**Planet 1 : Phased Unwhitened Flux Time Series (Fit Epoch/Period)**




**Planet 1 : Phased Whitened Flux Time Series (Fit Epoch/Period)**



# PDC Quarter-Phased Transit Curves


TCE 008757213-01 P=328.051401 Days  $T_0=301.500678$  (BKJD)






# DV Quarter-Phased Transit Curves

TCE 008757213-01 P=328.051401 Days  $T_0=301.500678$  (BKJD)



# Alt. Detrend Quarter-Phased Transit Curves


TCE 008757213-01 P=328.074428 Days  $T_0=301.509673$  (BKJD)



# DV Model-Shift Uniqueness Test

008757213-01, P = 328.051401 Days, E = 301.500678 Days


Pri	Sec	Ter	Pos	FA <sub>1</sub>	FA <sub>2</sub>	F <sub>Red</sub>	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
7.70	4.89	4.53	3.70	5.35	3.13	1.10	3.17	4.00	0.37	1.19	0.46	0.93	0.32	1.83



# Alt Model-Shift Uniqueness Test

008757213-01, P = 328.074428 Days, E = 301.509673 Days

Pri	Sec	Ter	Pos	FA <sub>1</sub>	FA <sub>2</sub>	F <sub>Red</sub>	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
7.88	3.70	3.55	3.89	5.38	3.18	1.09	4.33	4.00	0.15	-0.19	2.18	0.86	0.33	0.02



### Stellar Parameters For KIC 008757213

	$T_{\text{eff}}(K)$	$\log(g)$	[Fe/H]	$R (R_{\odot})$	$M(M_{\odot})$	$p_{\star} (\text{g}\cdot\text{cm}^{-3})$
	$6268^{+195}_{-260}$	$4.429^{+0.054}_{-0.229}$	$0.070^{+0.250}_{-0.300}$	$1.100^{+0.384}_{-0.128}$	$1.188^{+0.170}_{-0.153}$	$1.257^{+0.371}_{-0.707}$
	+3%/-4%	+1%/-5%	+357%/-429%	+35%/-12%	+14%/-13%	+30%/-56%
Source	PHO1	KIC0	KIC0	DSEP		

KIC = Kepler Input Catalog; PHO = Photometry; SPE = Spectroscopy; AST = Asteroseismology  
 TRA = Transits; DESP = Dartmouth Models; MULT = Multiple Models

### Secondary Eclipse Parameters for KIC 008757213-01 / KOI 7911.01

Detrend	Depth (ppm)	$R_p (R_{\oplus})$	$T_{\text{max}} (K)$	$T_{\text{obs}} (K)$	$A_{\text{obs}}$
DV	$-256 \pm 52$	$2.97^{+1.88}_{-1.80}$	$420^{+34}_{-26}$	$5301^{+3285}_{-1061}$	$15954^{+80045}_{-10481}$
Alt.	$-209 \pm 57$	$3.05^{+1.88}_{-1.80}$	$420^{+35}_{-25}$	$4978^{+2678}_{-919}$	$11847^{+51931}_{-7927}$

$T_{\text{max}}$  = Theoretical Maximum Planetary Temperature  
 $T_{\text{obs}}$  = Observed Planetary Temperature (Assuming A=0.3)  
 $A_{\text{obs}}$  = Observed Albedo (Assuming T=0)

If a secondary eclipse is present, the system is likely an EB if  $T_{\text{obs}} \gg T_{\text{max}}$  AND  $A_{\text{obs}} \gg 1.0$


## DV Centroid Data

Supplemental centroid analysis for 008757213-01. Kepler magnitude: 15.62. Transit SNR 6.68

There are 1 quarters with good PRF difference image offsets

The direct PRF centroid is offset from the target star catalog position by about 0.09 arcsec

	Distance in arcsec	Distance / $\sigma$	$\Delta$ RA	$\Delta$ Dec
PRF-fit source offset from OOT	$0.238 \pm 1.100$	0.22	$-0.205 \pm 0.994$	$-0.120 \pm 1.361$
PRF-fit source offset from KIC position	$0.316 \pm 1.909$	0.17	$-0.245 \pm 0.077$	$-0.200 \pm 2.971$
photometric centroid source offset	$2.22 \pm 2.00$	1.11	$1.94 \pm 1.97$	$-1.08 \pm 2.11$



Centroid source offsets from the target star reconstructed from PRF and photometric centroids. Sky blue crosses: good quarterly centroid offsets; Vermillion crosses: bad quarterly centroid offsets; magenta cross: average over quarters. Length of the crosses: one- $\sigma$  uncertainty. Blue circle: three- $\sigma$ . Red \*: target star. Blue \*: Other stars. Text next to a star gives its KIC ID and kepmag. KIC IDs > 15,000,000 are from the UKIRT catalog.

white  $\times$ : KIC target position;  $+$ : OOT centroid;  $\triangle$ : difference centroid. red  $\times$ : large negative pixel value.

Q1 no difference image



Q1 no OOT image




Q2 no difference image




Q2 no OOT image



Q3 difference image



Q3 OOT image



Q4 no difference image



Q4 no OOT image













white  $\times$ : KIC target position;  $+$ : OOT centroid;  $\triangle$ : difference centroid. red  $\times$ : large negative pixel value.




white ×: KIC target position; +: OOT centroid; △: difference centroid. red ✕: large negative pixel value.



white  $\times$ : KIC target position;  $+$ : OOT centroid;  $\triangle$ : difference centroid. red  $\times$ : large negative pixel value.



white  $\times$ : KIC target position;  $+$ : OOT centroid;  $\triangle$ : difference centroid. red  $\times$ : large negative pixel value.



UKIRT Image

Declination

