

KIC 008827821

Q1-17 DR25 TCE Parameters

TCE	Run Type	KOI?	Period (Days)	Epoch (BKJD)	Depth (ppm)	Duration (Hours)	MES	SNR	R_{\star} (R_{\odot})	T_{\star} (K)	R_p (R_{\oplus})	S_p (S_{\oplus})
008827821-01	OBS	No	1.322193	132.378720	46.0	6.552	11.9	14.2	3.22	7610	2.21	36262.42

Robovetter Results

TCE	Run Type	Disp	Score	N	S	C	E	Comments
008827821-01	OBS	FP	0.00	1	0	0	0	LPP_DV—LPP_ALT—CENT_SATURATED

Notes: OBS = Observed. INJ = Injected. INV = Inverted. SCR = Scrambled.

N = Not Transit-Like. S = Stellar Eclipse. C = Centroid Offset. E = Ephemeris Match.


See http://exoplanetarchive.ipac.caltech.edu/docs/API_kepcandidate_columns.html#proj_disp_col for comment definitions.

Ephemeris Match Information For 008827821-01

No Significant Match Found

DV One-Page Summary


KIC: 8827821 Candidate: 1 of 1 Period: 1.322 d




Software Revision: svn+ssh://murzim/repo/soc/tags/release/9.3.42@60958 -- Date Generated: 31-Jan-2016 05:05:42 Z

This Data Validation Report Summary was produced in the Kepler Science Operations Center Pipeline at NASA Ames Research Center

TCE 008827821-01, PDC Light Curves




TCE 008827821-01




DV Odd/Even

TCE 008827821-01





ALT Odd/Even

TCE 008827821-01




Non-Whitened Vs. Whitened Light Curve




PDC Quarter-Phased Transit Curves

TCE 008827821-01 P= 1.322193 Days $T_0=132.378720$ (BKJD)




DV Quarter-Phased Transit Curves

TCE 008827821-01 P= 1.322193 Days $T_0=132.378720$ (BKJD)



Alt. Detrend Quarter-Phased Transit Curves


TCE 008827821-01 P= 1.322152 Days $T_0=132.387818$ (BKJD)



DV Model-Shift Uniqueness Test

008827821-01, P = 1.322193 Days, E = 131.056527 Days


Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
11.9	8.97	0	0	4.40	1.23	0.99	11.9	11.9	8.97	8.97	0.43	1.04	0.06	1.31



Alt Model-Shift Uniqueness Test

008827821-01, P = 1.322152 Days, E = 131.065666 Days

Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
5.71	3.58	0	0	4.42	1.30	0.68	5.71	5.71	3.58	3.58	0.42	1.14	0.05	0.32



Stellar Parameters For KIC 008827821

	$T_{\text{eff}}(K)$	$\log(g)$	[Fe/H]	R (R_{\odot})	$M(M_{\odot})$	p_{\star} ($\text{g}\cdot\text{cm}^{-3}$)
	7610^{+211}_{-317}	$3.706^{+0.425}_{-0.075}$	$0.000^{+0.200}_{-0.350}$	$3.222^{+0.463}_{-1.482}$	$1.925^{+0.104}_{-0.418}$	$0.081^{+0.319}_{-0.020}$
	+3%/-4%	+11%/-2%	+inf%/-inf%	+14%/-46%	+5%/-22%	+393%/-25%
Source	KIC0	KIC0	KIC0	DSEP		

KIC = Kepler Input Catalog; PHO = Photometry; SPE = Spectroscopy; AST = Asteroseismology
 TRA = Transits; DESP = Dartmouth Models; MULT = Multiple Models

Secondary Eclipse Parameters for KIC 008827821-01 / KOI

Detrend	Depth (ppm)	R_p (R_{\oplus})	T_{max} (K)	T_{obs} (K)	A_{obs}
DV	-29 ± 3	$1.99^{+1.64}_{-1.09}$	4744^{+343}_{-539}	6564^{+5075}_{-1698}	$3.297^{+13.287}_{-2.267}$
Alt.	-37 ± 10	$2.61^{+1.51}_{-1.24}$	4720^{+357}_{-548}	6064^{+3025}_{-1358}	$2.512^{+6.896}_{-1.556}$

T_{max} = Theoretical Maximum Planetary Temperature

T_{obs} = Observed Planetary Temperature (Assuming $A=0.3$)

A_{obs} = Observed Albedo (Assuming $T=0$)

If a secondary eclipse is present, the system is likely an EB if $T_{obs} \gg T_{max}$ AND $A_{obs} \gg 1.0$


DV Centroid Data

Supplemental centroid analysis for 008827821-01. **Kepler magnitude: 11.14.** Transit SNR 14.17

There are 11 quarters with good PRF difference image offsets


The direct PRF centroid is offset from the target star catalog position by about 0.63 arcsec

	Distance in arcsec	Distance / σ	Δ RA	Δ Dec
PRF-fit source offset from OOT	0.448 ± 0.517	0.87	-0.448 ± 0.505	-0.016 ± 0.415
PRF-fit source offset from KIC position	0.448 ± 0.465	0.96	-0.391 ± 0.500	0.219 ± 0.333
photometric centroid source offset	0.90 ± 0.20	4.50	-0.90 ± 0.20	-0.02 ± 0.20







Centroid source offsets from the target star reconstructed from PRF and photometric centroids. **Sky blue crosses: good quarterly centroid offsets; Vermillion crosses: bad quarterly centroid offsets;** magenta cross: average over quarters. Length of the crosses: one- σ uncertainty. Blue circle: three- σ . Red *: target star. Blue *: Other stars. Text next to a star gives its KIC ID and kepmag. KIC IDs > 15,000,000 are from the UKIRT catalog.


white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.




white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.




white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



UKIRT Image

Declination

