

KIC 008903917

Q1-17 DR25 TCE Parameters

TCE	Run Type	KOI?	Period (Days)	Epoch (BKJD)	Depth (ppm)	Duration (Hours)	MES	SNR	R_{\star} (R_{\odot})	T_{\star} (K)	R_p (R_{\oplus})	S_p (S_{\oplus})
008903917-01	OBS	No	0.876349	131.986771	14.2	4.818	9.0	7.6	1.85	5948	0.72	10683.80

Robovetter Results

TCE	Run Type	Disp	Score	N	S	C	E	Comments
008903917-01	OBS	FP	0.00	1	0	1	0	LPP_DV—CENT_RESOLVED_OFFSET

Notes: OBS = Observed. INJ = Injected. INV = Inverted. SCR = Scrambled.

N = Not Transit-Like. S = Stellar Eclipse. C = Centroid Offset. E = Ephemeris Match.


See http://exoplanetarchive.ipac.caltech.edu/docs/API_kepcandidate_columns.html#proj_disp_col for comment definitions.

Ephemeris Match Information For 008903917-01

No Significant Match Found

DV One-Page Summary


KIC: 8903917 Candidate: 1 of 1 Period: 0.876 d




Software Revision: svn+ssh://murzim/repo/soc/tags/release/9.3.42@60958 -- Date Generated: 31-Jan-2016 18:15:01 Z

This Data Validation Report Summary was produced in the Kepler Science Operations Center Pipeline at NASA Ames Research Center

TCE 008903917-01, PDC Light Curves




TCE 008903917-01




DV Odd/Even

TCE 008903917-01




ALT Odd/Even

TCE 008903917-01




Non-Whitened Vs. Whitened Light Curve

Planet 1 : Phased Unwhitened Flux Time Series (Fit Epoch/Period)




Planet 1 : Phased Whitened Flux Time Series (Fit Epoch/Period)




PDC Quarter-Phased Transit Curves

TCE 008903917-01 P= 0.876349 Days $T_0=131.986771$ (BKJD)




DV Quarter-Phased Transit Curves

TCE 008903917-01 P= 0.876349 Days $T_0=131.986771$ (BKJD)



Alt. Detrend Quarter-Phased Transit Curves


TCE 008903917-01 P= 0.876408 Days $T_0=131.932618$ (BKJD)



DV Model-Shift Uniqueness Test

008903917-01, P = 0.876349 Days, E = 131.110422 Days


Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
9.61	3.83	0	0	4.37	1.15	0.24	9.61	9.61	3.83	3.83	0.78	0.98	0.03	0.61



Alt Model-Shift Uniqueness Test

008903917-01, P = 0.876408 Days, E = 131.056210 Days

Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
14.5	6.25	0	0	4.48	1.43	1.00	14.5	14.5	6.25	6.25	0.70	0.97	0.11	0.21



Stellar Parameters For KIC 008903917

	$T_{\text{eff}}(K)$	$\log(g)$	[Fe/H]	R (R_{\odot})	$M(M_{\odot})$	p_{\star} ($\text{g}\cdot\text{cm}^{-3}$)
	5948^{+178}_{-196}	$3.977^{+0.382}_{-0.127}$	$0.080^{+0.250}_{-0.300}$	$1.853^{+0.407}_{-0.757}$	$1.187^{+0.167}_{-0.204}$	$0.263^{+0.837}_{-0.101}$
	+3%/-3%	+10%/-3%	+312%/-375%	+22%/-41%	+14%/-17%	+318%/-38%
Source	PHO1	KIC0	KIC0	DSEP		

KIC = Kepler Input Catalog; PHO = Photometry; SPE = Spectroscopy; AST = Asteroseismology
 TRA = Transits; DESP = Dartmouth Models; MULT = Multiple Models

Secondary Eclipse Parameters for KIC 008903917-01 / KOI

Detrend	Depth (ppm)	R_p (R_{\oplus})	T_{max} (K)	T_{obs} (K)	A_{obs}
DV	-6 ± 1	$0.68^{+0.45}_{-0.35}$	3547^{+282}_{-368}	4659^{+2037}_{-916}	$2.222^{+7.257}_{-1.399}$
Alt.	-11 ± 2	$0.98^{+0.45}_{-0.43}$	3540^{+261}_{-389}	4776^{+1428}_{-721}	$2.494^{+5.534}_{-1.369}$

T_{max} = Theoretical Maximum Planetary Temperature
 T_{obs} = Observed Planetary Temperature (Assuming $A=0.3$)
 A_{obs} = Observed Albedo (Assuming $T=0$)

If a secondary eclipse is present, the system is likely an EB if $T_{obs} \gg T_{max}$ AND $A_{obs} \gg 1.0$


DV Centroid Data

Supplemental centroid analysis for 008903917-01. Kepler magnitude: 13.87. Transit SNR 7.64

There are 8 quarters with good PRF difference image offsets





The direct PRF centroid is offset from the target star catalog position by about 0.02 arcsec

	Distance in arcsec	Distance / σ	Δ RA	Δ Dec
PRF-fit source offset from OOT	11.566 \pm 0.145	79.55	1.091 \pm 0.112	11.514 \pm 0.140
PRF-fit source offset from KIC position	11.542 \pm 0.168	68.66	1.020 \pm 0.132	11.497 \pm 0.160
photometric centroid source offset	16.52 \pm 1.83	9.02	11.33 \pm 1.95	12.02 \pm 1.72







Centroid source offsets from the target star reconstructed from PRF and photometric centroids. Sky blue crosses: good quarterly centroid offsets; Vermillion crosses: bad quarterly centroid offsets; magenta cross: average over quarters. Length of the crosses: one- σ uncertainty. Blue circle: three- σ . Red *: target star. Blue *: Other stars. Text next to a star gives its KIC ID and kepmag. KIC IDs > 15,000,000 are from the UKIRT catalog.





white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.







white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.




white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.




white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



fluxWeightedCentroids, Planet 1 of 1



UKIRT Image

Declination

