KIC 009017682

Q1-17 DR25 TCE Parameters

TCE	Run Type	KOI?	Period (Days)	Epoch (BKJD)	Depth (ppm)	Duration (Hours)	MES	SNR	$R_\star$ ($R_\odot$)	$T_\star$ (K)	R_p ($R_\oplus$)	S_p ($S_\oplus$)
009017682-01	OBS	1630.01	11.305061	138.137119	279.3	4.144	16.9	18.6	0.84	5705	1.61	72.74

Robovetter Results

TCE	Run Type	Disp	Score	N	S	C	E	Comments
009017682-01	OBS	PC	0.99	0	0	0	0	NO_COMMENT

Notes: OBS = Observed. INJ = Injected. INV = Inverted. SCR = Scrambled.
N = Not Transit-Like. S = Stellar Eclipse. C = Centroid Offset. E = Ephemeris Match.
See `http://exoplanetarchive.ipac.caltech.edu/docs/API_kepcandidate_columns.html#proj_disp_col` for comment definitions.

Ephemeris Match Information For 009017682-01

No Significant Match Found

DV One-Page Summary

KIC: 9017682 Candidate: 1 of 1 Period: 11.305 d
KOI: K01630.01 Corr: 0.985

Kp: 15.15 R*: 0.84 Rs Teff: 5705.0 K Logg: 4.56 Fe/H: −0.140















DV Fit Results:

Period = 11.30506 [0.00007] d
Epoch = 138.1371 [0.0046] BKJD
Rp/R* = 0.0175 [0.0060]
a/R* = 11.72 [18.20]
b = 0.85 [0.52]

Seff = 72.74 [27.26]
Teq = 745 [70] K
Rp = 1.61 [0.71] Re
a = 0.0964 [0.0229] AU

Ag = 58.83 [55.08] [1.05σ]
Teffp = 3189 [699] K [3.48σ]

DV Diagnostic Results:

ShortPeriod−sig: N/A
LongPeriod−sig: N/A
ModelChiSquare2−sig: 98.2%
ModelChiSquareGof−sig: 100.0%
Bootstrap−pfa: 1.05e−62
RollingBand−fgt: 0.98 [109/111]
GhostDiagnostic−chr: 29.47

Centroid−sig: 13.9%
Centroid−so: 0.898 arcsec [1.16σ]
OotOffset−rm: 0.953 arcsec [2.20σ]
KicOffset−rm: 1.019 arcsec [2.77σ]
OotOffset−st: 4/3/4/1 [12]
KicOffset−st: 4/3/4/1 [12]
DiffImageQuality−fgm: 0.83 [10/12]
DiffImageOverlap−fno: 1.00 [17/17]

Software Revision: svn+ssh://murzim/repo/soc/tags/release/9.3.42@60958 -- Date Generated: 30−Jan−2016 15:31:55 Z

This Data Validation Report Summary was produced in the Kepler Science Operations Center Pipeline at NASA Ames Research Center

TCE 009017682-01, PDC Light Curves




TCE 009017682-01
P = 5.653 days
P = 11.305 days
P = 22.610 days
Normalized Flux
BKJD
Normalized Flux
Phase

DV Odd/Even


TCE 009017682-01
3.00e-03
2.50e-03
2.00e-03
1.50e-03
1.00e-03
5.00e-04
0.00e+00
-5.00e-04
-1.00e-03
-1.50e-03
-2.00e-03
Flux
-0.03
-0.02
-0.01
0
0.01
0.02
0.03
Phase
Odd
Even
Model Fit

ALT Odd/Even


TCE 009017682-01
2.00e-03
1.50e-03
1.00e-03
5.00e-04
0.00e+00
-5.00e-04
-1.00e-03
-1.50e-03
Flux
-0.03
-0.02
-0.01
0
0.01
0.02
0.03
Phase
Odd
Even
Model Fit

Non-Whitened Vs. Whitened Light Curve





PDC Quarter-Phased Transit Curves

TCE 009017682-01 P= 11.305061 Days T_0=138.137119 (BKJD)



DV Quarter-Phased Transit Curves

TCE 009017682-01 P= 11.305061 Days T_0=138.137119 (BKJD)



Alt. Detrend Quarter-Phased Transit Curves

TCE 009017682-01 P= 11.305313 Days T_0=138.121992 (BKJD)



DV Model-Shift Uniqueness Test

009017682-01, P = 11.305061 Days, E = 126.832058 Days

Pri	Sec	Ter	Pos	FA_1	FA_2	F_{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
23.9	2.83	2.66	2.30	4.92	2.39	0.96	21.2	21.6	0.16	0.53	1.68	1.02	0.09	1.62



Alt Model-Shift Uniqueness Test

009017682-01, P = 11.305313 Days, E = 126.816679 Days

Pri	Sec	Ter	Pos	FA_1	FA_2	F_{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
21.5	2.53	2.12	2.33	4.94	2.42	0.87	19.4	19.2	0.41	0.20	1.46	0.99	0.10	1.41



Stellar Parameters For KIC 009017682

	$T_{\rm eff}(K)$	$\log(g)$	[Fe/H]	R ($R_\odot$)	M($M_\odot$)	$p_\star$ (g·cm^{-3})
	5705^{+152}_{-186}	$4.556^{+0.034}_{-0.195}$	$-0.140^{+0.300}_{-0.300}$	$0.844^{+0.233}_{-0.078}$	$0.936^{+0.094}_{-0.115}$	$2.192^{+0.407}_{-1.083}$
	+3%/-3%	+1%/-4%	+214%/-214%	+28%/-9%	+10%/-12%	+19%/-49%
Source	PHO1	KIC0	KIC0	DSEP		

KIC = Kepler Input Catalog; PHO = Photometry; SPE = Spectroscopy; AST = Asteroseismology
TRA = Transits; DESP = Dartmouth Models; MULT = Multiple Models

Secondary Eclipse Parameters for KIC 009017682-01 / KOI 1630.01

Detrend	Depth (ppm)	R_p ($R_\oplus$)	T_{max} (K)	T_{obs} (K)	A_{obs}
DV	-33±12	$1.69^{+0.61}_{-0.56}$	1063^{+66}_{-45}	3677^{+589}_{-413}	58^{+78}_{-31}
Alt.	-31±12	$1.61^{+0.59}_{-0.61}$	1067^{+65}_{-49}	3704^{+707}_{-457}	58^{+105}_{-32}

T_{max} = Theoretical Maximum Planetary Temperature
T_{obs} = Observed Planetary Temperature (Assuming A=0.3)
A_{obs} = Observed Albedo (Assuming T=0)

If a secondary eclipse is present, the system is likely an EB if $T_{obs} \gg T_{max}$ AND $A_{obs} \gg 1.0$

DV Centroid Data

Supplemental centroid analysis for 009017682-01. Kepler magnitude: 15.15. Transit SNR 18.61
There are 10 quarters with good PRF difference image offsets
The direct PRF centroid is offset from the target star catalog position by about 0.12 arcsec

	Distance in arcsec	Distance / σ	Δ RA	Δ Dec
PRF-fit source offset from OOT	0.953 ± 0.433	2.20	0.735 ± 0.291	0.607 ± 0.719
PRF-fit source offset from KIC position	1.019 ± 0.367	2.77	0.778 ± 0.340	0.659 ± 0.663
photometric centroid source offset	0.90 ± 0.78	1.16	-0.53 ± 0.78	0.73 ± 0.77



Centroid source offsets from the target star reconstructed from PRF and photometric centroids. Sky blue crosses: good quarterly centroid offsets; Vermillion crosses: bad quarterly centroid offsets; magenta cross: average over quarters. Length of the crosses: one-σ uncertainty. Blue circle: three-σ. Red *: target star. Blue *: Other stars. Text next to a star gives its KIC ID and kepmag. KIC IDs $> 15,000,000$ are from the UKIRT catalog.

white ×: KIC target position; +: OOT centroid; △: difference centroid. red ×: large negative pixel value.



white ×: KIC target position; +: OOT centroid; △: difference centroid. red ×: large negative pixel value.



white ×: KIC target position; +: OOT centroid; △: difference centroid. red ×: large negative pixel value.









white ×: KIC target position; +: OOT centroid; △: difference centroid. red ×: large negative pixel value.



white ×: KIC target position; +: OOT centroid; △: difference centroid. red ×: large negative pixel value.





UKIRT Image


Declination
40.0
30.0
20.0
23:
45:
10.0
00.0
05.0
04.0
03.0
02.0
01.0
19:21:00.0