

KIC 009072190

Q1-17 DR25 TCE Parameters

TCE	Run Type	KOI?	Period (Days)	Epoch (BKJD)	Depth (ppm)	Duration (Hours)	MES	SNR	R_{\star} (R_{\odot})	T_{\star} (K)	R_p (R_{\oplus})	S_p (S_{\oplus})
009072190-01	OBS	1933.01	49.101162	136.472837	827.0	6.372	34.8	37.7	1.11	5393	3.39	14.60

Robovetter Results

TCE	Run Type	Disp	Score	N	S	C	E	Comments
009072190-01	OBS	PC	1.00	0	0	0	0	NO_COMMENT

Notes: OBS = Observed. INJ = Injected. INV = Inverted. SCR = Scrambled.

N = Not Transit-Like. S = Stellar Eclipse. C = Centroid Offset. E = Ephemeris Match.

See http://exoplanetarchive.ipac.caltech.edu/docs/API_kepcandidate_columns.html#proj_disp_col for comment definitions.








Ephemeris Match Information For 009072190-01

No Significant Match Found

DV One-Page Summary

KIC: 9072190 Candidate: 1 of 1 Period: 49.101 d

KOI: K01933.01 Corr: 0.994



DV Fit Results:

Period = 49.10116 [0.00019] d
Epoch = 136.4728 [0.0033] BKJD
Rp/R* = 0.0280 [0.0057]
a/R* = 44.85 [34.71]
b = 0.69 [0.60]
Seff = 14.60 [4.43]
T_{eq} = 498 [38] K
Rp = 3.39 [1.05] Re
a = 0.2529 [0.0510] AU
Ag = 194.84 [118.73] [1.63σ]
T_{eff} = 2879 [385] K [6.15σ]


DV Diagnostic Results:

ShortPeriod-sig: N/A
LongPeriod-sig: N/A
ModelChiSquare2-sig: 78.6%
ModelChiSquareGof-sig: 100.0%
Bootstrap-pfa: 5.24e-218
RollingBand-fgt: 1.00 [25/25]
GhostDiagnostic-chr: 4.506
Centroid-sig: 0.1%
Centroid-so: 0.560 arcsec [1.45σ]
OotOffset-rm: 0.144 arcsec [0.99σ]
KicOffset-rm: 0.068 arcsec [0.44σ]
OotOffset-st: 4/4/4/4 [16]
KicOffset-st: 4/4/4/4 [16]
DiffImageQuality-fgm: 1.00 [16/16]
DiffImageOverlap-fno: 1.00 [16/16]


Software Revision: svn+ssh://murzim/repo/soc/tags/release/9.3.42@60958 -- Date Generated: 31-Jan-2016 22:00:51 Z

This Data Validation Report Summary was produced in the Kepler Science Operations Center Pipeline at NASA Ames Research Center

TCE 009072190-01, PDC Light Curves




TCE 009072190-01




DV Odd/Even

TCE 009072190-01




ALT Odd/Even

TCE 009072190-01




Non-Whitened Vs. Whitened Light Curve

Planet 1 : Phased Unwhitened Flux Time Series (Fit Epoch/Period)




Planet 1 : Phased Whitened Flux Time Series (Fit Epoch/Period)




PDC Quarter-Phased Transit Curves

TCE 009072190-01 P= 49.101162 Days $T_0=136.472837$ (BKJD)




DV Quarter-Phased Transit Curves

TCE 009072190-01 P= 49.101162 Days $T_0=136.472837$ (BKJD)



Alt. Detrend Quarter-Phased Transit Curves


TCE 009072190-01 P= 49.100612 Days $T_0=136.478806$ (BKJD)



DV Model-Shift Uniqueness Test

009072190-01, P = 49.101162 Days, E = 87.371675 Days


Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
48.6	4.45	3.44	3.85	5.13	2.76	1.10	45.2	44.8	1.01	0.59	0.11	1.00	0.07	0



Alt Model-Shift Uniqueness Test

009072190-01, P = 49.100612 Days, E = 87.378194 Days

Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
43.3	3.34	2.88	3.61	5.14	2.78	0.95	40.4	39.7	0.46	-0.27	0.18	1.00	0.08	0.53



Stellar Parameters For KIC 009072190

	$T_{\text{eff}}(K)$	$\log(g)$	[Fe/H]	R (R_{\odot})	$M(M_{\odot})$	p_{\star} ($\text{g}\cdot\text{cm}^{-3}$)
	5393^{+80}_{-72}	$4.299^{+0.165}_{-0.165}$	$0.200^{+0.150}_{-0.150}$	$1.110^{+0.261}_{-0.189}$	$0.895^{+0.063}_{-0.037}$	$0.921^{+0.720}_{-0.400}$
	+1%/-1%	+4%/-4%	+75%/-75%	+24%/-17%	+7%/-4%	+78%/-43%
Source	SPE90	SPE90	SPE90	DSEP		

KIC = Kepler Input Catalog; PHO = Photometry; SPE = Spectroscopy; AST = Asteroseismology
 TRA = Transits; DESP = Dartmouth Models; MULT = Multiple Models

Secondary Eclipse Parameters for KIC 009072190-01 / KOI 1933.01

Detrend	Depth (ppm)	R_p (R_{\oplus})	T_{max} (K)	T_{obs} (K)	A_{obs}
DV	-76 ± 17	$3.42^{+0.81}_{-0.75}$	697^{+42}_{-38}	3475^{+282}_{-224}	226^{+163}_{-86}
Alt.	-59 ± 18	$3.43^{+0.83}_{-0.78}$	698^{+43}_{-34}	3341^{+292}_{-244}	172^{+130}_{-74}

T_{max} = Theoretical Maximum Planetary Temperature

T_{obs} = Observed Planetary Temperature (Assuming $A=0.3$)

A_{obs} = Observed Albedo (Assuming $T=0$)

If a secondary eclipse is present, the system is likely an EB if $T_{obs} \gg T_{max}$ AND $A_{obs} \gg 1.0$


DV Centroid Data

Supplemental centroid analysis for 009072190-01. Kepler magnitude: 15.04. Transit SNR 37.73

There are 16 quarters with good PRF difference image offsets





The direct PRF centroid is offset from the target star catalog position by about 0.24 arcsec

	Distance in arcsec	Distance / σ	Δ RA	Δ Dec
PRF-fit source offset from OOT	0.144 ± 0.146	0.99	-0.027 ± 0.162	0.142 ± 0.145
PRF-fit source offset from KIC position	0.068 ± 0.153	0.44	0.035 ± 0.150	0.059 ± 0.139
photometric centroid source offset	0.56 ± 0.38	1.45	-0.11 ± 0.36	0.55 ± 0.39







Centroid source offsets from the target star reconstructed from PRF and photometric centroids. **Sky blue crosses:** good quarterly centroid offsets; **Vermillion crosses:** bad quarterly centroid offsets; magenta cross: average over quarters. Length of the crosses: one- σ uncertainty. Blue circle: three- σ . Red *: target star. Blue *: Other stars. Text next to a star gives its KIC ID and kepmag. KIC IDs > 15,000,000 are from the UKIRT catalog.





white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.




white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



UKIRT Image

