

KIC 010134152

Q1-17 DR25 TCE Parameters

TCE	Run Type	KOI?	Period (Days)	Epoch (BKJD)	Depth (ppm)	Duration (Hours)	MES	SNR	R_{\star} (R_{\odot})	T_{\star} (K)	R_p (R_{\oplus})	S_p (S_{\oplus})
010134152-01	OBS	2056.01	39.313706	154.934917	509.1	5.300	25.3	26.8	0.93	6060	2.37	20.08

Robovetter Results

TCE	Run Type	Disp	Score	N	S	C	E	Comments
010134152-01	OBS	PC	1.00	0	0	0	0	NO_COMMENT

Notes: OBS = Observed. INJ = Injected. INV = Inverted. SCR = Scrambled.

N = Not Transit-Like. S = Stellar Eclipse. C = Centroid Offset. E = Ephemeris Match.








See http://exoplanetarchive.ipac.caltech.edu/docs/API_kepcandidate_columns.html#proj_disp_col for comment definitions.

Ephemeris Match Information For 010134152-01

No Significant Match Found

DV One-Page Summary

KIC: 10134152 Candidate: 1 of 1 Period: 39.314 d
KOI: K02056.01 Corr: 0.961




DV Fit Results:

Period = 39.31371 [0.00017] d
Epoch = 154.9349 [0.0033] BKJD
Rp/R* = 0.0235 [0.0023]
a/R* = 32.35 [15.60]
b = 0.85 [0.16]
Seff = 20.08 [7.43]
Teff = 540 [50] K
Rp = 2.37 [0.71] Re
a = 0.2269 [0.0543] AU
Ag = 310.41 [156.41] [1.98 σ]
Teffp = 3503 [334] K [8.77 σ]


DV Diagnostic Results:

ShortPeriod-sig: N/A
LongPeriod-sig: N/A
ModelChiSquare2-sig: 32.1%
ModelChiSquareGof-sig: 100.0%
Bootstrap-pfa: 3.62e-135
RollingBand-fgt: 1.00 [31/31]
GhostDiagnostic-chr: 5.556
Centroid-sig: 18.4%
Centroid-so: 0.383 arcsec [0.97 σ]
OotOffset-rm: 0.131 arcsec [0.53 σ]
KicOffset-rm: 0.248 arcsec [1.07 σ]
OotOffset-st: 4/4/4/4 [16]
KicOffset-st: 4/4/4/4 [16]
DiffImageQuality-fgm: 0.94 [15/16]
DiffImageOverlap-fno: 1.00 [17/17]

TCE 010134152-01, PDC Light Curves




TCE 010134152-01




DV Odd/Even

TCE 010134152-01




ALT Odd/Even

TCE 010134152-01




Non-Whitened Vs. Whitened Light Curve

Planet 1 : Phased Unwhitened Flux Time Series (Fit Epoch/Period)




Planet 1 : Phased Whitened Flux Time Series (Fit Epoch/Period)




PDC Quarter-Phased Transit Curves

TCE 010134152-01 P= 39.313706 Days $T_0=154.934917$ (BKJD)




DV Quarter-Phased Transit Curves

TCE 010134152-01 P= 39.313706 Days $T_0=154.934917$ (BKJD)



Alt. Detrend Quarter-Phased Transit Curves


TCE 010134152-01 P= 39.313163 Days $T_0=154.944985$ (BKJD)



DV Model-Shift Uniqueness Test

010134152-01, $P = 39.313706$ Days, $E = 115.621211$ Days


Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
43.4	4.12	3.75	4.55	5.12	2.75	1.32	39.6	38.8	0.36	-0.43	1.33	1.02	0.09	0.96



Alt Model-Shift Uniqueness Test

010134152-01, P = 39.313163 Days, E = 115.631822 Days

Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
39.6	2.58	2.29	3.18	5.14	2.78	0.85	37.3	36.4	0.28	-0.61	0.04	1.02	0.07	0.91



Stellar Parameters For KIC 010134152

	$T_{\text{eff}}(K)$	$\log(g)$	[Fe/H]	R (R_{\odot})	M (M_{\odot})	p_{\star} ($\text{g}\cdot\text{cm}^{-3}$)
	6060^{+163}_{-181}	$4.509^{+0.048}_{-0.192}$	$-0.220^{+0.250}_{-0.350}$	$0.925^{+0.262}_{-0.087}$	$1.008^{+0.117}_{-0.130}$	$1.795^{+0.436}_{-0.859}$
	+3%/-3%	+1%/-4%	+114%/-159%	+28%/-9%	+12%/-13%	+24%/-48%
Source	PHO1	KIC0	KIC0	DSEP		

KIC = Kepler Input Catalog; PHO = Photometry; SPE = Spectroscopy; AST = Asteroseismology
 TRA = Transits; DESP = Dartmouth Models; MULT = Multiple Models

Secondary Eclipse Parameters for KIC 010134152-01 / KOI 2056.01

Detrend	Depth (ppm)	R_p (R_{\oplus})	T_{max} (K)	T_{obs} (K)	A_{obs}
DV	-49 ± 12	$2.47^{+0.41}_{-0.34}$	770^{+51}_{-34}	3708^{+224}_{-202}	218^{+92}_{-70}
Alt.	-31 ± 12	$2.27^{+0.42}_{-0.29}$	769^{+52}_{-34}	3528^{+256}_{-275}	160^{+97}_{-69}

T_{max} = Theoretical Maximum Planetary Temperature

T_{obs} = Observed Planetary Temperature (Assuming $A=0.3$)

A_{obs} = Observed Albedo (Assuming $T=0$)

If a secondary eclipse is present, the system is likely an EB if $T_{\text{obs}} \gg T_{\text{max}}$ AND $A_{\text{obs}} \gg 1.0$


DV Centroid Data

Supplemental centroid analysis for 010134152-01. Kepler magnitude: 14.48. Transit SNR 26.85

There are 15 quarters with good PRF difference image offsets


The direct PRF centroid is offset from the target star catalog position by about 0.08 arcsec

	Distance in arcsec	Distance / σ	Δ RA	Δ Dec
PRF-fit source offset from OOT	0.131 ± 0.247	0.53	0.125 ± 0.299	0.037 ± 0.281
PRF-fit source offset from KIC position	0.248 ± 0.232	1.07	0.226 ± 0.317	0.102 ± 0.277
photometric centroid source offset	0.38 ± 0.39	0.97	0.07 ± 0.40	-0.38 ± 0.39




Centroid source offsets from the target star reconstructed from PRF and photometric centroids. **Sky blue crosses:** good quarterly centroid offsets; **Vermillion crosses:** bad quarterly centroid offsets; magenta cross: average over quarters. Length of the crosses: one- σ uncertainty. Blue circle: three- σ . Red *: target star. Blue *: Other stars. Text next to a star gives its KIC ID and kepmag. KIC IDs > 15,000,000 are from the UKIRT catalog.


white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.







white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.





white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



UKIRT Image

Declination

