

KIC 010209074

Q1-17 DR25 TCE Parameters

TCE	Run Type	KOI?	Period (Days)	Epoch (BKJD)	Depth (ppm)	Duration (Hours)	MES	SNR	R_{\star} (R_{\odot})	T_{\star} (K)	R_p (R_{\oplus})	S_p (S_{\oplus})
010209074-01	OBS	No	540.932446	136.710589	964.8	13.701	9.9	9.5	1.12	6321	3.59	0.95

Robovetter Results

TCE	Run Type	Disp	Score	N	S	C	E	Comments
010209074-01	OBS	FP	0.00	1	0	0	0	INDIV_TRANS_CHASES_MARSHALL_SKYE—LPP_DV—ALL_TRANS_CHASES—INCONSISTENT_TRANS—CENT_FEW_DIFFS

Notes: OBS = Observed. INJ = Injected. INV = Inverted. SCR = Scrambled.

N = Not Transit-Like. S = Stellar Eclipse. C = Centroid Offset. E = Ephemeris Match.


See http://exoplanetarchive.ipac.caltech.edu/docs/API_kepcandidate_columns.html#proj_disp_col for comment definitions.

Ephemeris Match Information For 010209074-01

No Significant Match Found

DV One-Page Summary


KIC: 10209074 Candidate: 1 of 1 Period: 540.932 d




Software Revision: svn+ssh://murzim/repo/soc/tags/release/9.3.42@60958 -- Date Generated: 28-Jan-2016 21:18:38 Z

This Data Validation Report Summary was produced in the Kepler Science Operations Center Pipeline at NASA Ames Research Center

TCE 010209074-01, PDC Light Curves




TCE 010209074-01




DV Odd/Even

TCE 010209074-01




ALT Odd/Even

TCE 010209074-01




Non-Whitened Vs. Whitened Light Curve

Planet 1 : Phased Unwhitened Flux Time Series (Fit Epoch/Period)




Planet 1 : Phased Whitened Flux Time Series (Fit Epoch/Period)




PDC Quarter-Phased Transit Curves

TCE 010209074-01 P=540.932446 Days $T_0=136.710589$ (BKJD)




DV Quarter-Phased Transit Curves

TCE 010209074-01 P=540.932446 Days $T_0=136.710589$ (BKJD)



Alt. Detrend Quarter-Phased Transit Curves


TCE 010209074-01 P=540.924012 Days $T_0=136.817331$ (BKJD)



DV Model-Shift Uniqueness Test

010209074-01, P = 540.932446 Days, E = 136.710589 Days


Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
21.8	12.9	9.96	11.0	5.44	3.27	1.87	11.8	10.8	2.92	1.86	2.00	0.89	0.35	0.30



Alt Model-Shift Uniqueness Test

010209074-01, P = 540.924012 Days, E = 136.817331 Days

Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
16.5	5.48	4.16	4.16	5.39	3.20	0.94	12.3	12.3	1.32	1.32	5.98	1.10	0.24	4.42



Stellar Parameters For KIC 010209074

	$T_{\text{eff}}(K)$	$\log(g)$	[Fe/H]	$R (R_{\odot})$	$M(M_{\odot})$	$p_{\star} (\text{g}\cdot\text{cm}^{-3})$
	6321^{+155}_{-243}	$4.417^{+0.054}_{-0.216}$	$0.070^{+0.250}_{-0.300}$	$1.125^{+0.376}_{-0.125}$	$1.207^{+0.168}_{-0.168}$	$1.195^{+0.282}_{-0.689}$
	+2%/-4%	+1%/-5%	+357%/-429%	+33%/-11%	+14%/-14%	+24%/-58%
Source	PHO1	KIC0	KIC0	DSEP		

KIC = Kepler Input Catalog; PHO = Photometry; SPE = Spectroscopy; AST = Asteroseismology
 TRA = Transits; DESP = Dartmouth Models; MULT = Multiple Models

Secondary Eclipse Parameters for KIC 010209074-01 / KOI

Detrend	Depth (ppm)	$R_p (R_{\oplus})$	$T_{max} (K)$	$T_{obs} (K)$	A_{obs}
DV	-659 ± 51	$3.82^{+1.48}_{-1.35}$	360^{+26}_{-19}	5847^{+1581}_{-728}	46610^{+67610}_{-21868}
Alt.	-237 ± 43	$3.49^{+1.45}_{-1.20}$	359^{+29}_{-20}	4816^{+1017}_{-597}	19441^{+26487}_{-9883}

T_{max} = Theoretical Maximum Planetary Temperature

T_{obs} = Observed Planetary Temperature (Assuming A=0.3)

A_{obs} = Observed Albedo (Assuming T=0)

If a secondary eclipse is present, the system is likely an EB if $T_{obs} \gg T_{max}$ AND $A_{obs} \gg 1.0$

DV Centroid Data


Supplemental centroid analysis for 010209074-01. Kepler magnitude: 15.39. Transit SNR 9.50

There are 1 quarters with good PRF difference image offsets


The direct PRF centroid is offset from the target star catalog position by about 0.07 arcsec

	Distance in arcsec	Distance / σ	Δ RA	Δ Dec
PRF-fit source offset from OOT	2.619 ± 0.156	16.83	0.489 ± 0.162	2.573 ± 0.155
PRF-fit source offset from KIC position	2.588 ± 0.156	16.64	0.420 ± 0.162	2.554 ± 0.155
photometric centroid source offset	0.65 ± 1.46	0.44	-0.32 ± 1.41	-0.56 ± 1.48


offset from difference PRF-fit to OOT PRF-fit



offset from difference PRF-fit to KIC position







offset from photometric centroids




Centroid source offsets from the target star reconstructed from PRF and photometric centroids. Sky blue crosses: good quarterly centroid offsets; Vermillion crosses: bad quarterly centroid offsets; magenta cross: average over quarters. Length of the crosses: one- σ uncertainty. Blue circle: three- σ . Red *: target star. Blue *: Other stars. Text next to a star gives its KIC ID and kepmag. KIC IDs > 15,000,000 are from the UKIRT catalog.

white ×: KIC target position; +: OOT centroid; △: difference centroid. red ×: large negative pixel value.




white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.


Q5 no difference image




Q5 no OOT image




Q6 no difference image




Q6 no OOT image




Q7 difference image




Q7 OOT image



Q8 no difference image



Q8 no OOT image




white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



UKIRT Image

Declination

