

KIC 010329196

Q1-17 DR25 TCE Parameters

TCE	Run Type	KOI?	Period (Days)	Epoch (BKJD)	Depth (ppm)	Duration (Hours)	MES	SNR	R_{\star} (R_{\odot})	T_{\star} (K)	R_p (R_{\oplus})	S_p (S_{\oplus})
010329196-01	OBS	4446.01	85.756986	162.715761	155.7	5.893	12.7	13.4	2.21	5037	3.16	18.47

Robovetter Results

TCE	Run Type	Disp	Score	N	S	C	E	Comments
010329196-01	OBS	PC	0.90	0	0	0	0	NO_COMMENT

Notes: OBS = Observed. INJ = Injected. INV = Inverted. SCR = Scrambled.

N = Not Transit-Like. S = Stellar Eclipse. C = Centroid Offset. E = Ephemeris Match.








See http://exoplanetarchive.ipac.caltech.edu/docs/API_kepcandidate_columns.html#proj_disp_col for comment definitions.

Ephemeris Match Information For 010329196-01

No Significant Match Found

DV One-Page Summary

KIC: 10329196 Candidate: 1 of 1 Period: 85.757 d
KOI: K04446.01 Corr: 0.991



DV Fit Results:

Period = 85.75699 [0.00080] d
Epoch = 162.7158 [0.0075] BKJD
Rp/R* = 0.0131 [0.0062]
a/R* = 64.04 [115.28]
b = 0.83 [0.67]
Seff = 18.47 [6.14]
Teq = 529 [44] K
Rp = 3.16 [1.73] Re
a = 0.3910 [0.0894] AU
Ag = 232.89 [252.91] [0.92σ]
Teffp = 3193 [828] K [3.21σ]


DV Diagnostic Results:

ShortPeriod-sig: N/A
LongPeriod-sig: N/A
ModelChiSquare2-sig: 74.6%
ModelChiSquareGof-sig: 100.0%
Bootstrap-pfa: 1.88e-36
RollingBand-fgt: 1.00 [15/15]
GhostDiagnostic-chr: -14.24
Centroid-sig: 2.7%
Centroid-so: 1.124 arcsec [1.78σ]
OotOffset-rm: 0.544 arcsec [0.98σ]
KicOffset-rm: 0.465 arcsec [0.86σ]
OotOffset-st: 3/4/3/3 [13]
KicOffset-st: 3/4/3/3 [13]
DiffImageQuality-fgm: 0.77 [10/13]
DiffImageOverlap-fno: 1.00 [14/14]


Software Revision: svn+ssh://murzim/repo/soc/tags/release/9.3.42@60958 -- Date Generated: 28-Jan-2016 19:58:53 Z

This Data Validation Report Summary was produced in the Kepler Science Operations Center Pipeline at NASA Ames Research Center

TCE 010329196-01, PDC Light Curves




TCE 010329196-01




DV Odd/Even

TCE 010329196-01





ALT Odd/Even

TCE 010329196-01




Non-Whitened Vs. Whitened Light Curve




PDC Quarter-Phased Transit Curves

TCE 010329196-01 P= 85.756986 Days $T_0=162.715761$ (BKJD)




DV Quarter-Phased Transit Curves

TCE 010329196-01 P= 85.756986 Days $T_0=162.715761$ (BKJD)



Alt. Detrend Quarter-Phased Transit Curves


TCE 010329196-01 P= 85.758104 Days $T_0=162.709586$ (BKJD)



DV Model-Shift Uniqueness Test

010329196-01, P = 85.756986 Days, E = 76.958775 Days


Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
21.0	4.62	3.89	5.37	5.25	2.96	1.39	17.1	15.6	0.73	-0.75	1.82	0.97	0.20	2.33



Alt Model-Shift Uniqueness Test

010329196-01, P = 85.758104 Days, E = 76.951482 Days

Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
18.5	4.11	3.63	4.29	5.27	3.00	1.18	14.8	14.2	0.48	-0.18	1.65	1.02	0.19	1.94



Stellar Parameters For KIC 010329196

	$T_{\text{eff}}(K)$	$\log(g)$	[Fe/H]	$R (R_{\odot})$	$M(M_{\odot})$	$p_{\star} (\text{g}\cdot\text{cm}^{-3})$
	5037^{+70}_{-81}	$3.783^{+0.094}_{-0.175}$	$0.080^{+0.150}_{-0.150}$	$2.213^{+0.614}_{-0.330}$	$1.083^{+0.173}_{-0.115}$	$0.141^{+0.071}_{-0.064}$
	+1%/-2%	+2%/-5%	+188%/-188%	+28%/-15%	+16%/-11%	+50%/-46%
Source	SPE90	FLK73	SPE90	DSEP		

KIC = Kepler Input Catalog; PHO = Photometry; SPE = Spectroscopy; AST = Asteroseismology
 TRA = Transits; DESP = Dartmouth Models; MULT = Multiple Models

Secondary Eclipse Parameters for KIC 010329196-01 / KOI 4446.01

Detrend	Depth (ppm)	$R_p (R_{\oplus})$	$T_{\text{max}} (K)$	$T_{\text{obs}} (K)$	A_{obs}
DV	-35 ± 7	$3.25^{+1.64}_{-1.45}$	746^{+44}_{-32}	3687^{+942}_{-424}	266^{+627}_{-149}
Alt.	-32 ± 8	$3.07^{+1.62}_{-1.54}$	745^{+48}_{-33}	3763^{+1029}_{-478}	292^{+779}_{-175}

T_{max} = Theoretical Maximum Planetary Temperature

T_{obs} = Observed Planetary Temperature (Assuming A=0.3)

A_{obs} = Observed Albedo (Assuming T=0)

If a secondary eclipse is present, the system is likely an EB if $T_{\text{obs}} \gg T_{\text{max}}$ AND $A_{\text{obs}} \gg 1.0$


DV Centroid Data

Supplemental centroid analysis for 010329196-01. Kepler magnitude: 12.43. Transit SNR 13.37

There are 10 quarters with good PRF difference image offsets


The direct PRF centroid is offset from the target star catalog position by about 0.13 arcsec

	Distance in arcsec	Distance / σ	Δ RA	Δ Dec
PRF-fit source offset from OOT	0.544 ± 0.553	0.98	-0.152 ± 0.703	-0.523 ± 0.539
PRF-fit source offset from KIC position	0.465 ± 0.539	0.86	0.016 ± 0.703	-0.465 ± 0.539
photometric centroid source offset	1.12 ± 0.63	1.78	0.84 ± 0.63	0.75 ± 0.63




Centroid source offsets from the target star reconstructed from PRF and photometric centroids. **Sky blue crosses:** good quarterly centroid offsets; **Vermillion crosses:** bad quarterly centroid offsets; magenta cross: average over quarters. Length of the crosses: one- σ uncertainty. Blue circle: three- σ . Red *: target star. Blue *: Other stars. Text next to a star gives its KIC ID and kepmag. KIC IDs > 15,000,000 are from the UKIRT catalog.


white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.




white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.




white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



UKIRT Image

Declination

