

KIC 010480915

Q1-17 DR25 TCE Parameters

TCE	Run Type	KOI?	Period (Days)	Epoch (BKJD)	Depth (ppm)	Duration (Hours)	MES	SNR	R_{\star} (R_{\odot})	T_{\star} (K)	R_p (R_{\oplus})	S_p (S_{\oplus})
010480915-01	OBS	2040.01	19.585530	132.367879	511.5	1.444	22.3	25.8	1.00	5618	2.69	46.57

Robovetter Results

TCE	Run Type	Disp	Score	N	S	C	E	Comments
010480915-01	OBS	PC	1.00	0	0	0	0	NO_COMMENT

Notes: OBS = Observed. INJ = Injected. INV = Inverted. SCR = Scrambled.

N = Not Transit-Like. S = Stellar Eclipse. C = Centroid Offset. E = Ephemeris Match.

See http://exoplanetarchive.ipac.caltech.edu/docs/API_kepcandidate_columns.html#proj_disp_col for comment definitions.








Ephemeris Match Information For 010480915-01

No Significant Match Found

DV One-Page Summary

KIC: 10480915 Candidate: 1 of 1 Period: 19.586 d

KOI: K02040.01 Corr: 0.868



DV Fit Results:

Period = 19.58553 [0.00004] d
Epoch = 132.3679 [0.0015] BKJD
Rp/R* = 0.0247 [0.0062]
a/R* = 52.02 [56.88]
b = 0.89 [0.25]
Seff = 46.57 [9.06]
Teff = 666 [32] K
Rp = 2.69 [0.76] Re
a = 0.1379 [0.0162] AU
Ag = 91.74 [55.36] [1.64σ]
Teffp = 3187 [464] K [5.42σ]


DV Diagnostic Results:

ShortPeriod-sig: N/A
LongPeriod-sig: N/A
ModelChiSquare2-sig: 93.2%
ModelChiSquareGof-sig: 100.0%
Bootstrap-pfa: 5.27e-104
RollingBand-fgt: 0.94 [51/54]
GhostDiagnostic-chr: 4.42
Centroid-sig: 0.1%
Centroid-so: 1.208 arcsec [2.12σ]
OotOffset-rm: 0.224 arcsec [1.08σ]
KicOffset-rm: 0.171 arcsec [0.86σ]
OotOffset-st: 4/1/4/4 [13]
KicOffset-st: 4/1/4/4 [13]
DiffImageQuality-fgm: 1.00 [13/13]
DiffImageOverlap-fno: 1.00 [14/14]


Software Revision: svn+ssh://murzim/repo/soc/tags/release/9.3.42@60958 -- Date Generated: 28-Jan-2016 22:23:03 Z

This Data Validation Report Summary was produced in the Kepler Science Operations Center Pipeline at NASA Ames Research Center

TCE 010480915-01, PDC Light Curves




TCE 010480915-01




DV Odd/Even

TCE 010480915-01




ALT Odd/Even

TCE 010480915-01




Non-Whitened Vs. Whitened Light Curve

Planet 1 : Phased Unwhitened Flux Time Series (Fit Epoch/Period)




Planet 1 : Phased Whitened Flux Time Series (Fit Epoch/Period)




PDC Quarter-Phased Transit Curves

TCE 010480915-01 P= 19.585530 Days $T_0=132.367879$ (BKJD)




DV Quarter-Phased Transit Curves

TCE 010480915-01 P= 19.585530 Days $T_0=132.367879$ (BKJD)



Alt. Detrend Quarter-Phased Transit Curves


TCE 010480915-01 P= 19.585521 Days $T_0=132.367564$ (BKJD)



DV Model-Shift Uniqueness Test

010480915-01, P = 19.585530 Days, E = 112.782349 Days


Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
37.8	4.65	4.54	4.28	5.20	2.88	1.32	33.3	33.5	0.10	0.37	2.89	1.01	0.12	0



Alt Model-Shift Uniqueness Test

010480915-01, P = 19.585521 Days, E = 112.782043 Days

Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
33.9	3.89	3.79	3.88	5.22	2.92	1.21	30.1	30.0	0.10	0.00	1.39	1.03	0.10	1.00



Stellar Parameters For KIC 010480915

	$T_{\text{eff}}(K)$	$\log(g)$	[Fe/H]	$R (R_{\odot})$	$M(M_{\odot})$	$p_{\star} (\text{g}\cdot\text{cm}^{-3})$
	5618^{+112}_{-101}	$4.401^{+0.100}_{-0.100}$	$0.000^{+0.150}_{-0.150}$	$0.996^{+0.133}_{-0.109}$	$0.911^{+0.068}_{-0.046}$	$1.298^{+0.560}_{-0.392}$
	+2%/-2%	+2%/-2%	+inf%/-inf%	+13%/-11%	+7%/-5%	+43%/-30%
Source	SPE57	SPE57	SPE57	DSEP		

KIC = Kepler Input Catalog; PHO = Photometry; SPE = Spectroscopy; AST = Asteroseismology
 TRA = Transits; DESP = Dartmouth Models; MULT = Multiple Models

Secondary Eclipse Parameters for KIC 010480915-01 / KOI 2040.01

Detrend	Depth (ppm)	$R_p (R_{\oplus})$	$T_{max} (K)$	$T_{obs} (K)$	A_{obs}
DV	-63 ± 13	$2.66^{+0.72}_{-0.73}$	931^{+37}_{-33}	3625^{+423}_{-314}	93^{+84}_{-40}
Alt.	-58 ± 15	$2.44^{+0.69}_{-0.72}$	928^{+39}_{-32}	3681^{+488}_{-317}	102^{+111}_{-44}

T_{max} = Theoretical Maximum Planetary Temperature

T_{obs} = Observed Planetary Temperature (Assuming $A=0.3$)

A_{obs} = Observed Albedo (Assuming $T=0$)

If a secondary eclipse is present, the system is likely an EB if $T_{obs} \gg T_{max}$ AND $A_{obs} \gg 1.0$


DV Centroid Data

Supplemental centroid analysis for 010480915-01. Kepler magnitude: 14.18. Transit SNR 25.81

There are 13 quarters with good PRF difference image offsets




The direct PRF centroid is offset from the target star catalog position by about 0.08 arcsec

	Distance in arcsec	Distance / σ	Δ RA	Δ Dec
PRF-fit source offset from OOT	0.224 ± 0.208	1.08	-0.175 ± 0.178	0.140 ± 0.249
PRF-fit source offset from KIC position	0.171 ± 0.198	0.86	-0.146 ± 0.177	0.089 ± 0.246
photometric centroid source offset	1.21 ± 0.57	2.12	0.56 ± 0.49	-1.07 ± 0.59






Centroid source offsets from the target star reconstructed from PRF and photometric centroids. **Sky blue crosses:** good quarterly centroid offsets; **Vermillion crosses:** bad quarterly centroid offsets; magenta cross: average over quarters. Length of the crosses: one- σ uncertainty. Blue circle: three- σ . Red *: target star. Blue *: Other stars. Text next to a star gives its KIC ID and kepmag. KIC IDs > 15,000,000 are from the UKIRT catalog.





white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.




white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



fluxWeightedCentroids, Planet 1 of 1

