

KIC 010594326

Q1-17 DR25 TCE Parameters

TCE	Run Type	KOI?	Period (Days)	Epoch (BKJD)	Depth (ppm)	Duration (Hours)	MES	SNR	R_{\star} (R_{\odot})	T_{\star} (K)	R_p (R_{\oplus})	S_p (S_{\oplus})
010594326-01	OBS	No	474.056228	436.232990	92.3	3.478	11.5	4.4	66.51	3973	63.17	482.54

Robovetter Results

TCE	Run Type	Disp	Score	N	S	C	E	Comments
010594326-01	OBS	FP	0.00	1	0	0	0	INDIV_TRANS_CHASES_MARSHALL_SKYE—LPP_DV—ALL_TRANS_CHASES—MOD_NONUNIQ_DV—MOD_TER_DV—MOD_POS_DV—INCONSISTENT_TRANS—CENT_SATURATED

Notes: OBS = Observed. INJ = Injected. INV = Inverted. SCR = Scrambled.

N = Not Transit-Like. S = Stellar Eclipse. C = Centroid Offset. E = Ephemeris Match.








See http://exoplanetarchive.ipac.caltech.edu/docs/API_kepcandidate_columns.html#proj_disp_col for comment definitions.

Ephemeris Match Information For 010594326-01

No Significant Match Found

DV One-Page Summary

KIC: 10594326 Candidate: 1 of 1 Period: 474.056 d



DV Fit Results:

Period = 474.05623 [0.01038] d
Epoch = 436.2330 [0.0092] BKJD
Rp/R* = 0.0087 [0.0088]
a/R* = 922.69 [2387.23]
b = 0.48 [4.27]
Seff = 482.54 [87.51]
Teq = 1195 [54] K
Rp = 63.17 [64.86] Re
a = 1.4306 [0.1985] AU
Ag = 20.79 [42.82] [0.46 σ]
Teffp = 3946 [2029] K [1.35 σ]


















DV Diagnostic Results:

ShortPeriod-sig: N/A
LongPeriod-sig: N/A
ModelChiSquare2-sig: 11.1%
ModelChiSquareGof-sig: 63.6%
Bootstrap-pfa: 1.76e-05
RollingBand-fgt: 1.00 [3/3]
GhostDiagnostic-chr: 1.119
Centroid-sig: N/A
Centroid-so: 4.748 arcsec [1.06 σ]
OotOffset-rm: 5.269 arcsec [61.30 σ]
KicOffset-rm: 5.991 arcsec [68.51 σ]
OotOffset-st: 1/0/0/0 [1]
KicOffset-st: 1/0/0/0 [1]
DiffImageQuality-fgm: 1.00 [1/1]
DiffImageOverlap-fno: 1.00 [2/2]



Software Revision: svn-ssh://murzim/repo/soc/tags/release/9.3.42@60958 -- Date Generated: 29-Jan-2016 06:41:00 Z

This Data Validation Report Summary was produced in the Kepler Science Operations Center Pipeline at NASA Ames Research Center

TCE 010594326-01, PDC Light Curves




TCE 010594326-01




DV Odd/Even

TCE 010594326-01




ALT Odd/Even

TCE 010594326-01




Non-Whitened Vs. Whitened Light Curve

Planet 1 : Phased Unwhitened Flux Time Series (Fit Epoch/Period)




Planet 1 : Phased Whitened Flux Time Series (Fit Epoch/Period)




PDC Quarter-Phased Transit Curves

TCE 010594326-01 P=474.056228 Days $T_0=436.232990$ (BKJD)




DV Quarter-Phased Transit Curves

TCE 010594326-01 P=474.056228 Days $T_0=436.232990$ (BKJD)



Alt. Detrend Quarter-Phased Transit Curves


TCE 010594326-01 P=474.044970 Days $T_0=436.248847$ (BKJD)



DV Model-Shift Uniqueness Test

010594326-01, P = 474.056228 Days, E = 436.232990 Days


Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
15.3	33.7	23.8	18.1	5.64	3.58	2.93	-8.54	-2.88	9.86	15.5	4.10	1.05	0.35	1.85



Alt Model-Shift Uniqueness Test

010594326-01, P = 474.044970 Days, E = 436.248847 Days

Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
23.4	6.90	6.29	6.89	5.70	3.67	1.12	17.1	16.5	0.61	0.02	10.1	0.74	0.23	0



Stellar Parameters For KIC 010594326

	$T_{\text{eff}}(K)$	$\log(g)$	[Fe/H]	R (R_{\odot})	$M(M_{\odot})$	p_{\star} ($\text{g}\cdot\text{cm}^{-3}$)
	3973^{+89}_{-109}	$1.032^{+0.030}_{-0.030}$	$-0.320^{+0.200}_{-0.250}$	$66.513^{+2.409}_{-13.653}$	$1.738^{+0.070}_{-0.628}$	$0.000^{+0.000}_{-0.000}$
	+2%/-3%	+3%/-3%	+62%/-78%	+4%/-21%	+4%/-36%	+29%/-8%
Source	PHO54	AST54	PHO54	DSEP		

KIC = Kepler Input Catalog; PHO = Photometry; SPE = Spectroscopy; AST = Asteroseismology
 TRA = Transits; DESP = Dartmouth Models; MULT = Multiple Models

Secondary Eclipse Parameters for KIC 010594326-01 / KOI

Detrend	Depth (ppm)	R_p (R_{\oplus})	T_{max} (K)	T_{obs} (K)	A_{obs}
DV	-489 ± 15	$73.98^{+55.34}_{-46.68}$	1671^{+46}_{-50}	5396^{+4288}_{-1155}	100^{+655}_{-69}
Alt.	-62 ± 9	$91.72^{+66.28}_{-54.30}$	1672^{+45}_{-54}	3355^{+1235}_{-497}	$7.878^{+39.284}_{-5.041}$

T_{max} = Theoretical Maximum Planetary Temperature

T_{obs} = Observed Planetary Temperature (Assuming $A=0.3$)

A_{obs} = Observed Albedo (Assuming $T=0$)

If a secondary eclipse is present, the system is likely an EB if $T_{\text{obs}} \gg T_{\text{max}}$ AND $A_{\text{obs}} \gg 1.0$


DV Centroid Data

Supplemental centroid analysis for 010594326-01. **Kepler magnitude: 10.47.** Transit SNR 4.45

There are 1 quarters with good PRF difference image offsets

The direct PRF centroid is offset from the target star catalog position by about 0.94 arcsec

	Distance in arcsec	Distance / σ	Δ RA	Δ Dec
PRF-fit source offset from OOT	5.269 \pm 0.086	61.30	-4.399 \pm 0.081	2.900 \pm 0.096
PRF-fit source offset from KIC position	5.991 \pm 0.087	68.51	-4.625 \pm 0.081	3.809 \pm 0.096
photometric centroid source offset	4.75 \pm 4.49	1.06	0.56 \pm 3.22	-4.71 \pm 4.51







Centroid source offsets from the target star reconstructed from PRF and photometric centroids. **Sky blue crosses: good quarterly centroid offsets; Vermillion crosses: bad quarterly centroid offsets;** magenta cross: average over quarters. Length of the crosses: one- σ uncertainty. Blue circle: three- σ . Red *: target star. Blue *: Other stars. Text next to a star gives its KIC ID and kepmag. KIC IDs > 15,000,000 are from the UKIRT catalog.

white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.




white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.




white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.


Q9 no difference image





Q9 no OOT image




Q10 difference image




Q10 OOT image




Q11 no difference image




Q11 no OOT image



Q12 no difference image




Q12 no OOT image




white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.


Q13 no difference image




Q13 no OOT image




Q14 no difference image




Q14 no OOT image




Q15 difference image. Poor Quality




Q15 OOT image




Q16 no difference image



Q16 no OOT image



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



UKIRT Image

Declination

