

KIC 010879208

Q1-17 DR25 TCE Parameters

TCE	Run Type	KOI?	Period (Days)	Epoch (BKJD)	Depth (ppm)	Duration (Hours)	MES	SNR	R _★ (R _☉)	T _★ (K)	R _p (R _⊕)	S _p (S _⊕)
010879208-01	OBS	1286.01	1.336953	132.829849	1415.6	1.348	65.0	55.9	0.81	5546	3.81	1057.59

Robovetter Results

TCE	Run Type	Disp	Score	N	S	C	E	Comments
010879208-01	OBS	FP	0.00	0	1	1	1	MOD_SEC_DV—MOD_SEC_ALT—CENT_RESOLVED_OFFSET—HALO_GHOST—EPHEM_MATCH

Notes: OBS = Observed. INJ = Injected. INV = Inverted. SCR = Scrambled.

N = Not Transit-Like. S = Stellar Eclipse. C = Centroid Offset. E = Ephemeris Match.

See http://exoplanetarchive.ipac.caltech.edu/docs/API_kepcandidate_columns.html#proj_disp_col for comment definitions.

Ephemeris Match Information For 010879208-01








TCE (1)	KIC	Parent (2)	Parent KIC	P ₁ :P ₂	Dist (″)	ΔRow	ΔCol	m ₂	m ₁	D ₂ /D ₁	Mechanism	Flag	σ _P	σ _T
010879208-01	10879208	010879213-01	10879213	2:1	7.3	1	1	18.79	15.90	603.55	Direct-PRF	0	3.04	1.09

Notes: P₁:P₂ is the period ratio. Dist is the distance in arcseconds. ΔRow and ΔCol are the number of pixels apart in row and column. m₂ and m₁ are the magnitudes of the parent and child. D₂/D₁ is the parent's transit depth divided by the child's. σ_P and σ_T are the significance of the match in period and epoch. For a match to be considered significant σ_P < 5.0 and σ_T < 5.0. Matches which have σ_P and σ_T very close to this cutoff should receive extra scrutiny, especially if the period ratio is very large.

DV One-Page Summary

KIC: 10879208 Candidate: 1 of 1 Period: 1.337 d
KOI: K01286 Corr: No Ephemeris Match

Kp: 15.90 R*: 0.81 Rs Teff: 5546.0 K Logg: 4.58 Fe/H: -0.140



DV Fit Results:

Period = 1.33695 [0.00000] d
Epoch = 132.8298 [0.0004] BKJD
Rp/R* = 0.0431 [0.0021]
a/R* = 3.73 [0.59]
b = 0.93 [0.03]
Seff = 1057.59 [337.81]
Teq = 1454 [116] K
Rp = 3.81 [0.96] Re
a = 0.0229 [0.0047] AU
Ag = 3.01 [1.03] [1.95σ]
Teff = 2961 [155] K [7.78σ]


DV Diagnostic Results:

ShortPeriod-sig: N/A
LongPeriod-sig: N/A
ModelChiSquare2-sig: N/A
ModelChiSquareGof-sig: N/A
Bootstrap-pfa: 0.00e+00
RollingBand-fgt: 0.95 [705/746]
GhostDiagnostic-chr: -0.1528
Centroid-sig: 0.0%
Centroid-so: 83.611 arcsec [312.22σ]
OotOffset-rm: 7.138 arcsec [11.21σ]
KicOffset-rm: 7.179 arcsec [10.59σ]
OotOffset-st: 4/0/0/4 [8]
KicOffset-st: 4/0/0/4 [8]
DiffImageQuality-fgm: 1.00 [8/8]
DiffImageOverlap-fno: 1.00 [13/13]


Software Revision: svn+ssh://murzim/repo/soc/tags/release/9.3.42@60958 -- Date Generated: 31-Jan-2016 15:38:54 Z

This Data Validation Report Summary was produced in the Kepler Science Operations Center Pipeline at NASA Ames Research Center

TCE 010879208-01, PDC Light Curves




TCE 010879208-01




DV Odd/Even

TCE 010879208-01




ALT Odd/Even

TCE 010879208-01




Non-Whitened Vs. Whitened Light Curve

Planet 1 : Phased Unwhitened Flux Time Series (Fit Epoch/Period)




Planet 1 : Phased Whitened Flux Time Series (Fit Epoch/Period)




PDC Quarter-Phased Transit Curves

TCE 010879208-01 P= 1.336953 Days $T_0=132.829849$ (BKJD)




DV Quarter-Phased Transit Curves

TCE 010879208-01 P= 1.336953 Days $T_0=132.829849$ (BKJD)



Alt. Detrend Quarter-Phased Transit Curves


TCE 010879208-01 P= 1.336968 Days $T_0=132.824362$ (BKJD)



DV Model-Shift Uniqueness Test

010879208-01, P = 1.336953 Days, E = 132.829849 Days


Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
97.0	22.6	3.14	3.54	4.69	1.91	2.03	93.9	93.5	19.5	19.1	1.43	1.26	0.13	5.40



Alt Model-Shift Uniqueness Test

010879208-01, P = 1.336968 Days, E = 132.824362 Days

Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
207.6	114.1	4.67	14.2	4.72	1.97	5.55	202.9	193.4	109.4	100.0	1.28	1.02	0.06	0.48



Stellar Parameters For KIC 010879208

	$T_{\text{eff}} (K)$	$\log(g)$	$[\text{Fe}/\text{H}]$	$R (R_{\odot})$	$M (M_{\odot})$	$\rho_{\star} (\text{g}\cdot\text{cm}^{-3})$
	5546^{+166}_{-166}	$4.575^{+0.040}_{-0.160}$	$-0.140^{+0.300}_{-0.300}$	$0.810^{+0.201}_{-0.067}$	$0.907^{+0.081}_{-0.112}$	$2.404^{+0.481}_{-1.059}$
	+3%/-3%	+1%/-3%	+214%/-214%	+25%/-8%	+9%/-12%	+20%/-44%
Source	PHO1	KIC0	KIC0	DSEP		

KIC = Kepler Input Catalog; PHO = Photometry; SPE = Spectroscopy; AST = Asteroseismology
 TRA = Transits; DESP = Dartmouth Models; MULT = Multiple Models

Secondary Eclipse Parameters for KIC 010879208-01 / KOI 1286.01

Detrend	Depth (ppm)	$R_p (R_{\oplus})$	$T_{\text{max}} (K)$	$T_{\text{obs}} (K)$	A_{obs}
DV	-342 ± 15	$3.91^{+0.43}_{-0.34}$	2066^{+113}_{-86}	3914^{+115}_{-110}	$6.359^{+1.129}_{-1.202}$
Alt.	-1884 ± 17	$5.79^{+0.74}_{-0.45}$	2070^{+126}_{-96}	4677^{+145}_{-132}	16^{+2}_{-3}

T_{max} = Theoretical Maximum Planetary Temperature

T_{obs} = Observed Planetary Temperature (Assuming $A=0.3$)

A_{obs} = Observed Albedo (Assuming $T=0$)

If a secondary eclipse is present, the system is likely an EB if $T_{\text{obs}} \gg T_{\text{max}}$ AND $A_{\text{obs}} \gg 1.0$


DV Centroid Data

Supplemental centroid analysis for 010879208-01. Kepler magnitude: 15.90. Transit SNR 55.86

There are 8 quarters with good PRF difference image offsets


The direct PRF centroid is offset from the target star catalog position by about 0.25 arcsec

	Distance in arcsec	Distance / σ	Δ RA	Δ Dec
PRF-fit source offset from OOT	7.138 \pm 0.637	11.21	4.378 \pm 0.555	5.638 \pm 0.380
PRF-fit source offset from KIC position	7.179 \pm 0.678	10.59	4.539 \pm 0.624	5.562 \pm 0.371
photometric centroid source offset	83.60 \pm 0.27	312.22	43.98 \pm 0.26	71.10 \pm 0.27







Centroid source offsets from the target star reconstructed from PRF and photometric centroids. **Sky blue crosses: good quarterly centroid offsets; Vermillion crosses: bad quarterly centroid offsets**; magenta cross: average over quarters. Length of the crosses: one- σ uncertainty. Blue circle: three- σ . Red *: target star. Blue *: Other stars. Text next to a star gives its KIC ID and kepmag. KIC IDs > 15,000,000 are from the UKIRT catalog.





white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.







white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.





white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; +: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; $+$: OOT centroid; Δ : difference centroid. red \times : large negative pixel value.



UKIRT Image

Declination

