

KIC 011507101

Q1-17 DR25 TCE Parameters

TCE	Run Type	KOI?	Period (Days)	Epoch (BKJD)	Depth (ppm)	Duration (Hours)	MES	SNR	R_{\star} (R_{\odot})	T_{\star} (K)	R_p (R_{\oplus})	S_p (S_{\oplus})
011507101-01	OBS	0773.01	38.377569	134.441630	703.5	5.741	31.9	32.8	1.04	5481	3.08	18.55

Robovetter Results

TCE	Run Type	Disp	Score	N	S	C	E	Comments
011507101-01	OBS	PC	1.00	0	0	0	0	CENT_KIC_POS

Notes: OBS = Observed. INJ = Injected. INV = Inverted. SCR = Scrambled.

N = Not Transit-Like. S = Stellar Eclipse. C = Centroid Offset. E = Ephemeris Match.








See http://exoplanetarchive.ipac.caltech.edu/docs/API_kepcandidate_columns.html#proj_disp_col for comment definitions.

Ephemeris Match Information For 011507101-01

No Significant Match Found

DV One-Page Summary

KIC: 11507101 Candidate: 1 of 1 Period: 38.378 d
KOI: K00773.01 Corr: 0.983




DV Fit Results:

Period = 38.37757 [0.00017] d
Epoch = 134.4416 [0.0036] BKJD
Rp/R* = 0.0272 [0.0041]
a/R* = 32.31 [19.63]
b = 0.81 [0.26]
Seff = 18.56 [3.98]
Teff = 529 [28] K
Rp = 3.08 [0.62] Re
a = 0.2163 [0.0278] AU
Ag = 192.85 [93.20] [2.06σ]
Teffp = 3049 [336] K [7.46σ]


DV Diagnostic Results:

ShortPeriod-sig: N/A
LongPeriod-sig: N/A
ModelChiSquare2-sig: 76.6%
ModelChiSquareGof-sig: 100.0%
Bootstrap-pfa: 4.19e-216
RollingBand-fgt: 1.00 [36/36]
GhostDiagnostic-chr: 4.464
Centroid-sig: 0.0%
Centroid-so: 0.974 arcsec [3.19σ]
OotOffset-rm: 1.757 arcsec [3.14σ]
KicOffset-rm: 0.040 arcsec [0.28σ]
OotOffset-st: 4/4/3/3 [14]
KicOffset-st: 4/4/3/3 [14]
DiffImageQuality-fgm: 1.00 [14/14]
DiffImageOverlap-fno: 1.00 [16/16]

TCE 011507101-01, PDC Light Curves




TCE 011507101-01




DV Odd/Even

TCE 011507101-01




ALT Odd/Even

TCE 011507101-01




Non-Whitened Vs. Whitened Light Curve

Planet 1 : Phased Unwhitened Flux Time Series (Fit Epoch/Period)




Planet 1 : Phased Whitened Flux Time Series (Fit Epoch/Period)




PDC Quarter-Phased Transit Curves

TCE 011507101-01 P= 38.377569 Days $T_0=134.441630$ (BKJD)




DV Quarter-Phased Transit Curves

TCE 011507101-01 P= 38.377569 Days $T_0=134.441630$ (BKJD)



Alt. Detrend Quarter-Phased Transit Curves


TCE 011507101-01 P= 38.377101 Days $T_0=134.451400$ (BKJD)



DV Model-Shift Uniqueness Test

011507101-01, P = 38.377569 Days, E = 96.064061 Days


Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
42.0	2.91	2.87	2.76	5.10	2.71	1.01	39.1	39.2	0.04	0.16	0.89	1.00	0.06	1.52



Alt Model-Shift Uniqueness Test

011507101-01, P = 38.377101 Days, E = 96.074299 Days

Pri	Sec	Ter	Pos	FA ₁	FA ₂	F _{Red}	Pri-Ter	Pri-Pos	Sec-Ter	Sec-Pos	Odd-Evn	DMM	Shape	TAT
37.7	2.82	2.75	2.52	5.12	2.74	0.89	34.9	35.2	0.06	0.29	1.17	1.00	0.06	1.31



Stellar Parameters For KIC 011507101

	$T_{\text{eff}} (K)$	$\log(g)$	[Fe/H]	$R (R_{\odot})$	$M (M_{\odot})$	$p_{\star} (\text{g}\cdot\text{cm}^{-3})$
	5481^{+82}_{-74}	$4.369^{+0.121}_{-0.099}$	$0.160^{+0.150}_{-0.150}$	$1.036^{+0.138}_{-0.124}$	$0.915^{+0.061}_{-0.042}$	$1.159^{+0.599}_{-0.334}$
	+1%/-1%	+3%/-2%	+94%/-94%	+13%/-12%	+7%/-5%	+52%/-29%
Source	SPE90	SPE90	SPE90	DSEP		

KIC = Kepler Input Catalog; PHO = Photometry; SPE = Spectroscopy; AST = Asteroseismology
 TRA = Transits; DESP = Dartmouth Models; MULT = Multiple Models

Secondary Eclipse Parameters for KIC 011507101-01 / KOI 0773.01

Detrend	Depth (ppm)	$R_p (R_{\oplus})$	$T_{\text{max}} (K)$	$T_{\text{obs}} (K)$	A_{obs}
DV	-49 ± 17	$3.04^{+0.52}_{-0.48}$	738^{+29}_{-28}	3311^{+233}_{-235}	133^{+77}_{-51}
Alt.	-49 ± 17	$2.89^{+0.55}_{-0.50}$	736^{+32}_{-30}	3363^{+268}_{-267}	148^{+94}_{-66}

T_{max} = Theoretical Maximum Planetary Temperature

T_{obs} = Observed Planetary Temperature (Assuming $A=0.3$)

A_{obs} = Observed Albedo (Assuming $T=0$)

If a secondary eclipse is present, the system is likely an EB if $T_{\text{obs}} \gg T_{\text{max}}$ AND $A_{\text{obs}} \gg 1.0$


DV Centroid Data

Supplemental centroid analysis for 011507101-01. Kepler magnitude: 15.17. Transit SNR 32.80

There are 14 quarters with good PRF difference image offsets





The direct PRF centroid is offset from the target star catalog position by about 0.50 arcsec

	Distance in arcsec	Distance / σ	Δ RA	Δ Dec
PRF-fit source offset from OOT	1.757 ± 0.561	3.14	-0.850 ± 0.312	1.538 ± 0.491
PRF-fit source offset from KIC position	0.040 ± 0.145	0.28	-0.013 ± 0.129	0.038 ± 0.159
photometric centroid source offset	0.97 ± 0.31	3.19	0.36 ± 0.29	-0.91 ± 0.31




Centroid source offsets from the target star reconstructed from PRF and photometric centroids. Sky blue crosses: good quarterly centroid offsets; Vermillion crosses: bad quarterly centroid offsets; magenta cross: average over quarters. Length of the crosses: one- σ uncertainty. Blue circle: three- σ . Red *: target star. Blue *: Other stars. Text next to a star gives its KIC ID and kepmag. KIC IDs > 15,000,000 are from the UKIRT catalog.





white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.







white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.




white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



white \times : KIC target position; $+$: OOT centroid; \triangle : difference centroid. red \times : large negative pixel value.



UKIRT Image

Declination

